Museums 7991 , 287 v. 98 sect. 19

THE ZOOLOGICAL RECORD

VOLUME 98 SECTION 19 1961

MAMMALIA

COMPILED BY

J. E. HILL

LONDON
PUBLISHED BY
THE ZOOLOGICAL SOCIETY OF LONDON

PRICE EIGHTEEN SHILLINGS

UNIVERSITY OF MICHIGAN LIBRARIES

It will greatly help in the production of The Zoological Record and assist the Recorders of the individual sections, if authors will forward a copy of their paper or memoir to the Editor of the Zoological Record, The Zoological Society of London, Regent's Park, London, N.W.1. In the case of separately printed copies of articles so forwarded, the original pagination should be given.

All business correspondence concerning the Record should be addressed to the Scientific Director, The Zoological Society of London, Regent's Park, London, N.W.1.

THE MUSEUMS JOURNAL

Published by the Museums Association 22 Fitzroy Street, Fitzroy Square, London, W.1.

This journal, which is published monthly, contains articles, reviews and technical notes on every Museum aspect of zoology and other sciences. It is the only English journal which deals with the installation and preservation of exhibits, and which reviews Museum work in all parts of the world.

It is published monthly price 4s., by the Association and can be obtained from the above address. It is distributed free to all members of the Museums Association (Subscription £3 3s. 0d. per annum), of which full particulars are obtainable from the Secretary at the above address.

MAMMALIA

COMPILED BY
J. E. HILL

Vol. 98

C Zoological Society of London, 1962.

Aller Hally Markets

e a Gua Ha

19. MAMMALIA

COMPILED BY

J. E. HILL

CONTENTS

													PAGE
I.	TITLES	***	•••	•••	•••	•••	•••	•••	•••	•••	• • •	•••	3
II.	SUBJECT I	NDEX								***	***	***	68
	General Literature, p. 68; Structure, p. 69; Physiology, p. 72; Reproduction and												
	Sex, p. 75; Development, p. 76; Evolution and Genetics, p. 76; Ecology and												
	Habits, p. 77; Distribution and Faunas, p. 82; Geological (Fossil Faunas), p. 85.												
III.	SYSTEMAT	IC INDE	x				***		***		***	***	86
	$\textbf{Monotremata}, p.~86; \\ \textbf{†Multituberculata}, p.~86; \\ \textbf{†Pantotheria}, p.~87; \\ \textbf{†Symmetrodonta}, \\$												
	p. 87; Marsupialia, p. 87; Insectivora, p. 88; Dermoptera, p. 90; Chiroptera, p. 90;												
	Primates, p. 93; †Tillodontia, p. 97; Edentata, p. 97; Pholidota, p. 97; Lagomorpha,												
	p. 97; Rodentia, p. 98; Cetacea, p. 105; Carnivora, p. 107; †Condylarthra, p. 111;												
	†Litoptherna, p. 111; †Notoungulata, p. 111; Tubulidentata, p. 111; †Pantodonta,												
	p. 111; †Pyrotheria, p. 111; Proboscidea, p. 111; Hyracoidea, p. 112; Sirenia,												
		; Periss					-						

ALLAMMAN ST

1200 9

I.—TITLES

The year of publication is omitted where it is the same as the volume year of the "Record" namely (1961).

Anon. (1). [Distribution of squirrels near Sheffield].

In Linton, D. L. [Ed.] Sheffield and its region 1956: 318-319, 1 fig. (Appendix pt. 3).

Anon. (2). [Report of] Department of Nature Conservation. Provincial administration of the Cape of Good Hope, Union of South Africa. Report No. 15, 1958, pp. 1-121, illustr.

Anon. (3). Report of the [South African] Department of Nature Conservation, Cape Town, No. 16, 1959.

Anon. (4). British Caenozoic fossils. London (British Museum (Natural History)) 1959, pp. 1-130, 44 pls.

Anon. (5). Report on the status and prospects of animals on the list of endangered species at September 1958 and on certain other mammals. Proc. Int. Un. conserv. Nat. Res. 1960, 1960: 101-120.

Anon. (6). Thirty-Eighth Report. Wild Life Preservation Society of Australia. Aust. Wild Life 3, 5, 1960: 1-64, illustr.

Anon. (7). General Report of Cambridge Ecuador Expedition, 1960.

Anon. (8). Large Miocene whale found near Hampton, Virginia. Geotimes 5, 4, 1960: 29, 3 figs.

Anon. (9). [Zoogeographical map of the U.S.S.R.] Moscow (Ministerstva Geologii i Okhrani, Nedr. SSSR) 1960, 4 col. sheets.

Anon. (10). Report of the Game and Fisheries Department (Game Section), Uganda Protectorate, 1958-1960, pp. i-iv, 1-52.

Anon. (11). Rhinos in danger. Facing extinction in Crater Highlands. Wild Life, Nairobi 2 (4) 1960: 6-8.

Anon. (12). East African duikers. Wild Life, Nairobi 2 (4), 1960 : 49–52, 6 figs.

Anon. (13). Identification series No. 4. Small antelopes of East Africa. Wild Life, Nairobi 3 (1): 49-53, 6 figs.

Anon. (14). Identification series. Kobs, water-bucks and reed bucks. Wild Life, Nairobi 3 (2): 49-52, 3 figs.

Anon. (15). Identification series no. 6. Spiral-horned antelopes. Wild Life, Nairobi 3 (3):43-45, 3 figs.

Anon. (16). Mountain gorilla. Wild Life and Sport 2 (3): 35-37, 5 figs.

Anon. (17). Wild Life Conference at Arusha. Afr. Wild Life 15: 270-277.

Anon. (18). Australia's 1960 whaling season. Norsk Hvalfangsttid. 50: 142–146, 2 figs., 1 tab.

Anon. (19). Pelagic whaling in the Antarctic season 1960/61. Norsk Hvalfangsttid. 50: 150-156 6 tabs.

Anon. (20). The world catch 1960. Norsk Hvalfangsttid. 50: 293-308.

Anon. (21). Whaling operations in the Antarctic in the season 1960/61. Norsk Hvalfangsttid. 50:355-379 5 figs. tabs.

Anon. (22). Whaling off the Azores. Norsk Hvalfangsttid. 50: 516.

Anon. (23). International Whaling Statistics. Oslo 45: 1-87, 11 tabs., 46: 1-58 9 tabs.

Anon. (24). [British Schools Exploring Society Arctic Sweden Expedition, 1959.] Natural History Report. Rep. Brit. Sch. Expl. Soc. 1959-60 [1961]: 44-60. [Mammals pp. 48-49.]

Anon. (25). Combien reste-t-il de rhinocéros noirs en Afrique. Terre et la Vie 108: 159-160.

Anon. (26). Les australopitheques sont bien les auteurs de la première industrie lithique. Terre et la Vie 108: 162-163.

Anon. (27). Distribution de la myxomatose en Espagne. Terre et la Vie 108: 375.

Anon. (28). Nature conservation in Poland. Oryx 6: 6-26, 1 pl. 1 map.

Anon. (29). The International Union for Conservation of Nature and Natural Resources. African Special Project, Stage I. Oryx 6: 143-170.

Anon. (30). Ann. Rep. and Bull. Nyasaland Mus. 1961 (cover photograph).

Anon. (31). Guide to the Panorama of North American mammals. Misc. Publ. Mus. nat. Hist. Kansas. Univ. No. 25, 1960: 1-31, illustr.

Anon. (32). Rat en Muis, Wageningen, Nos. 1-3.

Abbott, H. G. & Belig, W. H. Juniper seed : a winter food of red squirrels in Massachusetts. J. Mammal. 42: 240-244, 1 pl.

Abbott, H. G. & Parsons, M. A. Cuterebra infestation in Peromyscus. J. Mammal. 42: 383-385 1 pl.

Abdulali, H. see Santapau.

Abel, G. (1). 24 Jahre Beringung von Fledermäusen im Lande Salzburg. Bonn. zool. Beitr. Sonderheft 1960: 25-32 1 fig. 5 tabs.

Abel, G. (2). Ergebnisse der Fledermausberingung in Salzburg. Säugetierk. Mitt. 9:39.

Abrahám, A. Struktur und Endigungsformen der Fasern des Nervus aorticus im Aortenbogen des Schweines. Z. mikr. anat. Forsch. 67: 409-426 10 figs.

Achard, P. L. Golden langurs Presbytis geei Gee (Khajuria, 1956) in captivity. J. Bomb. nat. Hist. Soc. 58: 505-507.

Adam, K. D. Das Mammut aus dem Grabental bei Münsingen (Kanton Bern), Ein überfordertes Leitfossil. Ecl. geol. helv. 53 (1960), 1961 : 481–491 13 figs. 4 tabs.

Adamczewska, K. A. Intensity of reproduction of the Apodemus flavicollis (Melchior 1834) during the period 1954-1959. Acta Theriologica 5: 1-21 1 fig. 4 tabs.

Adams, W. H. Population ecology of white-tailed deer in north-eastern Alabama. Ecology 41 1960: 706-715 7 figs. 6 tabs.

Adams, W. V. see Roth.

[Atanas'eu, A. V.] [Zoogeography of Kazakhstan (on the basis of the distribution of mammals)]. Alma-Ata (Izdatel'stuo Akademii Nauk Kazakhskoi SSR) 1960: pp. 1-259 text figs. [In Russian.]

Agarwala, O. N. see Mahadevan.

Aguirre, E. (1). Une nouvelle faune à Hipparion au Sud de l'Espagne (Granada). Mitt. geol. ges. Wien 52 1960 : 17.

Aguirre, E. (2). Gisements à Elephas meridionalis Nesti dans la Province de Grenade (Espagne). C.R. Acad. Sci. Paris 252: 1184-1185.

Ahlén, I. & Lennerstedt, I. Vertebratfaunan vid Tisjön i Dalarna. Fauna och Flora 56: 36-49, 4 figs.

Ahti, T. The open boreal woodland subzone and its relation to reindeer husbandry. Arch. Soc. zool.-bot. fenn. Vanamo 16, Suppl.: 91-93.

Aitken, J. T. & Bridger, J. E. Neuron size and neuron population density in the lumbosacral region of the cat's spinal cord. J. Anat. Lond. 95: 38-53 7 figs. 1 pl. 2 tabs.

Alaruikka, Y. Reindeer husbandry in the Soviet Arctic, 1958. Polar. Rec. 10: 404-407 2 tabs.

Albright, R. Bat banding at Oregon Caves. Murrelet 40 1959: 26-27.

[Alekperova, N. A.] (1). [Description of bones of domestic sheep from the Ancient Pantikapei (Kerch).]
Trud. Estest.-Istori. Mus. G. Zardabi, Akad. Nauk. Azerb. SSR. No. 8, 1954:5-13 4 figs. 5 tabs. [In Russian.]

[Alekperova, N. A.] (2). [Fossil saiga from Binagadinsk.] In. [Location of Quaternary Fauna and Flora at Binagadinsk 4.] Trud. Estest.-Istori. Mus. G. Zardabi, Akad. Nauk. Azerb. SSR. No. 10, 1955: 10-64 15 figs. 21 tabs. [In Russian.]

Alekseeva, L. I. (1). Mastodon Serridentinus gobiensis from Beger-Mur (Mongolia). Palaeont. Zh. No. 3, 1959: 117-124 2 figs. 2 tabs. [In Russian.]

Alekseeva, L. I. (2). A Pontian camel from the Crimea. Palaeont. Zh. No. 3, 1959:146-147. [In Russian.]

Alekseyeva, L. V. & Nesturkh, M. F. Morphophysiological features of the menstrual cycle in monkeys. Sovet. antrop. Mosk. 2, 3, 1958: 71-83 1 tab. [In Russian.]

Aleksejeva, L. W. see Levin.

Alexander, M. M. Shrinkage of muskrat skulls in relation to aging. J. Wildl. Mgmt. 24 1960: 326-329 3 figs.

Alexandrova, I. V. & Krasovsky, L. I. On elk feeding habits in winter in Kirov region. Zool. Zh. 40: 1246–1250 3 tabs. [Russian, English summary.]

Alfred, E. R. Imitation rhino horns. Malay Nat. J. 15: 39-40 2 pls.

[Alieva, Sh. B.] [On the study of the rodents of the Nakhichevan A.S.S.R.] Izvest. Akad. Nauk. Azerbaid. SSR No. 1: 77–82. [Azerbaidjanian, Russian summary.]

Alkon, P. U. Nutritional and acceptability values of hardwood slash as winter deer browse. J. Wildl. Mgmt. 25: 77-81 2 figs.

Allison, A. C. see Blumberg.

Allison, H. J. see Camp.

Allsopp, H. Putting manatees to work. New Scient. 12:548-549 3 figs.

Almäşan, H., Popescu, C. C. & Scarlätescu, G. Principalele specii de vinat din R.P.R. raspindirea pe clase de efective. Natura, Bucureşti Biol. 13 4:35-43 9 figs. 10 maps. [English summary.]

Alsterberg, G. Über sättigungslabile Substanzen in quergestreiften Muskelzellen und anderen G-weben. Ark. Zool. 12:405-410 5 figs. [English summary.]

Altmann, M. "Teen-age" problems in the wilderness. Anim. Kingd. 64: 41-44 2 figs.

Alvares, E. F. de (1). Hypohippidium humahuaquense nov. sp. Ameghiniana 1 1-2 1957: 85-95 4 pls. [English summary.]

Alvarez, E. F. de (2). Sobre nuevos restos de "Eumegamysops praependens" (Amegh.) Kragl. Rev. Asoc. geol. argent. 13 1959: 87-103 1 fig. 2 pls. [English summary.]

Alvarez, E. F. de (3). Contribucion al conocimiento de la fauna de Uquia (Provincia de Jujuy, Republica Argentina). Rev. Asoc. geol. argent. 13 1959: 205-222 3 pls.

Alvarez, E. F. de (4). Algunas observaciones sobre "Parahipparion." Rev. Asoc. geol. argent. 14: 239–250 lpl. [English summary.]

Alvarez, E. F. de (5). Algo más sobre Hippidium (Plagiohippus) chapalmalensis (Amegh.) Kragl. Ameghiniana 2 3:39-48 3 pls. [English summary.]

Alvarez, T. Taxonomic status of some mice of the Peromyscus boylii group in eastern Mexico, with description of a new subspecies. Univ. Kansas Publ. Mus. Nat. Hist. 14: 111-120 1 fig. Alvarez, T. see Hall.

Amemiya, T. Cytological and cytochemical reaction of the cat ceruminous gland to adrenalin. Okajimas Folia Anat. Jap. 36 1960: 345–383 6 pls.

Amemiya, T. & Okazoe, T. A histochemical study of the sebaceous gland in the external auditory meatus of the cat. Okajimas Folia Anat. Jap. 36 1960: 215—221 2 pls.

Amemiya, T. see Okazoe.

Amir, E. see Nevo.

Amon, R. Klimatische Grenzen einer Wiederansiedlung des Alpensteinbockes in den Ostalpen [Climatological limits for restocking with ibex.] Meded. Inst. Toeg. biol. No. 50 1960: 171-177 1 tab. [English summary.]

Amoroso, E. C. see Davies.

Andersen, J. Biology and management of roe-deer in Denmark. Terre et la Vie 108: 41-53 4 figs.

Anderson, C. C. The elk of Jackson Hole. A review of Jackson Hole elk studies. Wyoming Game & Fish Comm. Bull. No. 10 1958: 1-184 text illustr.

Anderson, C. F. Anesthetizing deer by arrow. J. Wildl. Mgmt. 25: 202-203 1 fig.

Anderson, M. L. Damage by roe deer. Scot. For. 15: 162-163.

Anderson, S. (1). Small mammals from Gilliam County, Oregon. Murrelet 36 1955: 26-27 1 tab.

Anderson, S. (2). A relict population of Microtus pennsylvanicus in south-western New Mexico. Amer. Mus. Novit. No. 2034: 1-3 1 fig.

Anderson, S. (3). A new method of preparing lagomorph skins. J. Mammal 42: 409-410 1 fig.

Anderson, S. (4). Mammals of Mesa Verde National Park, Colorado. Univ. Kans. Publ. Mus. nat. Hist. 14: 29-67 3 figs. 2 pls.

Anderson, S. & Long, C. A. Small mammals in pellets of barn owls from Miñaca, Chihuahua. Amer. Mus. Novit. No. 2062: 1-3 1 tab.

Anderson, S. see Russell.

Andrychowska, R. see Petrusewicz.

Angeletti, P. U. see Levi-Montalcini.

Ansell, W. F. H. (1). Contributions to the mammalogy of Northern Rhodesia. Occ. Pap. Nat. Mus. S. Rhodesia Nat. Sci. 3 1960: 351-398 8 figs. 9 tabs.

Ansell, W. F. H. (2). Elephant shrew: a correction. North Rhod. J. 4 1960: 396–397.

Ansell, W. F. H. (3). An unusual tail formation in Cercopithecus mitis opisthostictus Sclater. Mammalia, Paris 25: 190-191 1 fig.

Ansell, W. F. H. (4). The range of Hyaena brunnea Thunberg in Rhodesia. Ann. Mag. nat. Hist. 13 ser. 4:249-251 1 fig.

Ansell, W. F. H. see Grimwood.

Aoki, T. see Yasuda.

Apitzsch, E. see Schwarze.

Appel, J. B. Punishment in the squirrel monkey Saimiri sciures. Science 133: 36 l tab.

Arambourg, C. (1). Vertébrés continentaux du Miocène supérieur de L'Afrique du Nord. Pub. Carte géol. Alger. Pal. Mem. 4 1959 : 1-161 52 figs. 18 pls.

Arambourg, C. (2). Précisions nouvelles sur Libytherium maurusium Pomel, giraffidé du Villafranchien d'Afrique. C.R. Soc. géol. Fr. 1960 : 225.

Arambourg, C. (3). Prolibytherium magnieri, un velléricorne nouveau du Burdigalien de Libye. (Note préliminaire). C.R. Soc. géol. Fr. 1961: 61-63 l fig.

Arambourg, C. (4). Note préliminaire sur quelques vertébrés nouveaux du Burdigalien de Libye. C.R. Soc. géol. Fr. 1961: 107-109 1 fig.

Arambourg, C. & Arnould, M. Note sur les failles paléontologiques exécutées en 1947-1948 et 1949 dans le gisement Villafranchien de la Garaet Ichkeul. Notes Ser. Geol. Tunis 1 1950: 149-1571 fig. 3 pls.

Arambourg, C. & Magnier, P. Gisements de vertébrés dans le bassin tertiare de Syrte (Libye). C.R. Acad. Sci. Paris 252: 1181-1183.

Arata, A. A. Meadow vole (Microtus pennsylvanicus) from the Quaternary of Florida. Quart. J. Fla. Acad. Sci. 24:117-121 1 fig.

Argus. Le boeuf musqué (Ovibos moschatus (Zimmermann)). Zoo, Antwerp 27: 14 1 fig.

Armitage, K. B. (1). Frequency of melanism in the golden-mantled marmot. J. Mammal. 42:100-101

Armitage, K. B. (2). Curiosity behaviour in some mustelids. J. Mammal. 42: 276-277.

Armstrong, F. H. Notes on Sorez prebles in Washington State. Murrelet 38 1957: 6.

Armstrong, J. & Quilliam, T. A. Nerve endings in the mole's snout. Nature, Lond. 191: 1379-1380 2 figs.

Arnould, M. see Arambourg.

Arredondo, O. (1). Como identificar los restos óseos de algunos mamiferos Cubanos extinguidos que resultan de suma importancia en la investigaciones arquelógicas y antropológicas. Bol. Soc. Espeleológica Cuba [impermanently stenciled periodical] 2 4 [longhand correction to 3] 1956: 3-38 unnumbered text-figs. [N.V.]

Arredondo, O. (2). Los roedores cubanos extinguidos. El Cartero Cubano 17 12 1958: 8-11 48 unnumbered text-figs. [N.V.]

Arsenjev, V. A. (1). Whale distribution in Bering Sea and the possibility of the development of whale fishing. Trud. Sovesh. Lichtol. Kom. No. 12:112-124 7 figs. [In Russian.]

Arsenjev, V. A. (2). About the Balaenoptera scutorostrata Lac. of the Antarctic. Trud. Sovesh. Ichtiol. Kom. No. 12:125-132 2 figs 2 tabs. [In Russian.]

Artimo, A. The dispersal and acclimatization of the muskrat, Ondatra zibethicus (L.), in Finland. Pap. Game Res. Finnish Game Foundation Res. Inst. Helsinki No. 21 1960: 1-101 42 figs. 4 tabs.

Arvy, L. (1). Contribution à l'histoenzymologie des glandes sudoripares du sac interdigital chez *Ovis aries* L. C.R. Soc. Biol. Paris 154 1960 (1961): 2216-2217.

Arvy, L. (2). Données histoenzymologiques sur la glande surrénale d'Ovis aries L. (Ovinae, Baird, 1857) var. des Causses du Lot. C.R. Soc. Biol. Paris 155: 25-27.

- Arvy, L. (3). Contribution à l'histoenzymologie du rhinarium d'Ovis aries L. (Ovinae, Baird, 1857). C.R. Acad. Sci. Paris 252: 177-178.
- Arvy, L. (4). Contribution à l'histoenzymologie de la surrénale de Sus scrofa L. (Suidae, Gray, 1821), var. domestique. C.R. Acad. Sci. Paris 252: 467-469 1 fig.
- Arvy, L. (5). Contribution à la connaissance de la glande pinéale de Bos taurus L., d'Ovis aries L. et de Sus scrofa L. C.R. Acad. Sci. Paris 253: 1361-1363 l fig.
- Arvy, L. & Bommelaer, D. Recherches histoenzymologiques sur les glandes interdigitales chez Capreolus capreolus L. (Cervidae). C.R. Soc. Biol. Paris 154 1960 (1961): 2212-2215 1 fig.
- Arvy, L. & Lerma, B. de. Sur la présence d'un pigment fluorescent de type porphyrinique dans la glande de Harder de Meriones crassus Sundavall, de M. shawi Duvernoy, de M. vinogradori Heptner et de Gerbillus pyramidum Geoffroy (Rongeurs, Gerbillidae). C.R. Acad. Sci. Paris 253: 1012–1014 1 fig.

Asa-Dorian, P. V. see Norris.

Asakura, S. Menstrual and sexual cycle of primates. J. Primatology 1 1958: 162. [Summary.] [In Japanose.]

Asano, K. see Hanzawa.

Ascenzi, A. & Bonucci, E. A quantitative investigation of the birefringence of the osteon. Acta anat. 44:236-262 8 figs. 10 tabs.

Aschaffenburg, R., Gregory, M. E., Rowland, S. J. & Thompson, S. Y. The composition of the milk of the African black rhinoceros (*Diceros bicornis*, Linn.) Proc. zool. Soc. Lond. 137: 475–479 l ng. 2 tabs.

Ashcraft, G. C. Deer movements of the McCloud Flats herds. Calif. Fish Game 47: 145-152 4 figs.

Ashton, G. C. & Braden, A. W. H. Serum β -globulin polymorphism in mice. Aust. J. biol. Sci. 14: 248–253 l pl. 2 tabs.

Astley Maberly, C. T. Animals of Rhodesia. Cape Town (Howard Timmins) 1959, pp. i-xvi 1-211 text-figs.

Astre, G. (1). Hyracothéridés de Siran (Hérault). C.R. Soc. géol. Fr. 1960 : 14.

Astre, G. (2). Quelques variants extrêmes chez Lophiodon. Bull. Soc. Hist. nat. Toulouse 95 1960: 213–224 2 figs.

Astre, G. (3). Découverte du Mammouth dans les fentes du calcaire de Montmurat (Cantal). C.R. Soc. Géol. Fr. 1960 : 154-155.

Ato, N. (1). Histochemical investigation on the sweat gland of cattle. Especially on the distribution of protein, mucopolysaccharide, lipid and phosphatases. Okajimas Folia Anat. Jap. 36: 429—453 2 pls. 3 tabs.

Ato, N. (2). Histochemical study on the apocrine sweat gland in the circumanal region of cattle. Okajimas Folia Anat. Jap. 37: 19-27 1 pl.

Atz, J. W. Raising Ookie. Anim. Kingd. 64 (1): 13-22 11 figs.

Augustinsson, K-B. & Olsson, B. Genetic control of arylesterase in the pig. Hereditas 47:1-22 2 figs. 2 tabs.

- Austin, C. R. (1). Anomalies of fertilisation leading to triploidy. J. cell. comp. Physiol. 56 suppl. 1 1960: 1-15 2 figs. 7 tabs.
- Austin, C. R. (2). The mammalian egg. Oxford (Blackwell Scientific Publications), pp. i-viii 1-183 text illustr.
- Avaliani, R. Sh. New data on rodent fauna in Adzharia. Zool. Zh. 40: 293. [Russian. English summary.]
- Avila-Pires, F. D. de. Roedores colecionados na região de Lagoa Santa, Minas Gerais, Brasil. Arq. Mus. nac. Rio de J. 50 1960 : 25-43. [English summary.]
- Avis, V. The significance of the angle of the mandible: an experimental and comparative study. Amer. J. phys. anthrop. 19:55-61, 6 figs.
- Azzali, G. (1). Osservazioni istofisiologiche sulle "isole del Langerhans" dei chirotteri. Monit. zool. Ital. Suppl. 68 1960: 222–225.
- Azzali, G. (2). Osservazioni sull' attività colinesterasica dell' apparato digerente dei chirotteri. Monit. zool. Ital. suppl. 68 1960 : 230-236 4 figs.

Backhouse, K. M. Locomotion of seals with particular reference to the forelimb. Symp. zool. Soc. Lond. No. 5: 59-75 6 figs. 3 pls.

Backhouse, K. M. & Smart, P. J. G. The mechanism of wave riding in porpoises, Proc. 2001. Soc. Lond. 136: 197-200 I fig. 1 pl.

Backhouse, K. M. see Hewer.

Backhouse, T. C. & Bolliger, A. Morbidity and mortality in the koala (*Phaecolarctos cinereus*). Aust. J. Zool. 9:24-37, 4 pl. 2 tabs.

Backhouse, T. C. see Bolliger.

Backus, R. H. Stranded killer whale in the Bahamas. J. Mammal. 42: 418–419 1 pl.

Backus, R. H. & Schevill, W. E. The stranding of a Cuvier's beaked whale (*Ziphius cavirostris*) in Rhode Island, U.S.A. Norsk Hvalfangsttid. 50: 177-181.

Bacsanyi, J. see Schmidt-Nielsen.

Badamshin, B. I. Resources of Caspian seal and the ways of their rational using. Trud. Sovesh. Ichtiol. Kom. No. 12:170-179 2 figs. 1 tab. [In Russian.]

Badoux, D. M. A mechanical interpretation of the shape and cyrtocephaly in the skull of the Indian elephant, *Elephas maximus*. Säugetierk. Mitt. 9:97-105, 2 figs. 1 tab.

Badreldin, A. L., Kamar, G. A. R., Shatei, M. M. & Marai, I. F. M. Histological structure of wool follicle group in fat-tailed sheep. Acta anat. 44:363-373 12 figs.

[Baevski, Y. B.] [Observations on some interuterine stages of development in sable.] Trud. Inst. Morf. Zhiv. 30 1960: 246-269 11 figs. 3 tabs. [In Russian.]

Bährens, D. Zur Bedeutung allometrischer Untersuchungen für das Studium innerartlicher variabilität des Schädels von Musteliden. Z. Säugetierk. 26: 154– 157 2 figs.

Bailey, D. W. Rates of subline divergence in highly inbred strains of mice. J. Hered. 50 1959: 26-30 1 fig. 5 tabs.

Bailey, P. see Bonin.

Bailey, S. W. & Dunnet, G. M. The gaseous environment of the pouch young of the brush-tailed possum, *Trichosurus vulpecula* Kerr. C.S.I.R.O. Wildl. Res. Melb. **5** 1960: 149-151 I fig. I tab.

Baillie, A. H. Observations on the growth and histochemistry of the Leydig tissue in the postnatal prepubertal mouse testis. J. Anat., Lond. 95: 357-370 6 figs. 3 pls. 1 tab.

[Baitekunas, P. & Pashkevichus, I.] [New remains of mammoth from Vilnius.] Byull. Kom. Izuch. Chetvert. Perioda 24 1960: 95–99 3 figs. [In Russian.]

Bakker, G. History of the California Tule Elk. Los Angeles (City College Press) (Sponsored by Committee for the preservation of the Tule Elk) pp. 1-89 figs.

Baldwin, D. H. see Downing.

Balph, D. F. Underground concealment as a method of predation. J. Mammal. 42: 423-424 1 fig.

Balph, D. F. & Stokes, A. W. Notes on the behaviour of deer mice (*Peromyscus maniculatus rufinus*). Proc. Utah Acad. 37 1960: 55-62 2 figs. 1 tab.

Balser, D. S. see Morse.

Banerjee, A. R. The simian crease. Sci. & Cult. 28 1960: 282.

Banfield, A. W. F. (1). Notes on Canadian mammal specimens and types in the British Museum (Natural History), London. Bull. Nat. Mus. Canada Contr. Zool. No. 172 1959: 112-127.

Banfield, A. W. F. (2). Notes on the mammals of the Khuane Game Sanctuary, Yukon Territory. Bull. Nat. Mus. Canada Contr. Zool. No. 172 1959: 128-135 1 fig. 1 tab.

Banfield, A. W. F. (3). The use of caribou antler pedicels for age determination. J. Wildl. Mgmt. 24 1960: 99-102 l fig.

Banfield, A. W. F. (4). Migrating caribou. Nat. Hist. N.Y. 70 5: 56-63 illustr.

Banfield, A. W. F. (5). The wood bison type specimen. J. Mammal. 42:553-554.

Bangham, J. W. see Russell.

Bannikov, A-G. (1). L'écologie de Saiga tatarica L. en Eurasie, sa distribution et son exploitation rationnelle. Terre et la Vie 108: 77-85 l pl.

Bannikov, A. G. (2). Ecologie et distribution d' Equus hemionus Pallas; les variations de sa limite de distribution septentrionale. Terre et la Vie 108: 86-100 l pl. l fig.

Barabash-Nikiforov, I. I. To the problem of the acclimatization of *Enhydra lutris* in Murman. Trud. Sovesh. Ichtiol. Kom. No. 12:218-221. [In Russian.]

Barasa, A. & Shochatovitz, A. Grandezza e densità delle cellule nervose della corteccia cerebrale di *Elephas indicus*. R.C. Accad. Lincei (8) 30: 246-249 1 fig. 1 tab.

Barbosa Sueiro, M. B. & Gomes-Ferreira, J. V. Sur la morphologie et la position des condyles de la mandibule chez les mammifères. (Note préliminaire). C.R. Ass. Anat. 48 1957 : 171-174 5 figs.

Barbu, P. Contributious à l'étude monographique de Miniopterus schreibersii Kuhl. An. Univ. C.I. Parhon, Bucureşti No. 24 1960 : 83–107 32 figs. [Roumanian, French summary.]

Bargmann, W. Zahngewebe und Zahnhalteapparat. (In Hoter & others.) Primatologia. Handbook of Primatology 3 (2) 1960. Gebiss pp. 626-636 5 figs.

Barié, I. (1). Postnatal changes of chemical composition of the ground-squirrel (Citellus citellus). Bull. Acad. Serbe Sci. Cl. Sci. Mat. Nat. 26: 3-8.

Barié, I. (2). Tolerance to starvation in rats during the first weeks of their postnatal life. Bull. Acad. Serbe Sci. Cl. Sc. Mat. Nat. 26: 9-14 1 tab.

Barkalow, F. S. (1). A large cottontail litter. J. Mammal. 42:254.

Barkalow, F. S. (2). The porcupine and fisher in Alabama archaeological sites. J. Mammal. 42: 544-545.

Barker, D. & Chin, N. K. Efferent innervation of mammalian muscle-spindles. Nature, Lond. 190: 461-462

Barker, D. & Ip M. C. A study of single and tandem types of muscle-spindle in the cat. Proc. roy. Soc. 154B: 377-397 4 figs. 5 tabs.

Barnard, P. J. The phenomenon of game migration in the Kalahari-Gemsbok National Park with a discussion of various marking methods to facilitate a study of the routes followed. Koedoe No. 4: 178-194.

Barnard, P. J. & Van der Walt, K. Translocation of the bontebok (*Damaliscus pygargus*) from Bredasdorp to Swellendam. Koedoe No. 4: 105-109.

Barnawell, E. B. Inbred mice in teaching elementary genetics. Turtox News 39: 2-5 4 tabs.

Barnes, R. D. & Longhurst, W. M. Techniques for dental impressions, restraining and embedding markers in live-trapped deer. J. Wildl. Mgmt. 24 1960: 224-226 2 figs.

Barnett, C. H. & Marsden, C. D. Functions of the mammalian carotid rete mirabile. Nature, Lond. 191: 88-89.

Barnett, S. A. (1). The behaviour and needs of infant mammals. Lancet 1961: 1067-1071.

Barnett, S. A. (2). Some effects of breeding mice for many generations in a cold environment. Proc. roy. Soc. 155B: 115-135 3 figs. 10 tabs.

Barnett, S. A. & Coleman, E. M. (1). The effect of low environmental temperature on the reproductive cycle of female mice. J. Endocrin. 19 1959: 232-240 5 figs. 2 tabs.

Barnett, S. A. & Colemna, E. M. (2). "Heterosis" in $\mathbf{F_1}$ mice in a cold environment. Genet. Res. Camb. 1 1960: 25-38 3 figs. 7 tabs.

Barnett, S. A., Coleman, E. M. & Manley, B. M. Mortality, growth and liver glycogen in young mice exposed to cold. Quart. J. exp. Phys. 45 1960: 40-49 4 figs.

Barnett, S. A., Eaton, J. C. & McCallum, H. M. Physiological effects of "social stress" in wild rats—II. Liver glycogen and blood glucose. J. Psychosom. Res. 4 1960: 251-260 I fig. 4 tabs.

Barr, T. C. Caves of Tennessee. Bull. geol. Surv. Tenn. 64: vii + 567 l pl. figs.

Barr, T. R. B. see Verts.

Barriety, L. Capture d'un Halichoerus grypus. Bull. Centr. Rech. sci. Biarritz 3 1960 : 265. Barrowmen, J. & Craig, M. Haemoglobins of foetal C57BL/6 mice. Nature, Lond. 190: 818-819 1 fig.

Bartholomew, G. A. & Hudson, J. W. Aestivation in the Mohave ground squirrel Citellus mohavensis. Bull. Mus. comp. Zool. Harv. 134 1960: 193-208 3 figs.

Bartholomew, G. A. & MacMillen, R. E. Oxygen consumption, estivation, and hibernation in the kangaroo mouse, *Microdipodops pallidus*. Physiol. 2001. 34: 177–183 3 figs.

Bartolomei, G. Nota preliminare sulla fawna della Grotta Maggiore di S. Bernardino nei Colli Berici (Vicenza). Ann. Univ. Ferrara N.S. Pal. umana e palet. 3 1960: 119-125 I fig. [English summary.]

Bashenina, N. Y. Materials on the ontogenesis of thermoregulation in the common field mouse (*Microtus* arvalis Pall.) and Lagurus lagurus Pall. Mater. Poznan. faun. Flor. SSSR, N.S. (Zool.) 48 1960: 111-154 12 figs. 8 tabs. [Russian, English summary.]

Baskett, T. S. see Conaway.

Basmajian, J. V. see Ranney.

Bassett, E. G. Observations on the retractor clitoridis and retractor penis muscles of mammals, with special reference to the ewe. J. Anat. Lond. 95: 61-77 5 figs. 3 pls.

Bataller, J. R. Notas estratigráficas y paleontológicas. Mamíferos fósiles cuaternarios de Cataluña. An. Esc. Perit. agric. Barcelona 14 1960 : 3-9.

Batcheler, C. L. A study of the relations between roe, red and fallow deer, with special reference to Drummond Hill forest, Scotland. J. Anim. Ecol. 29 1960: 375-384 2 figs. 1 pl. 2 tabe.

Bateman, A. J. The induction of dominant lethal mutations in rate and mice with triethylenemelamine (TEM). Genet. Res. Camb. 1 1960: 381-392 2 figs. 4 tabs.

Bateman, J. A. The mammals occurring in the Bredasdorp and Swellendam districts, C.P., since European settlement including a list comparing the types in these districts with those of the Cradock and Uieenhage districts, C.P. Koedoe No. 4:78-100.

Bateman, N. (1). High frequency of a lethal gene (ts) in a laboratory stock of mice. Genet. Res. Camb. 1 1960: 214-225 1 fig. 6 tabs.

Bateman, N. (2). Selective fertilization at the Γ -locus of the mouse. Genet. Res. Camb. 1 1960: 226-238 2 figs. 5 tabs.

Battetta, J. see Viret.

Bauchot, R. Le volume hypophysaire chez les insectivores. Mammalia, Paris 25:162-183 7 figs. 3 tabs. [English summary.]

Bauchot, R. & Stephan, H. (1). La cerveau de Setifer setosus (Schreber) (Insectivora, Tenrecidae). Mem. Inst. sci. Madagascar 18A 1960: 139-148 2 figs. 2 pls.

Bauchot, R. & Stephan, H (2). Ltude quantitative de quelques structures commissurales de cerveau des Insectivores. Mammalia, Paris 25:314-341 7 figs. 8 tabs. [English summary.]

Bauer, K. & Steiner, H. Beringungsergebnisse an der Langfütgelfiedermaus (*Miniopterus schreibersi*) in Österreich. Bonn. zool. Beitr. Sonderheft. 1960: 36–53 4 flgs. 4 tabs. Baumgartel, M. W. Death of two male gorillas and rescue of an infant gorilla. Afr. Wild Life 15:6-13 figs.

Bawden, C. R. The snow man. Man 59 1959: 217-218.

Bazan-Kubik, I. (1). Variations in the thymus gland of the harvest mouse, *Micromys minutus* (Pallas 1771). Acta Theriologica 4:285-287.

Bazan-Kubik, I. (2). Morphohistological change in some organs of *Mus musculus* Linnaeus, 1758, from a coal mine. Acta Theriologica 5:99-113 1 pl.

Beals, E. W., Cottam, G. & Vogl, R. J. Influence of deer on vegetation of the Apostle Islands, Wisconsin. J. Wildl. Mgmt. 24 1960: 68-80 6 figs. 4 tabs.

Beaner, P. D. see Ferris.

Bearn, J. G. Hormonal control of the development of the thymus of the foetal rabbit. Nature, Lond. 192: 875–876 1 tab.

Beatty, R. A. (1). The birth weight of rabbits born after heterospermic insemination. Genet. Res. 1 1960: 39-49 3 tabs.

Beatty, R. A. (2). Genetics of gametes V. The frequency distribution of the head length of rabbit spermatozoa, and a search for dimorphism. Proc. roy. Soc. Edinburgh 68B: 72-82 2 tabs. 1 fig.

Beatty, R. A. & Billett, F. S. Genetics of gametes VI. Attempted genetic transformation in the rabbit-Proc. roy. Soc. Edinburgh 68B: 83-90.

Beaumont, G. de. Les chiens du "Puits de Ronze" à Orgnac (Ardeche) avec quelques remarques sur la variabilité dentaire chez les Canidae. Bull. Soc. vaud. Sc. nat. 67: 369-386 7 figs. 1 tab.

Beaumont, M. G. de. Recherches sur Felis attica Wagner du Pontien eurasiatique avec quelques observations sur les genres Pseudaelurus Gervais et Prosilurus Filhol. Nouv. Arch. Mus. Hist. nat. Lyen No. 6: 15-51 4 figs. 3 pls. [English summary.]

Beer, J. R. (1). A collection of deer mice from Otter Rock, Oregon. Murrelet 40 1959: 28-29 1 tab.

Beer, J. R. (2). Hibernation in *Perognathus flavescens*. J. Mammal. 42: 103.

Beer, J. R. (3). Winter home ranges of the red-backed mouse and white-footed mouse. J. Mammal. 42:174–180 2 figs.

Beer, J. R. & MacLeod, C. F. Seasonal reproduction in the meadow vole. J. Mammal. 42: 483-489 2 tabs.

Beer, J. R. see Davis.

Behura, B. K. Studies on the wild mammals of Orissa: 1. Distribution. Proc. Indian Sci. Congr. 43 3 1959: 405-406.

Behura, B. K. see Ghosh.

Belig, W. H. see Abbott.

Belkovich, V. M. To the physical thermoregulation in belucha. Trud. Sovesh. Ichtiol. Kom. No. 12:50-59 5 figs. [In Russian.]

Belokrys, L. S. To the systematics and phylogeny of dinotherids (in connection with a new discovery of a dinotherium in the Upper Sarmatian of Krivoy Rog.) Palaeont. Zh. 1960 4:95-103 2 figs. 1 pl. 4 tabs. [In Russian.]

nd

13

hd

-

of

nt

c.

it.

d.

ar

8.

n

Belova, T. I. (1). Cytoarchitechtonics of the precentral region of the brain cortex in apes and man. Sovet. antrop. Mosk. 2 3 1958: 57-70 7 figs. [In Russian.]

Belova, T. I. (2). The structure of precentral area of the brain cortex in rhesus and pig-tailed macaques in connection with their ecology. Vopros. antrop. Mosk. No. 2 1960: 55-67 6 figs. 4 tabs. [In Russian.]

Belova, T. 1. (3). The postcentral area of the cerebral cortex in mantled baboons (*Papio hamadryas*). Vopros. antrop. Mosk. No. 6:30-43 3 figs. 1 tab. [In Russian.]

Belova, T. I. & Khrisanfova, E. N. (1). Skull splitlines of man, monkeys and apes. Sovet. antrop. Mosk. 1 1957: 223-232 5 figs. [In Russian.]

Belova, T. I. & Khrisantova, E. N. (2). The splitlines on the skeleton bones of man and the apes. Sovet. antrop. Mosk. 2 1 1958: 81–89 9 figs. [In Russian.]

[Belyaeva, E. I.] [On Mongolian Aceratheres.] Trav. Inst. Paléont. Akad. Sci. USSR 77 1960: 108–127 6 figs. 8 tabs. [In Russian.]

[Belyaeva, E. I. & Gabuniya, L. K.] [New finds of Caucasian platybelodonts.] Trud. Inst. Paleobiol. Gruz. SR 5 1960:63-105 12 figs. 2 pls. 7 tabs. [Russian, Georgian summary.]

Bendezú, l. C. (1). Notas sobre los micromamiferos del Perú. Rev. Univ. Nac. Cuzco 49 1959 : 265-269.

Benderá, I. C. (2). Notas bioecológicas sobre algunos Quirópteros del Brasil. Bol. Fac. Cienc. Univ. Cuzco No. 1 1960 : 23-30.

Bendezú, I. C. (3). Clava para las familias de murcielagos Peruanos. Biota, Lima 3 : 181–183.

Benjamin, B. R. see Nair.

Benkovski, L. M. On the geographical distribution of the weasel and on its ecology on Sakhalin. Zool. Zh. 40:1747. [Russian, English summary.]

Bennett, D. Brain hernia, a new recessive mutation in the mouse. J. Hered. 50 1960: 264-268 4 figs.

Benson, C. W. see Grimwood.

Benson, S. B. see Johnson,

Bentley, E. W., Hammond, L. E. & Taylor, E. J. The comparative toxicity of .025% and .005% warfarin to Rattus norvegicus. Plant Path. 4 4 1955: 120.

[Beranshtein, F. Y. & Sapazhkov, S. F.] [On the problem on the influence of cobalt salts on blood pressure in animals.] Vestn. Akad. Nauk. Beloruss. S.S.R. biol. No. 1:61-63 3 figs. [In Byelorussian.]

Beresantsev, Yu. A. The role of the zoo in trichinelloesis epizootology. Zool. Zh. 40: 934-935. [Russian, English summary.]

Berg, B. N. see Simms.

Berg, R. (1). Comparative anatomical measurements of the vena cava caudalis of domestic animals. Wiss. Z. Humboldt-Univ. Berlin, Math.-Nat. R. 9 1959/60: 531-564 22 figs. [German, English summary.]

Berg, R. (2). Agenesis renis unilateralis bei einer Katze. Anat. Anz. 109 1960: 36-40 4 figs.

Berg, R. (3). Glandula suprarenalis accessoria bei einem Pferd. Anat. Anz. 108 1960 : 166-171 3 figs.

Bergerud, A. T. Sex determination of caribou calves. J. Wildl. Mgmt. 25: 205 1 fig.

Bergh, W. van den. L'antilope bongo (Boccercus euryceros (Ogilby)). Zoo, Antwerp 27: 7-13 10 figs.

Bergounioux, F. M. & Crouzel, F. (1). Zygolophodon borsoni Hays du Musée d'Histoire Naturelle de Dijon. Bull. sci. Bourgogne 19 1960: 1-20 5 figs. 1 pl. 1 tab.

Bergounioux, J. M. & Crouzel, F. (2). Les genres Zygolophodon et Turicius en Europe occidentale. Bull. sci. Bourgogne 19 1960: 21–27 1 pl.

Bergounioux, F. M. & Crouzel, F. (3). Mastodontes du Miocène du Bassin d'Aquitaine. Bull. Soc. Hist. nat. Toulouse 95 1960 : 232–286 3 figs. 1 tab.

Bergounioux, F. M. & Crouzel, F. (4). Classification des Dinothérides d'Europe. C.R. Acad. Sci. Paris 253: 510-512.

Bernard, J. A propos d'un croisement entre Arvicola terrestris terrestris L. et A. terrestris sherman Shaw. Mammalia, Paris 25: 120-121.

Berner, L. Note sur le hamster doré de Syrie (Mesocricetus auratus [Wat.]). Bull. Soc. Linn. Provence 22 1959: 68-72.

Bernstein, S. E. see Stevens.

Berry, C. M., Haft, J. S., Harman, P. J. & Hovde, C. A. Significence of pharmacologic state in recording optic potentials from cat cerebellum. Neurology, Minneapolis 9 1959: 845-852 6 figs.

Berry, J. A. The occurrence of a leopard seal (Hydrurga leptonyx) in the tropics. Ann. Mag. nat. Hist. 13th ser. 3 1960 [1961]: 591.

Berry, R. J. Genetical studies on the skeleton of the mouse, XXVI. Pintail. Genet. Res. Camb. 1 1960: 459-451 4 figs. 1 pl. 3 tabs.

Bersin, A. A. Materials to the teeth development and the determination of sperm whale growth. Trud. Sovesh. Ichtiol. Kom. No. 12:94-103 3 figs. [In Russian.]

Betesheva, E. I. Feeding of the common whales of the Kuril region. Trud. Sovesh. Ichtiol. Kom. No. 12: 104-111. [In Russian.]

Bhatnagar, D. S. see Chaudhary.

Bhatnager, S. P. On the structure and distribution of the specialized tissue of the heart of shrew. Proc. Indian Sci. Congr. 47 3 1960: 487.

Bhattacharya, P. see Makherjee.

Bider, J. R. An ecological study of the hare Lepus americanus. Canad. J. Zool. 39: 81-103 13 figs. 1 tab.

Biegert, J. Volarhaut der Hände und Füsse. In Hofer, H., Schultz, A. H. & Starck, D. [Eds.] Primatologia Bd. II, Teil 1, Lief. 3 Basel (S. Karger), pp. 1-326 101 för SS tabe.

Bieguszewski, H. see Gill.

Bieri, R. A. see Parmalee.

Bilewicz, S. Corroboration of the chromosome number 48 in the somatic cells of the chimpanzee. Przegl. zool. 5:176-177. [In Polish.]

Billett, F. S. see Beatty.

Birkenmajer, K. Raised marine features of the Hornsund area, Vestspitsbergen. Studia geol. polon. 5 1960: 7–95 11 pls. 18 figs.

[

dw

M

M

be

J

Biswell, H. H. Manipulation of chamise brush for deer range improvement. Calif. Fish Game 47: 125-144 12 figs.

Black, C. C. (1). A second record of the fossil rodent Palustrimus Wood. Breviora No. 131 1960: 1-3 1 fig.

Black, C. C. (2). New rodents from the early Miocene deposits of Sixty-Six Mountain, Wyoming. Breviora No. 146: 1-7 2 figs.

Blair, R. M. Deer forage increased by thinnings in a Louisiana loblolly pine plantation. J. Wildl. Mgmt. 24 1960: 401-405 1 fig.

Blair, W. F. & Kennerly, T. E. Effects of X-irradiation on a natural population of the wood-mouse (*Peromyscus leucopus*). Toxas J. Sci. 11 1959: 137-149 1 fig. 6 tabs.

Blancou, L. Destruction and protection of the wild life in French Equatorial and French West Africa. Part V. Primates. Afr. Wild Life 15: 29-34.

Bligh, J. The synchronous discharge of apocrine sweat glands of the Welsh mountain sheep. Nature, Lond. 189: 582-583 1 fig. 1 tab.

Blinks, D. C. see Lyman.

Blouch, R. I. Winter deer mortality on two private hunting clubs. Pap. Mich. Acad. Sci. 46: 277-287 3 figs.

B[lower], J. H. Operation rhino. Wild Life and Sport 2 (2): 5-10 illustr.

B[lower], J. H. (2). Wildlife of Uganda No. 1. The roan antelope. Wild Life and Sport 2 (2): 11–13 illustr.

Blower, J. H. (3). Leopard lore. Wildlife and Sport 2 (3): 15-19 4 figs.

B[lower], J. H. (4). Wildlife of Uganda—2. The water buck. Wild Life and Sport 2 (3): 32-34 illustr.

Blumberg, B. S. Allison, A. C. & Garry, B. The haptoglobins, hemoglobins and serum proteins of the Alaskan fur seal, ground squirrel and marmot. J. cell. comp. Physiol. 55 1960: 61-717 figs.

Blunt, M. H. see Evans.

Boback, A. W. Westwanderung von Elchen, Alces alces. Säugetierk. Mitt. 9:159–162.

[Bobrinskii, N. A.]. [Animal world and nature in the U.S.S.R.]. Moscow (Izdatel'stvo Akad. Nauk SSSR) 1960 pp. 1–414 frontis. 23 pls. map text illustr. [In Russian.]

Bodmer, W. F. Viability effects and recombination differences in a linkage test with pallid and fidget in the house mouse. Heredity 16: 485-495 6 tabs.

Bogdanov, O. P. On the distribution and ecology of Myotis longicaudatus Ognev. Zeol. Zh. 39 1960: 1895-1896 2 tabs.

[Bogolyubskii, S. N.]. [The origin and transformation of domestic animals.] Moskva (Gosudarstoennoe Izdatel'stvo "Sovetskaya Nauka;') 1959 pp. 1–593 4 pls. text illustr. [In Russian.]

[Bogolyubski, S. N. et al.] [Breed morphological distinctions in the development of sheep.] Trud. Inst. Morf. Zhiv. 35: 1-275 figs. [In Russian.]

Boguleanu, Gh. see Manolache.

Bohlken, H. (1). Allometrische Untersuchungen an den Schädeln asiatischer Wildrinder. Z. Säugetierk. 26: 147-154 8 figs. 1 tab.

Bohlken, H. (2). Der Kouprey, Bos (Bibos) sauveli Urbain 1937. Z. Säugetierk. 26: 193-254 48 figs. 11 tabs. [English summary.]

Bolliger, A. & Backhouse, T. C. The blood of the koala (*Phaecolaretos cinereus*). Aust. J. Zool. 8 1960: 363-370 2 tabs.

Bolliger, A. see Backhouse.

Bolwig, N. An intelligent tool-using baboon. S. Afr. J. Sci. 57: 147-152 4 figs.

Bommelaer, D. see Arvy.

Bonè, E. Oreopithecis bambolii. A propos du jalounement tertiare de l'Homme. Rev. Quart. sci. 20 1959 : 215-246 map.

Bonin, G. v. & Bailey, P. Pattern of the cerebral isocortex. In Hofer, H., Schultz, A. H. & Starck, D. [Eds.] Primatologia Bd. II, Teil 2, Lief 10: [i-iv] 1-42 33 figs 4 pls.

Bonucci, E. see Ascenzi.

Boolootian, R. A. The distribution of the California sea otter. Calif. Fish Game 47: 287-292 3 figs. 1 tab.

Booth, A. H. Small mammals of West Africa. London (Longmans, Green & Co. Ltd.) 1960: pp. i-xii 1-68 2 figs. 76 col. figs.

Borrell, A. E. Fox squirrel attacks mourning dove. J. Mammal. 42: 101.

Borg, K. Toxoplasmosis in wildlife in Sweden. Trans. N. Amer. Wildl. Conf. No. 26: 219-229 2 figs.

Borri, P. & Macchi, G. Topografia delle proiezioni corticifughe nel tronco cerebrale della cavia. Monit. 2001. Ital. Suppl. 68 1960: 264–266.

Botsharov, J. C. Histostructure of the ovaries on rhesus monkey (*Macaca rhesus*) during postnatal ovogenesis. Vopros. antrop. Mosk. No. 2 1960:123-125 1 fig. [In Russian.]

Bouchud, J. & Wernert, P. Remarques sur les formes des bois de Rennes recueillis dans les loess d'Achenheim, près de Strasbourg, et dans les stations palèolithiques du Sud-Ouest de la France. C.R. Acad. Sci. Paris 252: 579-581.

Bourgeois, S. see Zimny.

Bourlière, F. Lifespans of mammalian and bird populations in nature. In Wolstenholme, G. E. W. & O'Connor, M., Ciba Foundation colloqua on ageing, 5. The lifespan of animals. London (J. & A. Churchill, Ltd.) 1959: 90-105 5 figs. 2 tabs.

Bovet, J. Experimentelle Untersuchungen über das Heimfindevermögen von Mäusen. Z. Tierpsychol. 17 1960: 728-755 18 figs. 12 tabs. [English summary.]

Bowden, R. E. M. & Scheuer, J. L. Comparative studies of the nerve supply of the larynx in Eutherian mammals. Proc. zool. Soc. Lond. 136: 325-330 4 pls. 3 tabs.

Bowman, J. C. & Falconer, D. S. Inbreeding depression and heterosis of litter size in mice. Genet. Res. Camb. 1 1960: 262-274 4 figs. 3 tabs.

[Boyle, C. L.] Editorial notes. Oryx 6:83-85 1 fig.

Braden, A. W. H. Genetic influences on the morphology and function of the gametes. J. cell. comp. Physiol. 56 Suppl. 1 1960: 17-29 2 figs. 4 tabs.

Braden, A. W. H. see Ashton.

Bradshaw, G. V. R. (1). New Arizona locality for the dwarf shrew. J. Mammal. 42:96.

Bradshaw, G. V. R. (2). Le cycle de reproduction de Macrotus californicus (Chiroptera, Phyllostomatidae). Mammalia, Paris 25:117-119. [English summary.]

Bragg, A. N. [for King, O. M.] A note on opossum behaviour. J. Mammal. 42: 397.

Brakhage, G. K. see Martinson.

Brandon, R. A. Observations of young keen bats. J. Mammal. 42: 400-401.

[Braude, G. L.] [On the morphological peculiarities of tonic and atonic skeleton muscles in mammals.] Trud. Inst. Morf. Zhiv. 29 1960: 110-166 22 figs. 6 tabs. [In Russian.]

Brauer, A. & Dusing, A. Sexual cycles and breeding seasons of the gray squirrel, *Sciurus carolinensis* Gmelin. Trans. Ky. Acad. Sci. 22:16-274 figs. 3 tabs.

Braynes, S. N. & Novosyelova, S. L. Elementary thought in apes. (Preliminary communication.) Sovet. antrop. Mosk. 3 1 1959: 37–48 1 fig. [In Russian.]

Bree, P. J. H. van (1). On a subfossil skull of Mustela lutreola (L.) (Mammalia, Carnivora), found at Vlaardingen, the Netherlands. Zool. Anz. 166: 242-245 1 fig.

Bree, P. J. H. van (2). A note on the date of molt in the stoat (Mustela erminea) from the Netherlands. Säugetierk. Mitt. 9:8-10 1 fig.

Bree, P. J. H. van (3). On the remains of some Carnivora found in a prehistoric site at Vlaardingen, the Netherlands. Beaufortia 8:109-118 9 figs.

Bressou, C. La myologie du tapir (Tapirus indicus L.). Mammalia, Paris 25: 358-400 16 tigs.

Bridger, J. E. see Aitken.

Bridges, W. (1). Haymakers from the Northwest—two mountain beavers. Anim. Kingd. 63 1960: 208-210 l fig.

Bridges, W. (2). Two young snow leopards in the zoo. Anim. Kingd. 64: 2-64 figs.

Bridges, W. (3). The least weasel. Anim. Kingd. 64:45-46 2 figs.

Brigham, J. H. Summer mortality of juvenile blacktailed deer in western Washington. Murrelet 35 1954: 39-42 1 for.

Briney, S. R. & Wunder, C. C. Comparative study of affects of gravity on the growth of hamsters and mice. Proc. Iowa Acad. Sci. 67 1960: 495-500 5 figs.

Britz, W. E. see Cook.

Broadbooks, H. E. (1). California ground squirrel invades Washington. J. Mammal. 41: 257-258.

Broadbooks, H. E. (2). The funnel eared bat in Sonora. J. Mammal. 42: 403.

Broadbooks, H. E. (3). Homing behaviour of deer mice and pocket mice. J. Mammal. 42:416-417 l tab.

Brock, E. M. see Howard.

Brocklesby, D. W. A new disease of the eland. Wild Life, Nairobi 2 (4) 1960: 19, 39.

Brodkorb, P. Recently described birds and mammals from Cuban caves. J. Paleont. 35: 633-635.

Brocks, A. C. A study of the Thomson's gazelle (Gazella thomsonis Günther) in Tanganyika. I. Studies on the life-history and ecology of the Thomson's gazelle (Gazella thomsonis Günther) in Tanganyika pp. 1-75 2 figs. 15 pls. 3 tabs. 1I. Variation and subspeciation Thomson's gazelle (Gazella thomsonis Günther) pp. 77-127 9 figs. 4 pls. 24 tabs. III. Notes in some aspects of growth, ageing and development in Thomson's gazelle, with comments on cranial abnormalities pp. 129-147 1 fig. 2 pls. 9 tabs. Colonial Research Pub. No. 25, London (H.M. Stationery Office) pp. i-vi 1-147.

Brooks, F. P. Use of spider monkeys in the study of gastric secretion. Science 132 1960: 1489.

Brosselin, M. Observations sur le rat musqué aux environs de Rennes. Penn ar Bed. No. 23 1960 : 237– 240 2 figs.

Brosset, A. (1). Les mammifères du Maroc oriental. Leur répartition—Leur statut actuel. Bull. Soc. Sci. Maroc. 40 1960 : 243–263.

Brosset, A. (2). Some notes on Blanford's, or the whitetailed wood rat [Rattus blanford: (Thomas)] in western India. J. Bomb. nat. Hist Soc. 58: 241-248 I fig. 1 pl. 2 tabs.

Browman, L. G. Microphthalmia and optic blood supply in the rat. J. Morph. 109: 37-55 3 pls.

Brown, A. M. & Cook, M. J. Histocompatible colour mutant from CBA/Lab strain of mice. Nature, Lond. 189:1031 2 figs.

Brown, L. N. (1). Excreted dyes used to determine movements of cottontail rabbits. J. Wildl. Mgmt. 25: 199-202 2 figs. 1 tab.

Brown, L. N. (2). Sorex longirostris in southwestern Missouri. J. Mammal. 42: 527.

Brown, L. N. & Conaway, C. H. Dye excretion as a method for determination of small mammal home ranges. Amer. midl. Nat. 66: 128-137 1 fig. 3 tabs.

Brown, M. C. see Warner.

Brown, S. G. (1). Observations of pilot whales (Globicephala) in the north Atlantic Ocean. Norsk Hvalfangsttid. 50:225-254 1 fig 7 tabs.

Brown, S. G. (2). Whale marks recovered in the Antarctic whaling season 1960/61. Norsk Hvalfansttid. 50: 407-410.

Buchalczyk, A. Pitymys subterraneus (de Sélys— Longchamps 1835) under laboratory conditions. Acta Theriologica 4: 282–284.

Buchalczyk, T. (1). Variabilität der Feldspitzmaus, Crocidura leucodon (Hermann 1780) in Öst-Polen. Acta Theriologica. 4 1960: 159–174 1 fig. 6 tabs.

Buchalczyk, T. (2). Einseitige Gebissanomalie bei Neomys fodiens Pennant 1771. Acta Theriologica 4: 277-278 l fig.

Buchalezyk, T. & Raczyński, J. Taxonomischer Wert einiger Schädelmessungen inländischer Vertreter der Gattung Sorex Linnaeus 1758 und Neomys Kaup 1829. Acta Theriologica 5: 115-124 4 figs. 4 tabs. [Polish, German summary.]

Buckner, C. H. The pale big brown bat in Manitoba. J. Mammal. 42: 529.

Budker, P. Les migrations des grands Cétacés. C.R. Soc. Biogéogr. 37 330 : 21-24 1 fig.

Buechner, H. K. (1). Unilateral implantation in the Uganda kob. Nature, Lond. 190: 738-739 l tab.

[

in Oh

lóg No

J.

de

R

1

Buechner, H. K. (2). Regulation of numbers of pronghorn antelope in relation to land use. Terre et la Vie 108: 266-285 1 pl. 5 tabs.

Buechner, H. K., Harthoorn, A. M. & Lock, J. A. (1). Recent advances in field immobilization of large animals with drugs. Trans. N. Amer. Wildl. Conf. 25 1960: 415-422 I tab.

Buechner, H. K., Harthoorn, A. M. & Lock, J. A. (2). L'immobilisation des animaux sauvages, technique auxiliaire de leur exploitation rationnelle et de leur controle. Terre et la Vie 108: 361–367.

Buettner-Janusch, J. Transferrin differences in chimpanzee sera. Nature, Lond. 192: 632-633 1 fig. 1 tab

Buettner-Janusch, J., Twichell, J. B. & Wong, B. Y-S. Multiple haemoglobins and transferrins in a macaque sibship. Nature, Lond. 192: 948-950 4 figs. 1 tab.

Buisson, M. du see Signoret.

Bujalska, G. Fälle von Asymmetrie des Beckens und des Kreuzbeines beim Lepus europacus Pallas 1778. Acta Theriologica 4:279-281 2 pls.

Bullard, R. W., David, G. & Nichols, C. T. The mechanisms of hypoxic tolerance in hibernating and non-hibernating mammals. Bull. Mus. comp. Zool. Harv. 124 1960: 321-335 5 figs 1 tab.

Bulmer, D. & Dickson, A. D. The fibrinoid capsule of the rat placenta and the disappearance of the decidua. J. Anat., Lond. 95: 300-310 2 pls.

Bulmer, D. see Dickson.

Bunker, L. E. Hepatic fusion, a new gane in linkage group I of the mouse. J. Hered. 50 1959: 40-44 3 figs. 4 tabs.

Buranamaras, P. see Rife.

[Burchak-Abramovich, N. I.] (1). [Find of fossil ox (Bubalus sp.) in the Caucasus.] Izvest. Akad. Nauk. Azerb. SSR. No. 2 1952:63-76. [N.V.] [In Russian.]

[Burchak-Abramovich, N. I.] (2). [A primitive ox (Bos mastanzades mihi sp. nova) from the Quaternary fauna of Apscheronsk.] Trud. Estest.—Istori. Mus. G. Zardabi, Akad. Nauk. Azerb. SSR. No. 5, 1952: 181–202. [N.V.] [In Russian.]

[Burchak-Abramovich, N. I.] (3). [Study of the material of long-shafted bones of the mammals of Binagadinsk.] In [Location of Quaternary Fauna and Flora at Binagadinsk, 3.] Trud. Estest.-Istori. Mus. G. Zardabi, Akad. Nauk. Azerb. SSR. No. 6 1953: 210-277 37 figs. 7 tabs. [In Russian.]

[Burchak-Abramovich, N. I.] (4). [Indications of injury in the skeletons of predatory mammals of the Binagadinsk fossil deposit.] In [Location of Quaternary Fauna and Flora at Binagadinsk. 3]. Trud. Estest. Istori. Mus. G. Zardabi, Akad. Nauk. Azerb. SSR. No. 6 1953: 278-301 25 figs. [In Russian.]

[Burchak-Abramovich, N. I.] (5). [Eldarak Palaeontological Reconnaissance Expedition.] Trud. Estest.-Istori. Mus. G. Zardabi, Akad. Nauk. Azerb. SSR. No. 8 1964: 14-49 6 figs. 10 tabs. [In Russian.]

[Burchak-Abramovich, N. I.] (6). [Fossil giraffe (Achtiaria borissiakii Alex.) from the Hipparion fauna of Eldarsk.] Trud. Estest.-Istori. Mus. G. Žardabi, Akad. Nauk. Azerb. SSR. No. 8 1954: 50-77, 28 figs. 8 tabs. [In Russian.]

[Burchak-Abramovich, N. I.] (7). [Fossil oxen of the Old World.] Baku (Akad. Nauk. Azerb. SSR.] 1957 pp. 1–263 131 figs. 11 pls. 14 tabs. [In Russian.]

[Burchak-Abramovich, N. I.] (8). [Fossil beaver—trogonthere from Caucasus.] Vertebrata Palasiatica 1961:150-154 l fig. [Chinese, Russian summary.]

[Burchak-Abramovich, N. I.] (9). [A study of the Caucasian cave bear.] Čas. moravsk. Mus. 46:67-80 lpl. l tab. [Russian, German summary.]

[Burchak-Abramovich, N. I. & Dzhafarov, R. D.] (1). [Material and analytical account of the hoofed mammals of the Quaternary fauna of Binagadinsk.] In [Location of Quaternary Fauna and Flora at Binagadinsk, 3.] Trud. Estest.-Istori. Mus. G. Zardabi, Akad. Nauk. Azerb. SSR. No. 6 1953: 157-209 22 figs. 18 tabs. [In Russian.]

[Burchak-Abramovich, N. I. & Dzhafarov, R. D.] (2). [Binagadinsk localities in the fauna and flora of the Apsheronsk Peninsula.] In [Location of Quaternary Fauna and Flora at Binagadinsk, 4.] Trud. Estest.-Istori. Mus. G. Zardabi, Akad. Nauk. Azerb. SSR. No. 10 1955: 89–146 9 figs. [In Russian.]

[Burchak-Abramovich, N. I. & Naniev, V. I.] [Bison of Northern Ossetia]. Trud. Estest.-Istori. Mus. G. Zardabi, Akad. Nauk. Azerb. SSR. No. 8 1954: 78–187 39 figs. 7 tabs. [In Russian.]

Burckhardt, D. (1). Great horns and high Alps. Nat. Hist, N.Y. 70 2: 8-15 illustr.

Burckhardt, D. (2). Aus dem Leben des Steinbockes. Schw. Natursch. 27: 10-14 2 figs. [French summary.]

Burckhardt, D., Kuster A. & Schloeth, R. Recherches Suisses sur les Ongules-Gibier. Terre et la Vie 108: 101-109.

Burckhardt, D. see Schloeth.

Burgess, P. F. Wild life conservation in North Borneo. Nature Conservation in Western Malaysia, 1961. Malay. Nat. J. 21st Anniv. Spec. Issue: 143-151 2 pls.

Bürgl, H. Biostratigrafia de la Sabana de Bogota y sus alrededores. Bol. geol. Colombia 5 2 1958 : 113-147 19 pls. map. [English summary.]

Burkill, H. M. Protection of wild life on Singapore Island. Nature Conservation in Western Malaysia 1961. Malay. Nat. J. 21st Anniv. Spec. Issue: 152-164 1 fig. 1 pl.

Burkl, W. Wachserde Eierstockfollikel mit mehreren Oozyten. Anat. Anz. 109: 164-169 3 figs.

Burt, A. M. & Wood, A. E. Variants among Middle Oligocene rodents and lagomorphs. J. Paleont. 34 1960: 957-960 2 figs. 1 tab.

Burt, W. H. (1). A fauna from an Indian site near Redington, Arizona. J. Mammal. 42:115-1161 tab.

Burt, W. H. (2). Some effects of Volcán Paricutin on vertebrates. Occ. Pap. Mus. Zool. Univ. Mich. No. 620: 1-24.

Burt, W. H. & Stirton, R. A. The mammals of El Salvador. Misc. Pub. Mus. Zool. Univ. Michigan No. 117: 1-69 2 figs. 1 tab.

Busnel, R. G. see Signoret.

Buss, J. O. Some observations on food habits and behaviour of the African elephant. J. Wildl. Mgmt. 25: 131-148 7 figs. 2 tabs.

Busser, L. see Gouin.

Butterworth, B. B. The breeding of Dipodomys deserti in the laboratory. J. Mammal. 42: 413-414.

on

d.

n.]

2).

ry

o.

37

h

ŀ

r

n

1

Byon, S. Die Ausmündungszahl der Schweissdrüsen in der Augenbrauenhaut Beim Menschen und Affen. Okajimas Folia Anat. Jap. 37: 99-104.

Cabrier da Silva, H. R. B. de. Prospeccao parasitológica em Timor. Estud. Ens. Docum. Jta. Inv. Lisboa No. 76 1960: 1-117 5 maps.

Cadeo, G. C. Risultati degli ultimi 15 anni di ricerche archeologiche, paleontologiche e paletnologiche nelle grotte Lombarde (Anni 1946–1960). Natura, Milano 52: 20–28.

Cağlar, M. see Kahmann.

Calaby, J. H. & Rateliffe, F. N. Australia's threatened mammals. Proc. Int. Un. conserv. Nat. Res. 1960 1960: 121-126.

Calaby, J. H., Gooding, C. D. & Tomlinson, A. R. Myxomatosis in Western Australia. C.S.I.R.O. Wildl. Res. Melb. 5 1960: 89-101 1 fig. 1 tab.

Calaby, J. H. see Griffiths.

Caldwell, D. K. The harbor seal in South Carolina. J. Mammal. 42: 425.

Calhoun, M. L. see Strickland.

Callegari, E. Osservazioni sulla superficie secernente della mammella in *Bos taurus*. Atti Accad. Sci. Bologna R.C. (11) **6** 1959: 152–155.

Callender, E. N. The flying lemur. Malay. Nat. J. 15:71.

Camacho, J. H. & Porta, J. de. Un nuevo bóvido pleistocénico de Colombia: Colombibos atactodonius. Bol. geol. Univ. indust. Santander No. 5 1960: 41-52 l pl. 2 tabs. [English summary.]

Camain, R. & Quenum, A. Le problème de l'hypertrophie compensatrice de la corticosurrénale : étude chez Cricetomys gambianus mâle. C.R. Soc. Biol. Paris 155 : 585-591 3 figs. 2 tabs.

Camain, R., Quenum, A., Kerrest, J. & Goueffon, S. Considérations sur l'éstomac de Cricetomys gambianus. C.R. Soc. Biol. Paris 154: 1578-1579.

Camerlynck, P. see Massayeff.

Cameron, A. W. Les mammifères du Canada. Ottawa (National Museum of Canada) 1960 : pp. 1–89 text illust.

Cameron, A. W. see MacLeod.

Camp, C. L. & Allison, J. H. Bibliography of fossil vertebrates 1949–1953. Mem. geol. Soc. Amer. 84 1961: 1-532.

Candaele, G. Le reseau arteriel coronarien du gorille. Bull. Inst. roy. Sci. nat. Belg. 36 (48) 1960: 1-8 4 figs.

Capurro S., L. F. & Silva G., F. Estudios cromatograficos y electroforeticos en camelidos sudamericanos. Invest. zool. chil. 6 1960: 49 [bis]-64 10 figs. [English summary.]

Cardot, J. see Jullien.

Carli, L. de. see Hamerton.

Cartisle, R. W., Palmer, R. F. & Skillen, S. Natterer's bat, *Myotis nattereri* Kuhl, Castlecoole, Co. Fermanagh. Irish nat. J. 13 1960: 121.

Carson, J. D. Epiphyseal cartilage as an age indicator in fox and gray squirrels. J. Wildl. Mgmt. 25:90-93 1 fig. 1 tab.

Carter, D. C. & Davis, W. B. Tadarida auriepinosa (Peale) (Chiroptera : Molossidae) in North America. Proc. biol. Soc. Wash. 74: 161-165 2 tabs. Carter, T. C. & Lyon, M. F. An attempt to estimate the induction by X-rays of recessive lethal and visible mutation in mice. Genet. Res. Camb. 2:296-305 1 fig. 7 tabs.

Carter, T. C., Lyon, M. F. & Phillips, R. J. S. The genetic sensitivity to X-rays of mouse foetal gonads. Genet. Res. Camb. 1 1960: 351-355 3 tabs.

Carvalho, C. T. de (1). Sobre alguns mamiferos do sudeste do Pará. Arch. Zool. S. Paulo 11 1958 [1960]: 121-132 1 fig.

Carvalho, C. T. de (2). Das visitas de morcegos ás flôres (Mammalia, Chiroptera). An. Acad. bras. Cienc. 32 1960 : 359–377 4 figs. 4 tabs. [English summary.]

Casamiquela, R. M. El hallazgo del primer elenco (Ionologico) Jurasico de vertebrados terrestres de Latinoamerica (Noticia). Rev. Asoc. geol. argent. 15: 5-14 2 figs. 1 pl. [English summary.]

Casebeer, R. L. Habitat of the Jackson Hole elk as a part of multiple resource planning, management and use. Trans. N. Amer. Wildl. Conf. No. 26: 436-447 2 figs.

Casteel, D. A. A white cottontail rabbit. J. Mammal. 42:541.

Casteel, D. A. see Lord.

Castellanos, A. (1). Nuevos généros de Clamiterio y de Gervo y una nueva especie de *Plohophorus*. Ameghiniana 1 3 1957 : 5-14 4 figs.

Castellanos, A. (2). Restos de Boreostracon corondanus n. sp. descubiertos en la Provincia de Santa Fé (Argentina). Acta geol. Lilloana 2 1958 : 135-189 illus. [N.V.]

Castle, W. E. & Singleton, W. R. The Palomino horse. Genetics 46 1143-1150 2 tabs.

Catlett, R. H. (1). An evaluation of methods for measuring fighting behaviour with special reference to Mus musculus. Anim. Behav. 9:8-101 tab.

Catlett, R. H. (2). Unusual abundance of Peromyscus at Gothic, Colorado. J. Mammal. 42: 415 1 tab.

Cattanach, B. M. XXY mice. Genet. Res. Camb. 2: 156-158.

Cattoi, N. Una especie extinguida de *Tapirus* Brisson (*Tapirus rioplatensis* nov. sp.). Ameghiniana 1 3 1957 : 15-21 1 fig. 1 pl.

Cauna, N. see Leaming.

Cave, A. J. E. (1). The retrolingual giand of the elephant. Proc. zool. Soc. Lond. 136: 293-300 3 figs. 1 pl.

Cave, A. J. E. (2): The frontal sinus of the gorilla. Proc. zool. Soc. Lond. 136: 359-373 6 figs. 1 pl.

Cecio, A. see Rosati.

Center, E. M. "Dorsal excrescenses" in the mouse—genetic or non-genetic? J. Hered. 51 1960: 21-26 5 figs.

Chabarova, A. J. Über die rezeptorischen Felder im Herzen. Z. mikr. anat. Forsch. 67: 434-440 3 figs.

Chai, C. K. (1). Life span in inbred and hybrid mice.
J. Hered. 50 1960 : 203-208 5 figs.

Chai, C. K. (2). Analysis of quantitative inheritance of body size in mice. IV. An attempt to isolate polygenes. Genet. Res. Camb. 2: 25-32 3 figs. 2 tabs.

Chakravarii, D. K. A geological, palaeontological and phylogenetic study of the Elephantoidea of India, Pakistan and Burma: Part I. Gomphotheriidae. J. Pal. Soc. India 2 1957: 83-94. Chambers, W. W. see Sprague.

Chang, M. C. Fertilization of domestic rabbit (Oryctolagus cuniculus) ova by cottontail rabbit (Sylvilagus transitionalis) sperm. J. exp. Zool. 144 1960: 1–10 2 pls. 2 tabs.

Chang, Y. P. Pleistocene mammals from Shaochin, Kwangtung. Paleovertebrata et Paleoanthropologia 1 (3) 1959: 141-143. [In Chinese.] [N.V.]

Chang, Y. P. see Chiu.

Chang, Y. P. see Chow.

Chapman, D. B. see Hummel.

Chapman, D. G. Population dynamics of the Alaska fur seal herd. Trans. N. Amer. Wildl. Conf. No. 26: 356-369 1 fig. 4 tabs.

Chapsky, K. K. (1). Contemporary conditions and the problems of the systematics of pinniped. Trud. Sovesh. Ichtiol. Kom. No. 12:138-149. [In Russian.]

Chapsky, K. K. (2). Some ecological substantiation of the seasonal dynamics of the area of the White Sea population of Greenland Seal. Trud. Sovesh. Ichtiol. Kom. No. 12:150-163. [In Russian.]

Chapuis, M. Evolution and protection of the wild life of Morocco. Afr. Wild Life 15: 107-112 4 figs.

Chaput, G. Quelque observations sur la sablière de Kemer Burgas. Nouv. Arch. Mus. Hist. nat. Lyon No. 6: 1.

Charegaonkar, P. M. & Rindani, T. H. Effect of age, sex and gonadal hormone on brain tissue respiration of albino rats. Proc. Indian Acad. Sci. 53B: 143-148-4 tabs.

[Charlemagne, N. V.). [Animals of the Ukraine. Kiev 1920] [N.V.] [omitted from previous Records.] [In Ukrainian.]

Charles, D. R., Tihen, J. A., Otis, E. M. & Grobman, A. B. Genetic effects of chronic X-irradiation exposure in mice. Genetics 46: 5-8.

Charnot, Y. Repercussion de la deshydratation sur la biochimie et l'endocrinologie du dromadaire. Trav. Inst. Sci. Chérifien Ser. Zool. No. 20 1960 : i-xii 1-167 9 pls. 13 tabs.

Chase, H. B. & Mann, S. J. Phenogenetic aspects of some hair and pigment mutants. J. cell. comp. Physiol. 56 Suppl. 1 1960: 103-111 1 tab.

Chaudhary, N. C. & Bhatnagar, D. S. Effect of exposure to sun and exercise on heat tolerance coefficient in Murrah buffalo calves. Nature, Lond. 189: 844–845 2 tabs.

Chauvier, G. see Nouvel.

Chew, R. M. Water metabolism of desert-inhabiting vertebrates. Biol. Rev. 36:1-31 2 figs. 2 tabs, [Mammals p. 20.]

Chianelli, B. Chromosomes of the orang-utan (Pongo pygmaeus). Nature, Lond. 192: 285 1 fig. 2 tabs.

Chiasson, R. B. A Pleistocene record of Zalophus from Mexico. J. Mammal. 42: 547-549 1 pl.

Chin, N. K. see Barker.

Chiodi, V. Osservazioni sull'apparato di conduzione nel cuore di felidi. R.C. Accad. Bologna Cl. Sc. Fis. (11) 2 1955 : 25-31 7 figs.

Chiodi, V. & Bortolami, R. Osservazioni sulle strutture profonde del cuore di alcuni primati. Atti Accad. Sci. Bologna R.C. (11) 3 1956: 19-27 7 figs.

Chipman, R. K. see Negus.

[Chittleborough, R. G.] (1). Report on Australian whaling 1960. Norsk Hvalfangsttid 50: 254-255.

[Chittleborough, R. G.] (2). Australian catches of humpback whales 1960. Norsk Hvalfangsttid. 50: 452–483 10 figs. 17 tabs.

Chiu, C. L., Chang, Y. P. & Tung, Y. S. Pleistocene mammalian fossils from Chinkiang District, W. Hupei. Vertebrata Palasiatica 1961: 155-1591 pl.

Chopra, S. R. K. The angle of pelvic torsion in the primates. Z. morph. anthrop. 51: 268-274 3 figs. 2 tabs.

Chou, J. T. Y. A cytological and histochemical study of the stria vascularis of the guinea-pig's ear. Quart. J. micr. Sci. 102: 75–82 2 figs. 1 tab.

Chou, P. H. see Chow.

Chow, B. S. Note on a pathologic mandible of woolly rhinoceros from Siki, Ningsia. Vertebrata Palasiatica 1961: 43-48 2 pls. [Chinese, English summary.]

Chow, B. S. see Kahlke.

Chow, M. (1). Part I. General considerations. In Chow, M. & others. Pleistocene mammalian fossils from the Northeastern Provinces. Mem. Inst. Vert. Pal. Acad. Sinica 3 1959: 1–12. [Chinese, English summary.]

Chow, M. (2). Primates, Rodentia, Lagomorpha and Carnivora. In Chow, M. & others. Pleistocene mammalian fossils, from the Northeastern Provinces. Mem. Inst. Vert. Pal. Acad. Sinica 3 1959: 13-22 4 figs. 3 pls.

Chow, M. (3). Occurrence of Enhydriodon at Yuanmo, Yunnan. Vertebrata Palasiatica 1961: 164–167 1 fig. [Chinese, English summary.]

Chow, M. & Chang, Y. P. Proboscidea. In Chow, M. & others. Pleistocene mammalian fossils from the Northeastern Provinces. Mem. Inst. Vert. Pal. Acad. Sinica 3 1959: 22-34 4 figs. 12 pls. [Chinese, English summary.]

Chow, M., Chang, Y. P., Hu, C. K., Liu, H. I., Hsu, Y. H., Chou, P. H., Lee, Y. C. & Hsien, H. H. Pleistocne mammalian fossils from the Northeastern Provinces. Mem. Inst. Vert. Pal. Acad. Sinica 3 1959: 1–82 15 figs. 45 pls. [Chinese, English summary.]

Chow, M. C. (1). A new tarsioid primate from the Lushi Eccene, Honan. Vertebrata Palasiatica 1961: 1-5 pl. [Chinese and English.]

Chow, M. C. (2). The first occurrence of fossil hippopotamus in China. Vertebrata Palasiatica 1961: 39–40 1 fig. [Chinese, English summary.]

Chowdhury, A. K. & Das, D. Acid secreting zones in the rabbit stomach. Sci. & Cult. 27; 306-308 3 figs.

Chowdhury, D. R. & Sadhu, D. P. Rate of evaporation from different regions of the skin of Indian zebu cattle. Nature, Lond. 189: 491.

Christian, G. The future of England's deer. New Scient. 12: 628-630 5 figs.

Christian, J. J. Control of population growth in rodents by interplay between population density and endocrine physiology. Wildl. Dis. & Abstr. (on Microcard) No. 2 1959: 38 pp.

Christian, J. J. see Snyder.

Christiansen, B. Fauna north of the Arctic Circle. Tromse Mus. Skr. 8 1960: 73-99 3 figs. ian

of

60 :

ene

pei.

the

idy

llv

ica

In

mo

Pal.

ry.]

and

ım-

pls.

mo.

fig.

M.

the

lish

Isn.

ro-

61 :

61 :

s in

igs.

ora-

ebu

Vew

in

and

cro-

cle.

Christov, L. Untersuchungen über die Saugetiere im Gebiet des "Srebärna":Sees im Bezirk Silistra. lzv. zool. Inst. Bulg. Akad. Nauk. 10:345-353 4 tabs. [Russian, German summary.]

Chudoba, S. & Humiński, S. Wroctaw-neighbourhood territories irrigated with sewage waters as biotopes of Insectivora and Rodentia. Przegl. zool. 5:132-137 4 figs. I tab. (Polish, English summary.)

Chu Tsing see Stroganova.

Clanton, C. W. & Johnson, M. L. (1). White tailed jack rabbit in Washington. Murrelet 35 1954: 15.

Clanton, C. W. & Johnson, M. L. (2). Beechey's ground squirrel Washington State. Murrelet 35 1954:

Clanton, C. W. see Johnson.

Claridge, G. G. Seal tracks in the Taylor Dry Valley. Nature, Lond. 190: 559.

Clark, G. M., Locke, L. N. & Schmid, F. C. Contact dermatitis incurred from cottontail stomach contents. J. Wildl. Mgmt. 24 1960: 94.

Clark, J. D. Sites yielding hominid remains in Bed I, Olduvai Gorge. Nature, Lond. 189: 903-904.

Cleffmann, G. Über den Einfluss des Milieus in situ und in vitro auf die Manifestierung der Agutizeichnung. Verh. dtsch. zool. Ges. 1960 (1961): 263–268 6 figs.

Ciemens, W. A. A late cretaceous mammal from Dragon Canyon, Utah. J. Paleont. 35: 578-579 1 fig.

Clemens, W. A. see Kermack.

Clexy, J. K. A., Dennis, B. J. & Kerr, D. I. B. A degeneration study of the somaesthetic afferent systems in the marsupial phalanger, *Trichosurus vulpecula*. Aust. J. exp. Biol. med. Sci. 39: 19-27 20 figs.

Cochran, G. A. & Stains, J. H. Deposition and decomposition of fecal pellets by cottontails. J. Wildl. Mgmt. 25: 432-435 4 figs.

Cockrill, W. R. Pathology of the Cetacea. A veterinary study on whales—Part II. Brit. vet. J. 116 1960: 175-190 5 figs.

 ${\bf Cockrum,~E.~L.}$ Southern yellow bat from Arizona. J. Mammal. ${\bf 42}:97.$

Cohen, B. L. Genetics of plasma transferrin in the mouse. Genet. Res. Camb. 1 1960: 431-438 3 pls. 4 tabs.

Cohen, B. L. & Shreffler, D. C. A revised nomenclature for the mouse transferrin locus. Genet. Res. Camb. 2: 306-308 2 tabs.

Cohen, J. The transplantation of individual rat and guinea-pig whisker papillae. J. Embryol. exp. Morph. 9:117-127 1 fig. 2 pls.

Colacicchi, R. Squalodon bariensis nel calcare bituminoso miocenico di Ragusa (Sicilia). Bol. Soc. Paleont. Italiana 1 1 1960: 17-32 2 pls. [English summary.]

Colchester, T. C. Game and climatic changes in the Sahara. Wild Life, Nairobi 2 (4) 1960: 27-29 2 figs.

Cole, A. S. Soluble material in the gastro-intestinal tract of rats under normal feeding conditions. Nature, Lond. 191: 502-503 l tab.

Cole, S. How fast did man evolve. New Scient. 11: 208-210 3 figs. 2 tabs.

Coleman, E. M. see Barnett.

Collins, W. B. (1). Wild Life conservation in Ghana (Part I). Afr. Wild Life 15: 205-212 6 figs.

Collins, W. B. (2). Wild life conservation in Ghana (Part II). Afr. Wild Life 15: 281-287

Comfort, A. Studies on the longevity and mortality of English thoroughbred horses. In Wolstenholme, G. E. W. & O'Connor, M., Ciba Foundation colloquia on ageing, 5. The lifespan of animals. London (J. & A. Churchill Ltd.) 1959: 35-56 3 figs. 6 tabs.

Commissaris, L. R. The Mexican big-eared hat in Arizona. J. Mammal. 42: 61-65 1 fig.

Conaway, C. H., Baskett, T. S. & Toll, J. E. Embryo resorption in the swamp rabbit. J. Wildl. Mgmt. 24 1960: 197-202 3 tabs.

Conaway, C. H. see Brown.

Conaway, C. H. see Wight.

Condie, K. C. see Stokes.

Constant, P. (1). Étude systematique du Minioptere de Schreibers. Sous le Plancher No. 2, 1957: 30-34.

Constant, P. (2). Chauves-souris d'Europe occidentale—indice digital. Sous le Plancher No. 1 1960:

Constantine, D. G. (1). Locality records and notes on western bats. J. Mammal. 42: 404-405.

Constantine, D. G. (2). Gestation period in the spotted skunk. J. Mammal. 42: 421-423.

Constantine, D. G. (3). Bats and rabies . . . a startling mammal-virus relationship. Zoonooz 34 (11): 3-7 6 figs.

Cook, E. F. see Davis.

Cook, J. E., Finis, J., Mikach, E. D. & Britz, W. E. The chimpanzee, procurement, standardization, and use in biomedical research. J. Amer. vet. med. Ass. 138: 366-369.

Cook, M. J. & Vleek, A. Sex-ratio in mice. Nature, Lond. 191: 89 l tab.

Cook, M. J. see Brown.

Cook, R. S. & Hale, J. B. Deer on the Bad River Indian reserve. Trans. N. Amer. Wildl. Conf. No. 26: 448-459 7 tabs.

Cooke, H. B. S. Further revision of the fossil Elephantidae of Southern Africa. Palaeont. africana 7: 46-58 9 figs. 1 tab.

Cooper, E. R. A. The vertebral venous plexus. Acta anat. 42 (4) 1960: 333-351 26 figs.

Copenhaver, R. M. see Tansley.

Coppens, Y. Découverte d'un australopithéciné dans le Villafranchien du Tchad. C.R. Acad. Sci. Paris 252: 3851–3852.

Corbet, G. B. Origin of the British insular races of small mammals and of the "Lusitanian" fauna. Nature, Lond. 191: 1037-1040.

Cornwall, I. W. & Howard, M. M. The making of man. London (Phoenix House, Ltd.) 1960 pp. 1-63 text illustr.

Corte, F. della. Osservazioni istologiche sull' adenoipofisi di embrioni, di neonati e di soggetti giovani di gatto domestico. Monit. 2001. Ital. Suppl. 68 1960: 295-299.

Cortner, G. L. see Jones.

Costin, A. B. & Moore, D. M. The effects of rabbit grazing on the grasslands of Macquarie Island. J. Ecol. 48 1960: 729-732 4 pls. 1 tab.

Cottam, G. see Beals.

Coulson, J. C. & Hickling, G. (1). The grey seals of the Farne Islands. Trans. nat. Hist. Soc. Northumb. N.S. 13 1960: 196-214 8 tabs.

Coulson, J. C. & Hickling, G. (2). Variation in the secondary sex-ratio of the gray seal *Halichoerus grypus* (Fab.) during the breeding season. Nature, Lond. 190: 281 l tab.

Courtenay-Latimer, M. The black springbuck. Afr. Wild Life 15: 15-18 3 figs.

Couturier, M. A. J. (1). Statut actuel des représentants du genre Capra dans le bassin Méditerranéen. Terre et la Vie 106 Suppl. 12–19.

Couturier, M. A. J. (2). Ecologie et protection du bouquetin (Capra aegagrus ibez ibez L.) et du chamois (Rupicapra rupicapra rupicapra (L.)) dans les Alpes. Terre et la Vie 108: 54-73.

Couturier, M. A. J. (8). Vie sexuelle et reproduction chez le bouquetin des Alpes (Capra aegagrus ibex ibex (L.) 1758). Act. Congr. Ass. franç. 79: 142.

Cowan, I. McT. & Geist, V. Aggressive behaviour in deer of the genus *Odocoileus*. J. Mammal. 42:522-426 3 figs.

Cowan, I. McT. see Currier.

Cowan, I. McT. see Wood.

Cowan, R. L. see Long.

Cowey, A. see Weiskrantz.

Cowgill, G. Comments. [On Howell, F. C. European and northwest African Middle Pleistocene hominids. Curr. Anthrop. 1 1960: 192-232.] Curr. Anthrop. 2: 118.

Craig, D. see Dart.

Craig, M. see Barrowman.

Craighead, J. J. & Stockstad, D. S. Color marker for big game. J. Wildl. Mgmt. 24 (4) 1960 : 435–438 2 figs.

Craighead, J. J., Hornocker, M., Woodgerd, W. & Craighead, F. C. Trapping, immobilizing and color-marking grizzly bears. Trans. N. Amer. Wildl. Conf. 25 1960: 347-363 4 tabs.

Cranbrook, Earl of. Use of the thumb to support a whiskered bat (Myotis mystacinus Kuhl) at roost. Proc. 2001. Soc. Lond. 137: 633-634.

Cranbrook, Earl of & Crowcrott, P. Small mammals from Herm Island. J. Linn. Soc. Lond. (Zool.) 44 (298): 365–368 2 tabs.

Crary, D. D. & Sawin, P. B. Inheritance and hair morphology of the "wuzzy" mutation in the rabbit. J. Hered. 50 1959: 31-34 4 figs. 1 tab.

Crawford, H. S. see Halls.

Creed, R. F. S. Observations on reproduction in the wild red fox (*Vulpes vulpes*). An account with special reference to the occurrence of fox-dog crosses. Brit. vet. J. 116 1960: 419-426 2 figs. 2 pls.

Crespis, I. Catalogue of type and figured specimens in the Commonwealth Palaeontological Collection, Canberra. Rep. Aust. Bur. Min. Res. Geol. geophys. 54 1960: 1-92. Crespo, J. A. Hallazgo del pichi ciego (Chlamyphorus truncatus Harl.) en la Provincia de Rio Negro. Neotropica 6 1960: 94.

Crouzel, F. see Bergounioux.

Crowcroft, P. & Rowe, F. P. The weights of wild house mice (*Mus musculus L.*) living in confined colonies. Proc. zool. Soc. Lond. 136 (2) 1961:177-185 2 figs. 2 tabs.

Groweroft, P. & Jeffers, J. N. R. Variability in the behaviour of wild house mice (*Mus musculus L.*) towards live traps. Proc. zool. Soc. Lond. 137: 573-582 9 tabs.

Crowcroft, P. see Cranbrook.

Crusafont-Pairo, M. Trouville en Espagne du plus ancien Procyonidé d'Eurasie. Ann. Paléont. 45 1959 : 125-140 4 figs.

Crusatont-Pairo, M. & Hürseler, J. Les pongidée fossiles d'Espagna. C.R. Acad. Sci. Paris 252 : 582-584.

Crusafont Pairo, M. see Hernández-Pacheco.

Crusafont Pairo, M. see Koenigswald.

Crusafont Pairo, M. see Santonja.

Crusz, H. Dugongs—a zoological romance. Loris 8 1960: 300-302 1 fig.

Currey, J. D. Differences in the blood supply of bone of different histological types. Quart. J. micr. Sci. 101 1960: 351-370 9 figs.

Currier, A., Kitts, W. D. & Cowan, I. McT. Cellulose digestion in the beaver (*Castor canadensis*). Canad. J. Zool. 38 1960: 1109–1116 6 tabs.

Curry-Lindahl, K. (1). A note on the moose in Sweden. Terre et la Vie 108: 110-112.

Curry-Lindahl, K. (2). The Norway lemming (Lemmus lemmus) in Sweden during the peak year 1960. Launa och Flora 56: 1-27 2 figs. map. [Swedish, English summary.]

Curtis, G. H. see Leakey.

Czechowicz, K. see Zarzycki.

Czyżewska, T. (1). Nouvelle espèce de cervide du genre Cervocerus Khomenko de la brèche Pliocène de Weze près de Dzialoszyn. Acta palaeont. polon. 5 1960: 283-318 6 figs. 4 pls. 12 tabs. [Polish, French summary.]

Czyżewska, T. (2). Cervus (Rusa) sp. de la brèche osseuse Pliocène de Weze près de Działoszyn. Acta palaeont. polon. 4 1960: 389–430 7 figs. 5 pls. 13 tabs. [Polish, French summary.]

Da Cunha, A. X. On the occurrence of the beaver (Castor fiber L.) in the mammalogical fauna of the Bronze Age castrum of Vila Nova de S. Pedro. Mem. Mus. zool. Univ. Coimbra No. 270: 1-4 1 pl. [Portuguese, English summary.]

Dagg, A. J. Elementary ecology of the Kruger National Park antelope. Afr. Wild Life 15:113-115 2 figs.

Dahlberg, J. A reverse mutation in the house mouse. J. Hered. 50 1960: 248-252.

Dajoz, R. Le grands mammifères du Parc Albert. Nature, Paris No. 3311 : 117-127 14 figs. 1 tab.

Dalke, P. D. see McConnell.

Dalquest, W. W. (1). Sylvilagus cunicularius in the Pleistocene of Mexico. J. Mammal. 42:408-409.

Dalquest, W. W. (2). A record of the giant bison (Bison latifrons) from Cooke County, Texas. Texas J. Sci. 13: 41-44.

Daniel, T. W. Rodent population of the spruce-fir type of Logan Canyon. Proc. Utah. Acad. Sci. 32 1955: 35-36.

Danilova, E. I. & Svistun, V. I. Oh a find of human fossil bones in alluvial deposits near the Dnieprodzerzhinsk water power station. Dopov. Akad. Nauk. Ukr. R.S.R. No. 5:669-673 3 figs.

[Danilova, L. V.] [On the problem of the development of the posterior extremity in the embryo of Bostaurus.] Trud. Inst. Morf. Zhiv. 29 1960: 34-74 23 figs. [In Russian.]

Dannegger, E. A. Osteologische Untersuchung der Tierknochenreste aus der Grabung 1952 im Pfahlbau Burgäschisee-Süd. Mitt. naturf. Ges. Bern. N.F. 18 1960: 1-34 1 fig.

Dart, R. A. (1). The second adolescent (female) ilium of Australopithecus prometheus. J. Pal. Soc. India 2 1957: 73-82 2 figs.

Dart, R. A. (2). The Kisoro pattern of mountain gorilla preservation. Curr. anthrop. 2:510-511.

Dart, R. A. (3). The place of antelope cannon-bones (or metapodials) in australopithecine economy. Z. wiss. Zool. 165: 108-122 12 figs.

Dart, R. A. (4). Further information about how Australopithecus made bone tools and utensils. S. Afr. J. Sci. 57: 127-134 4 figs.

Dart, R. A. (5). An australopithecine scoop made from a right australopithecine upper arm bone. Nature, Lond. 191: 372-373 2 figs.

Dart, R. A. & Craig, D. Adventures with the missing link. London (Hamish Hamilton) 1959, pp. i-xv 1-251 text illustr.

Das, D. see Chowdhury.

Dasmann, R. F. & Mossman, A. S. Commercial use of game animals on a Rhodesian ranch. Wild Life, Nairobi 3 (3): 7-14 6 figs. 3 tabs.

Dater, E. E. Tolerance among nocturnal woodland creatures. J. Mammal. 42: 424-425.

Dathe, H. (1). Beiheft zum Magnettonband Tierstimmen im Zoo: Säugetiere Africas I (Löwe, Fleckenhyäne, Flusspferd). Berlin (Volk und Wissen, Volkseigener Verlag [? 1959] pp. 1-19.

Dathe, H. (2). Erfahrungen bei Affentransporten. Die Kleintier-Praxis 4 1959: 110–113.

Dathe, H. (3). Beobachtungen zur Fortpflanzungsbiologie des Braunbären, Ursus arctos L. Zool. Gart. Lpz. 25: 235-250 3 tabs. [English summary.]

Danbercies, A. [Ed.] Black rhinoceros survey 1959 to 1960. Proc. Int. Un. conserv. Nat. Res. 1960 1960: 127–131.

David, G. see Bullard.

Davidovic, M. & Popesković, D. Einfluss von hoher Anpassungstemperatur in Herbst und Winter auf die Erscheinung des Winterschlafes bei Citellus citellus L. Z. Biol. München 112 1960: 213-217 1 fig. [English summary.]

Davies, D. F. see Simms.

Davies, J., Dempsey, E. W. & Amoroso, E. C. (1). The subplacenta of the guinea pig: an electron microscopic study. J. Anat., Lond. 95: 311-324 13 pls. Davies, J., Dempsey, E. W. & Amoroso, E. C. The subplacenta of the guinea-pig: development, histology and histochemistry. J. Anat. Lond. 95: 457-473 1 fig. 11 pls.

Davies, J. L. Birth of an elephant seal on the Tasmanian coast. J. Mammal. 42: 113-114.

Davis, D. D. Origin of the mammalian feeding mechanism. Amer. Zool. 1: 229-234.

Davis, D. E. (1). A chart for estimation of life expectancy. J. Wildl. Mgmt. 24 1960: 344-348 1 fig.

Davis, D. E. (2). Principles for population control by gametocides. Trans. N. Amer. Wildl. Conf. No. 26: 160-167.

Davis, D. E. see Snyder.

Davis, P. E. see Delany.

Davis, R. A. (1). A simple live-trap for small mammals. Proc. zool. Soc. Lond. 137: 631-633 1 fig.

Davis, R. A. (2). Control of rats and mice. Bull. Min. Ag. Fish. Food (London: H.M. Stationery Office) No. 181: i-vi 1-29 6 figs.

Davis, R. A. & Jenson, A. G. A note on the distribution of the coypu (*Myocastor coypus*) in Great Britain. J. Anim. Ecol. 29 1960: 397 1 fig.

Davis, W. B. The female of Mustela frenata texensis. J. Mammal. 42: 273.

Davis, W. B. see Carter.

Davis, W. H., Beer, J. R. & Cook, E. F. Effects of pregnancy on the spleen in mice. J. Mammal. 42: 53-56 1 fig. i pl.

Dawas, N. Beobachtungen an Brandt's Steppenwühlmaus (*Microtus brandti* Radde) in der Mongolischen Volksrepublik. Z. Säugetierk. 26: 176–183 5 figs. 4 tabs. map. [English summary.]

Dawe, A. R. see Landau.

Dechaseaux, C. Le genre Doliochoerus. Ann. Paléont. 45 1959: 1-16 8 figs. 2 pls.

Dehnel, A. (1). Aufspeicherung von Nahrungsvorräten durch Sorex araneus Linnaeus 1758. Acta Theriologica 4: 265–268.

Dehnel, A. (2). Die ersten Hybriden zwischen Bostaurus dom. L. 3 und Bison bonasus (L.) Q. Acta Theriologica 5: 45-50 2 pls.

Dekeyser, P. L. (1). Le Parc National du Niokolo-Koba. III. Mammifères. Mém. Inst. franc. Afr. n. No. 48 1956 : 35-77 3 figs.

Dekeyser, P. L. (2). Une possible ressource naturelle : le gibier. Notes afr. No. $91-92:103-111\ 2$ figs.

Dekeyser, P. L. & Derivot, J. (1). A propos de bêtes ignorées. Notes afr. No. 89: 27-31.

Dekeyser, P. L. & Derivot, J. (2). La vie animale au Sahara. Paris (Librairie Armand Colin) 1959 pp. 1-220 text illustr.

de Kock, L. L. (1). The sinusoids of the carotid body tissue as part of the reticulo-endothelial system. Acta anat. 42 1960: 213-226 6 figs.

de Kock, L. L. (2). The carotid body of a half term finwhale (Balaenoptera physalus [L.]). Acta anat. 48 1960: 321-336 12 figs.

Delany, M. J. The ecological distribution of small mammals in north-west Scotland. Proc. zool. Sci. Lond. 137: 107-126 1 fig. 5 tabs.

Delany, M. J. & Davis, P. E. Observations on the ecology and life history of the Fair Isle field-mouse. Apademus sylvaticus fridariensis (Kinnear). Proc. zool, Soc. Lond. 136: 439-452 5 figs. 6 tabs.

de la Torre, L. see Hoffmeister.

Delatire, A. & Fenart, R. Comment concevoir le rocher des mammifères. C.R. Acad. Sci. Paris 252 : 2004—2006 1 fig.

Della Corte, F. Fenomeni di riproduzione cellulare nell'ipofisi di embrioni di neonati e di soggetti giovani di Gatto. Boll. Zool. 26 1959: 245-254.

Demiasskiewise, W. Die Geburt eines Hybriden von Bison bonasus (L.) 3 und Bos taurus dom. L. Q. Acta Theriologica 5:51-56 1 pl.

Dempsey, E. W. see Davies.

Denenberg, V. H. see Ross.

Denes, P. & Kocher, W. The reliability of Preyer's ear reflex in the mouse. Naturwissenschaften 48: 82.

Denisov, V. P. Relationship of *Citellus pygmaeus* Pall, and *C. suslica* Güld on the junction of their ranges. Zool. Zh. 40:1079-1085 7 figs. 1 pl. [Russian, English summary.]

Denney, R. N. An evaluation of elk validations in Colorado. Trans. N. Amer. Wildl. Conf. No. 26: 468– 480 3 tabs.

Dennis, B. J. & Kerr, D. I. B. Somaesthetic pathways in the marsupial phalanger, *Trichosurus vulpecula*. Aust. J. exp. Biol. med. Sci. 39: 29-42 10 figs.

Dennis, B. J. see Clezy.

Denyes, A. & Hassett, J. A study of the metabolism of liver, diaphragm and kidney in cold-exposed and hibernating hamsters. Bull. Mus. comp. Zool. Harv. 124 1960: 437-456 1 fig. 6 tabs.

Denyes, A. & Horwood, R. H. A comparison of free adrenal cortical steroids in the blood of a hibernating and non-hibernating mammal. Canad. J. Biochem. & Phys. 38 1960: 1479-1487 3 figs. 2 tabs.

Deol, M. S., Grüneberg, H., Searle, A. G. & Truslove, G. M. How pure are our inbred strains of mice. Genet. Res. 1 1960: 50-58 3 figs. 4 tabs.

Deoras, P. J. Studies on Bombay rats: a note on the probable resistance of B. bengalensis to plague. Curr. Sci. 29 1960: 475-476 1 fig. 1 tab.

Deraniyagala, P. E. P. Atavistic characters of palacontological interest in *Elephas maximus* Linné, J. Pal. Soc. India 2 1957: 190–192 3 figs.

Derivot, J. see Dekeyser.

de Robertis, E. Some observations on the ultrastructure and morphogenesis of photoreceptors. J. gen. phys. 43 6 1960 Suppl.: 1-13 2 figs. 4 pls.

De Silva, J. A. A plea for the protection of the dugong. Loris 8 1959: 173-174 1 fig.

de V. Pienaar, U. (1). A second outbreak of anthrax amongst game animals in the Kruger National Park, 5th June to 11th October, 1960. Koedoe No. 4:4-16 3 figs.

de V. Pienaar, U. (2). A supplementary check list of Decapoda, fresh-water fish, amphibia, reptiles and small mammals recorded in the Kruger National Park. Koedoe No. 4:167-177.

de Yos, A. (1). Behaviour of barren ground earibon on their calving grounds. Meded. Inst. Toeg. biol. No. 50 1960: 165-170.

de Vos, A. (2). Behaviour of barren ground caribou on their calving grounds. J. Wildl. Mgmt. 24 1960: 250-258 3 tabs.

Dexter, R. W. An albino shrew from Ohio. J. Mammal. 42:96.

Dhaliwal, S. S. Ecological and geographical studies of *Rattus rattus* in Malaya. J. Mammal. **42** 349–358 2 figs. 2 pls.

Dharmakumarsinhji, K. S. Some methods in censusing big game in India. J. Darjeeling nat. Hist. Soc. 31: 4-13.

Dias, V. M. see Pacheco.

Dice, L. R. Laboratory instruments for measuring the behaviour of shy or nocturnal small mammals. J. Mammal. 42: 159-166 7 figs.

Dickerson, R. E. see Edmundson.

Dickie, M. M. see Green.

Dickson, A. D. & Bulmer, D. Observations on the origin of metrial gland cells in the rat placenta. J. Anat. Lond. 95: 262-273 2 figs 2 pls.

Dickson, A. D. see Bulmer.

Diderholm, H. see Fichtelius.

Dieterlen, F. (1). Bemerkungen zu Zucht und Verhalten der Zwergmaus (Micromys minutus soricinus Hermann). Z. Tierpsychol. 17 1960: 552-554. [English summary.]

Dieterlen, F. (2). Beiträge zur Biologie der Stachelmaus, Acomys cahirinus dimidiatus Cretzschmar. Z. Säugetierk. 26: 1-13 9 figs. 5 tabs. [English summary.]

Dillon, L. S. Historical subspeciation in the North American marten. Syst. Zool. 10: 49-64 12 figs.

Ditchfield, J., Meads, E. B. & Julian, R. J. Tularemia of muskrats in Eastern Ontario. Canad. J. publ. Hith. 51 1960: 474–478 2 figs.

Dittrich, L. Zur Werfzeit des Eisbären (Ursus maritimus). Säugetierk. Mitt. 9: 12-15 1 fig.

Dittrich, L. & Einsiedel, I. u. Bemerkungen zur Fortpflanzung und Jugendentwicklung des Braunbären (Ursus arctos L.) im Leipziger Zoo. Zool. Gart., Lpz. 25: 250-269 4 figs. 3 tabs.

Djulić, B. (1). Beitrag zur Kenntnis der Geographischen Verbreitung der Chiropteren Kroatiens. Bull. Mus. Hist. nat. Belgr. No. 14B 1959:67-112 3 figs 14 tabs. 4 maps.

Djulić, B. (2). Contribution à l'étude de la repartition et de l'écologie de quelques chauves-souris cavernicoles de Dalmatie. Mammalia, Paris 25: 287-313 5 figs. 9 tabs.

Dobrouka, L. J. (1). Der Karpatenhirsch, Cervus elaphus montanus Botezat 1903. Zool. Anz. 165 1960: 481-483.

Dobroruka, L. J. (2). Zwei Bilder des Sudan-Panthens, Panthera pardus pardus Linné 1758. Zool. Anz. 167: 158-160 2 figs.

Dobroruka, L. & Turek, A. Weisse Marale (Cervus elaphus maral) im Freigehege von Schehuschitz (Žehušice), Böhmen. Säugetierk. Mitt. 9: 49-51.

Dodds, D. G. Food competition and range relationships of moose and snowshoe hare in Newfoundland. J. Wildl. Mgmt. 24 1960: 52-60 4 figs. 5 tabs.

ol.

ou

0 :

J.

58

D.

g-

.]

th

h.

i-

ır

en

11.

28

n

Dodds, D. G. & Mackiewicz, J. S. Some parasites and diseases of snowshoe hares in Newfoundland. J. Wildl. Mgmt. 25: 409-414 2 tabs.

Dodge, W. E. & Snyder, D. P. An automatic camera device for recording wildlife activity. J. Wildl. Mgmt. 24 1960: 340-342 5 figs.

Dolltus, R. P. Station expérimentale de parasitologie de Richelieu (Indre-et-Loire). Contribution à la faune parasitaire régionale. Vertebrés. Liste des parasites par hôtes. Mammiferes. Ann. Parasit. hum. comp. 36: 174-191 8 figs.

Doolittle, D. P. The effect of single gene substitutions on resistance to radiation in mice. Genetics 46: 1501-1509 3 tabs.

Dorofeev, S. U. (1). Main peculiarities in the annual life-cycle of the White Sea population of Greenland seals. In Marti, Yu-Yu & others. Soviet fisheries investigations in North European seas. Moscow (All Union Research Institute of Marine Fisheries and Oceanography (UNIRO) 1960): 443–456.

Dorofeev, S. V. (2). Soviet investigations of fur seal in the north part of the Pacific Ocean. Trud. Sovesh. Ichtiol. Kom. No. 12:164-169. [In Russian.]

Dorst, J. (1). Le rôle du scientifique dans la conservation de la nature. Experientia 17: 1-4.

Dorst, J. (2). Le Congrès de l'Union internationale pour la Conservation de la Nature, Varsovie-Cracovie, 15-24 juin 1960. Mammalia, Paris 25: 121-122.

Dover, C. In support of Zeuner: the case of the Faroe mouse. Bull. nat. Inst. Sci. India No. 7 1955: 290-291.

Downes, A. M. On the mechanism of incorporation of [38S] cystine into wool. Aust. J. biol. Sci. 14: 109-119 3 figs. 1 tab.

Downes, A. M. & Lyne, A. G. Studies on the rate of wool growth using [25S] cystine. Aust. J. biol. Sci. 14: 120-130 6 figs. 2 tabs.

Downing, S. C. & Baldwin, D. H. Sharp-shinned hawk preys on red bat. J. Mammal. 42: 540.

Downs, T. A study of variation and evolution in Miocene Merychippus. Contr. Sci. Los Angeles No. 45: 1-75 22 figs. 7 tabs.

Downs, T. see White.

Dreyer, C. J. Properties of stressed bone. Nature, Lond. 189: 594-595.

Drummond, D. C. The food of Rattus norvegicus Berk., in an area of sea wall, saltmarsh and mudflat. J. Anim. Ecol. 29 1960: 341-347 1 fig. 2 tabs.

[Dubrovo, I. A.] [Fossil elephants of the S.S.S.R.]. Trav. Inst. paléont. Acad. Sci. U.S.S.R. 85 1960: 1-79 28 figs. 6 tabs. 3 pls. [In Russian.]

Dubrovsky, Yu. A. Peculiarities of the distribution of Citellus pygmaeus Pall, and C. fulvus Licht, in the regions of their joint dwelling. Zool. Zh. 40: 1868-1873 1 fig. [Russian, English summary.]

Dudsinski, M. L. & Mykytowycz, R. Analysis of weights and growth rates of an experimental colony of wild rabbits, Oryctolagus cuniculus (L.) C.S.I.R.O. Wildl. Res. Melb. 5 1960: 102-115 7 figs. 2 tabs.

Dukelskaya, N. M. New rat control preparations. Mater. Poznan. Faun. Flor. SSSR, N.S. (Zool.) 38 1960: 208-230. [Russian, English summary.]

Dunaway, P. B. & Kaye, S. V. (1). Cotton rat mortality during severe winter. J. Mammal. 42: 265-268 l pl.

Dunaway, P. B. & Kaye, S. V. (2). Effects of industrial oil disposal on wild mammals. J. Mammal. 42; 554-556.

Dunaway, P. B. & Kaye, S. V. (3). Studies of small-mammal populations on the radioactive White Oak Lake bed. Trans. N. Amer. Wildl. Conf. No. 26; 167–185 6 figs. 3 tabs.

Dunmire, W. W. Breeding season of three rodents on White Mountain, California. J. Mammal. 42: 489-493 3 tabs.

Dunn, J. S. Bosman's potto. Niger. Fld. **26**: 91-92 1 pl.

Dunn, L. C. Variations in the transmission ratios of alleles through egg and sperm in *Mus musculus*, Amer. Nat. 94 1960: 385–393 5 tabs.

Dunnet, G. M. see Bailey.

Duphorn, K. D. Die pliozänen und pleistozänen Ablagerungen im Sülzbachtal zwischen Haselbach und Sülzfeld im östlichen Rhönvorland. Neues Jb. Geol. Paläont. Monatshefte 1960: 354-367 5 figs. 4 tabs.

Durrant, S. D. see Lee.

Dusing, A. see Brauer.

 $\textbf{Dwyer}, \, P. \, \, D. \, \, \text{New Zealand bats.} \, \, \, \textbf{Tuatara 8 1960}: \, \, 61\text{--}71 \, \, 1 \, \, \text{fig. map.}$

Dyce, A. L. Transmission of myxomatosis on the spines of thistles, Circium vulgare (Savi) Ten. C.S.I.R.O. Wildl. Res. 6: 88-90.

[Dzhafarov, R. D.]. [A new representative of the Quaternary rhinoceros (Rhinoceros binagadensis ap. nova) in the Binagadinsk fauna]. In [Location of Quaternary Fauna and Flora at Binagadinsk 4.] Trub. Estest.-Istori. Mus. G. Zardabi, Akad. Nauk. Azerb. SSR No. 10 1955: 65-88 5 figs. 15 tabs. [In Russian].

Dzhafarov, R. D. see Burchak-Abramovich.

East, K. see Phillips.

Eberl-Rothe, G. (1). Blutzellen. (In Hofer & others. Primatologia. Handbook of Primatology 3 (2) 1960. Blut-und Kreislauforgane pp. 1-21 1 fig. 6 tabs.).

Eberl-Rothe, G. (2). Knochenmark und Blutbildende Organe. (In Hofer & others. Primatologia. Handbook of Primatology 3 (2) 1960. Blut- und Kreislauforgane pp. 22-46 9 figs.).

Eberl-Rothe, G. (3). Histologie der Lymphknoten. (In Hoter & others. Primatologia. Handbook of Primatology 3 (2) 1960. Blut- und Kreislauforgane pp. 47-60 6 figs.).

Eberl-Rothe, G. (4). Die Milz. 2. Die mikroskopische Anstomie der Primatenmilz. (In Hofer & others. Primatologia. Handbook of Primatology 3 (2) 1960. Blut- und Kreislauforgane pp. 71–87 12 figs.).

Ebert, J. D. [Ed.]. Steroid sex hormones and gonadogenesis in the opossum. Yearb. Carnegie Instn. No. 59 1960: 403-405.

Eckstein, B. The development of the ovary of the rat. 1. Growth curves. Bull. res. Counc. Israel 8E 1960: 109-118 5 figs. 3 tabs.

Eddy, T. A. Foods and feeding patterns of the collared peccary in southern Arizona. J. Wildl. Mgmt. 25: 248-257.

Edmundson, A. B., Hirs, C. H. W., Kendrew, J. C., Watson, H. C., Strandberg, B. E., Dickerson, R. E., Phillips, D. C., & Shore, V. C. The amino-acid sequence of sperm whale myoglobin. Nature, Lond. 190: 663-672 2 figs. 5 tabs.

Edwards, F. B. Some notes on bats for 1960. Nature in Wales 7:30-31.

Edwards, R. G. see Fowler.

Edwards, R. Y. (1). The habitat preferences of the boreal Phenacomys. Murrelet 36 1955: 35–38.

Edwards, R. Y. (2). Dammed waters in a moose range. Murrelet 38 1957: 1-3.

Edwards, R. Y. (3). Cottontail rabbit damage to young Douglas fir. Murrelet 41 1960: 25.

Edwards, R. Y. & Green, D. E. The measurement of tracks to census grizzly bears. Murrelet 40 1959: 14-16 1 fig. 1 tab.

Edwards, R. Y. see Miller.

Egerton, F. N. William Harvey on the mating of red deer. J. Mammal. 42: 124-125.

Egoscue, H. J. Small mammal records from western Utah. J. Mammal. 42: 122-124.

Ehrlich, S. Experiments in reversion of the filling up processes in fish ponds. Hydrobiologia 18:136-154 13 figs.

Eibl-Erbesieldt, I. Naturschutzprobleme auf den Galapagos-Inseln. Acta Trop., Basel 17 1960: 97-137 32 figs.

Einsiedel, I. v. see Dittrich.

Eisenberg, J. F. Observations on the nest building behaviour of armadillos. Proc. zool. Soc. Lond. 137: 322-324 1 fig.

Eisentraut, M. (1). Die Fledermausberingung, ihre Entwicklung, ihre Methode und ihre Bedeutung für die wissenschaftliche Forschung (mit Anhang "Richtlinien für die Beringung von Fledermäusen" und "Bestimmungsschlüssel der heimischen Fledermausarten"). Bonn. zool. Beitr. 11 Sonderheft: 7–21 6 figs.

Eisentraut, M. (2). Die Wanderwege der in der Mark Brandenburg beringten Mausohren. Bonn. zool. Beitr. 11 Sonderheft: 112–123 3 figs. 3 tabs.

Eisentraut, M. (3). Wiederfunde einiger in Marburg/ Lahn beringten Mausohren (*Myotis myotis*). Bonn. zool. Beitr. 11 Sonderheft: 189–191 1 fig.

Eisentraut, M. (4). Heat regulation in primitive mammals and in tropical species. Bull. Mus. comp. Zool. Harv. 124 1960: 31-43 2 figs.

Eisentraut, M. (5). Zwei neue Rhinolophiden aus Guinea. Stuttgart Beitr. z. Naturk. No. 39 1960: 1-7 2 figs. 2 tabs.

Eisentraut, M. (6). Gefangenschaftsbeobachtungen an Ratius (Pracmys) morio (Trouessart). Bonn. zool. Beitr. 12: 1-21 5 figs. 14 tabs.

• Eisentraut, M. (7). Beobachtungen über den Wärmehaushalt bei Halbaffen. Biol. Zbl. 80; 319–325 2 figs. 1 tab.

Eker, R. & Mossige, J. A dominant gene for renal adenomas in the rat. Nature, Lond. 189: 858-859 1 fig.

Eleftherion, B. E. see King.

Eliassen, E. & Leivestad, H. Sodium and potassium content in the muscles of hibernating animals. Nature, Lond. 192: 459-460 2 figs.

Ellis, R. A see Montagna.

Eioff, F. C. (1). Observations on the migration and habits of the antelopes of the Kalahari Gemsbok Park. Koedoe No. 4:18-30 1 fig.

Eloff, F. C. (2). Enkele beskouings oor die moontlike oorsake vir die uitsterf van diere. Koedoe No. 4: 141-166. [English summary.]

Emmens, C. W. Insemination pH and the sex ratio in rabbits. J. Hered. 51 1960: 156-157 1 tab.

Empel, W. see Roskosz.

Enemar, A. (1). The structure and development of the hypophysial portal system in the laboratory mouse, with particular regard to the primary plexus. Ark. Zool. N.S. 18: 203-252 35 figs.

Enemar, A. (2). Notes on the histogenesis of the hypophysis of the laboratory mouse, with special reference to its relation to the development of the hypophysial portal system. Acta Univ. lund. Avd. 2. N.F. 56 19:1-378 fgs.

Enemar, A. (3). The ontogeny of the hypophysial growth-promoting activity of the laboratory mouse, studied by means of tadpole tests, with notes on the response of the tadpoles to bovine growth hormone preparation. Acta Univ. lund. Avd. 2 N.F. 56 20: 1-34 2 figs.

Engelbert, V. E. Thin preparations of hemopoietic tissues. Canad. J. Zool. 39: 367-372 3 pls.

Engländer, H. Internationales Symposion über Methoden der Säugetierforschung. Säugetierk. Mitt. 9: 40.

Engländer, H. & Johnen, A. G. Untersuchungen an rheinischen Fledermauspopulationen. Bonn. zool. Beitr. 11 Sonderheft: 204–209 3 tabs.

Ensminger, M. E. see Hafez.

Erasmo, G. d' & Zei, M. M. Il cranio giovanile di Elephas antiquus italicus di Pignatoro Interamna, nella valle del Liri. Atti Soc. sci. Napoli (3) 3 6 1960: 1-32 17 figs. 5 pls.

Erdbrink, D. P. A fragment of a fossil molar of the Indian elephant from West Java. Mammalia, Paris 25: 401-408 1 pl.

Erickson, A. W. & Youatt, W. G. Seasonal variations in the hematology and physiology of black bears. J. Mammal. 42: 198-203 1 fig. 1 tab.

Erikson, L. B. Sampling of vaginal and cervical Muellerian duct derivatives in the adult rhesus monkey. Part I. Indirect assessment of ovarian function. Acta anat. 43 1960: 158-192 10 figs. 1 pl. 4 tabs.

Erkinaro, E. The seasonal change of the activity of Microtus agressis. Oikos 12:157-163 10 figs.

Espatol, F. Contribución al conocimiento de los artrópodos y moluscos terrestres de las Islas Columbretes. Misc. zool. Barcelona 1 1958: 3-37 8 figs.

Esterhuizen, A. C. see Lever.

Ettlinger, G. Lateral preferences in monkeys. Behaviour 17: 275–287 8 tabs.

Evans, F. C. see Howard.

Evans, J. V. Differences in the concentration of potassium and the type of haemoglobin between strains and sexes of Merino sheep. Aust. J. biol. Sci. 14: 274-287 3 figs. 3 tabs.

Evans, J. V. & Blunt, M. H. (1). Electrolyte and haemotocrit changes in the blood of sheep from foetal to postnatal life. Aust. J. biol. Sci. 14:87-99 6 figs. 2 tabs.

Evans, J. V. & Blunt, M. H. (2). Variation in the gene frequencies of potassium and haemoglobin types in Romney Marsh and Southdown sheep established away from their native environment. Aust. J. biol. Sci. 14: 100-108 3 tabs.

Evered, D. F. Magnesium absorption in sheep. Nature, Lond. 189: 228-229 2 tabs.

Evernden, J. F. see Leakey.

Ewer, R. F. Further observations on suckling behaviour in kittens, together with some general considerations of the interrelations of innate and acquired responses. Behaviour 17: 247-260 2 tabs.

Fabri, K. E. (1). Manipulation of objects by monkeys and the problem of the inception of labour activity. Sovet. antrop. Mosk. 2 1 1958: 23-31. [In Russian.]

Fabri, K. E. (2). On the ability of rhesus monkeys (Macaca mulatta) to select objects by colour. Vopros. antrop. Mosk. No. 7 133-141 5 figs. 2 tabs. [In Russian.]

Fagan, S. R. Osteology of Mylagaulus laevis, a fossorial rodent from the Upper Miocene of Colorado. Paleont. Contr. Univ. Kansas Vert. 9 1960: 1-32 32 figs. 1 pl. 9 tabs.

Falconer, D. S. (1). Selection of mice for growth on high and low planes of nutrition. Genet. Res. 1 1960: 91-113 7 figs. 11 tabs.

Falconer, D. S. (2). The genetics of litter size in mice. J. cell. comp. Physiol. 56, Suppl. 1 1960: 153-167 6 figs. 5 tabs.

Falconer, D. S. & Isaacson, J. H. Adipose, a new inherited obesity of the mouse. J. Hered. 50 1960: 290-292 2 figs.

Falconer, D. S. & Roberts, R. C. Effect of inbreeding on ovulation rate and foetal mortality in mice. Genet. Res. Camb. 1 1960: 422–430 5 tabs.

Falconer, D. S. see Bowman.

Farrand, W. R. Frozen mammoths and modern geology. Science 133: 729-735 3 figs. 1 tab.

Fateyev, K. Ya., Khromova, M. V. & Tuzova, L. S. Variability of inner organs in silver foxes *Vulpes fulvus* Desm. Zool. Zh. 40:1090-1098 6 tabs. [Russian, English summary.]

Paust, R. G. & Parpart, A. K. Permeability studies on the red blood cell of the ground-hog, Marmota monax. J. cell. comp. Physiol. 57: 1-31 fig. 1 tab.

Fay, L. D. The current status of brucellosis in whitetailed and mule deer in the United States. Trans. N. Amer. Wildl. Conf. No. 26: 203-211 2 figs. 1 tab.

Fay, L. D. see Ryel.

Feiner, U. Über das Geschlechtschromatin bei der weissen Ratte. Acta anat. 43 1960: 1-11 10 figs.

Fejfar, O. (1). Die plio-pleistozänen Wirbeltierfaunen von Hajnáčka und Ivanovce (Slowakei), ČSR. I. Die Fundumstände und Stratigraphie. Neues Jb. Geol. Paläont. Abh. 111: 257-273 3 figs. 6 pls.

Fejfar, O. (2). Die plio-pleistozänen Wirbeltierfaunen von Hajnäčka und Ivanovee (Slowakei), ČSR. II. Microtidae und Cricetidae inc. sed. Neues Jb. Geol. Paläont. Abh. 112: 48–82 15 figs. 4 pls.

Feldmann, R. Fledermausberingung im südlichen Westfalen. Bonn. 2001. Beitr. 11 Sonderheft: 210-214 4 tabs.

Felten, H. Fliegende Säugetiere. In Schmidt, H. & others, Der Flug der Tiere. Frankfurt am Main (Verlag Waldeman Kramer) [Senckenberg-Buch 39], 1960, pp. 1-164 text illusts. [Mammals pp. 113-134.]

Felten, H. & Klemmer K. Fledermaus-Beringung im Rhein-Main-Lahn-Gebiet 1950-1959. Bon. zool. Beitr. 11 Sonderheft: 166-188 5 figs.

Fenart, R. see Delattre.

Ferens, B. "The slaughter of animals" in the Arctic. Ochrona Przyr. Kraków 26 1959 : 65-94 14 figs. [Polish, English summary.]

Forguson, R. B. The weathering and persistency of pellet groups as it affects the pellet group count method of censusing mule deer. Proc. Utah Acad. Sci. 32 1955: 59-64.

Ferris, D. H., Lord, R. D., Beamer, P. D. & Fritz, T. E. A new disease in Illinois cottontails. J. Wildl. Mgmt. 24 1960: 179-184 3 figs.

Festetics, A. Ährenmaushügel in Österreich. Z-Säugetierk. 26:112-125 6 figs. [English summary.]

Feuer, R. C. Mammals collected in the Karluk Lake region, Kodiak Island, Alaska. Murrelet 39 1958: 37-39 2 figs.

Fey, V. A note on the behaviour of the tree hyrax. J.E. Afr. nat. Hist. Soc. 23 1960: 244-246.

Fichtelius, K. E., Diderholm, H. & Stillström, J. The importance of different lymph nodes in lymphocyte recirculation. Acta anat. 44:177-187 2 figs. 2 tabs.

Fiennes, R. N. T.-W. (1). Report of the pathologist for the year 1959. Proc. zool. Soc. Lond. 136: 489-503.

Fiennes, R. N. T.-W. (2). Report of the pathologist for the year 1960. Proc. zool. Soc. Lond. 137:173-1966 tabs.

Figala, J. see Hanák.

Findley, J. S. Geographic variation in New Mexican chickarees. J. Mammal. 42: 313-322 3 figs.

Findley, J. S. & Jones, C. J. New United States record of the Mexican big-eared bat. J. Mammal. 42: 97.

Finig, J, see Cook.

Finlayson, H. H. (1). A re-examination of Mesembriomys hirsutus Gould 1842 (Muridae). Trans. roy. Soc. S. Aust. 84: 149-162 3 pls. 1 tab.

Finlayson, H. H. (2). On Central Australian mammals. Part. IV. The distribution and status of central Australian species. Rec. Aust. Mus. 14: 141-191 1 fig.

Firehuk, R. P. On vertical distribution and population of the vole *Microtus (Chionomys) nivalis* Martino in South Carpathians. Zool. Zh. 40: 294–295 1 tab. [Russian, English cummary.]

Firsov, L. A. (1). Vocal reactions as a mode of adaptation in great apes. Vopros. antrop. Mosk. No. 2 1960: 19-29 5 figs. [In Russian.]

Firsov, L. A. (2). Physiological investigation of delayed imitative reflexes in apes (chimpanzees). Vopros. antrop. Mosk. No. 5 1960: 19-30 3 figs. [In Russian.]

Fiscus, C. F. see Wilke.

Fiscus, C. H. Growth in the Steller sea lion, J. Mammal. 42:218-223 3 tabs.

Fisher, K. C. see Pengelley.

Fisler, G. F. Behaviour of salt-marsh Microtus during winter high tides. J. Mammal. 42: 37-43 2 tabs.

Fitter, R. S. R. Status of the grey seal. Nature, Lond. 189: 506.

Fitzgerald, M. J. T. Developmental changes in epidermal innervation. J. Anat. Lond. 45:495-514 11 figs. 2 pls. 4 tabs.

Fleay, D. The family life of the Mulgara. Anim. Kingd. 64: 184-187.

Flint, V. E. & Golovkin, A. N. The role of the ridge Tannu-Ola as a zoogeographical barrier and some problems of the origin of the Tuva steppe-fauna. Zool. Zh. 40: 556-567 6 figs. [Russian, English summary.]

Flyger, V. Handling wild mammals with a new tranquilizer. Trans. N. Amer. Wildl. Conf. No. 26 1961: 230-233 1 tab.

Poenander, E. C. The conservation of the Malayan elephant. Nature Conservation in Western Malaysia, 1961. Malay. Nat. J. 21st Anniv. Spec. Issue: 192-196, 1 fig.

Folk, G. E. Day-night rhythms and hibernation. Bull. Mus. comp. Zool. Harv. 124 1960: 209-232 14 figs. 5 tabs.

Folk, G. E., Frankel, H. M. & Folk, M. A. Reserpine, chlorpromazine, and physiological functions of mamma is that hibernate. Proc. Iowa Acad. Sci. 67 1960: 480–487 4 figs. 1 tab.

Fomushkin, V. M. An experiment on the control of the water-vole (Arvicola terrestris L.) in a closed water-body of the urban type. Zool. Zh. 40: 1899–1900. [Russian, English summary.]

Fooden, J. Urinary amino acids of non-human primates. Zoologica, N.Y. 46: 167-180 4 figs. 3 pls. 7 tabs.

Foran, W. R. A quaint species of great physical strength: the elusive ant-bear. Wild Life, Nairobi 3 (3): 30-33.

Ford, E. H. R. see Horn.

Foreman, C. W. Inherited haemoglobin ionographic properties in cotton rats. Nature, Lond. 189: 585-586 1 fig.

Formozov, A. N. & Kodachova, K. S. Les rongeurs vivant en colonies dans la steppe Eurasienne et leur influence sur les sols et la vegetation. Terre et la Vie 108:116-129.

Forsberg, J.-G. On the development of the cloaca and the perineum and the formation of the urethral plate in female rat embryos. J. Anat. Lond. 95: 423-436 7 pls.

Förster, U. Die Pferdephalangen aus des keltischen Oppidum von Manching. Stud. vor.-frühgesch. Tierrest. Bayerns 8 1960: 1–36 I fig. 2 pls. 1 tab. 4 diags.

Foster, J. B. Life history of the *Phenacomys* vole. J. Mammal. 42: 181-198 3 figs. 1 pl. 1 tab.

J. Mammal. 42: 181-198 3 figs. 1 pl. 1 tab.

Foster, J. B. & Peterson, R. L. Age variation in Phenacomys. J. Mammal. 42: 44-53 7 figs. 1 tab.

Foster, W. E., The square-lipped rhinoceros. Lammer-geyer 1 (1): 25-35, map. [Reference omitted in 1960 Record.]

Fowler, R. E. & Edwards, R. G. (1). The fertility of mice selected for large or small body size. Genet. Res. Camb. 1 1960: 393–407 3 figs. 8 tabs.

Fowler, R. E. & Edwards, R. G. (2). "Midget," a new dwarfing gene in the house mouse dependant on a genetic background of small body size for its expression. Genet. Res. Camb. 2: 272–282 2 figs. 1 pl. 6 tabs. Fraccaro, M. see Hamerton.

Frade, F. & Sieiro, S. Palanca preta gigante de Angola. Garcia de Orta 8 1960 : 21–38 4 pls. [English summary.]

Francis, J. C. Anălisis de algunos factores de confusión en la sistemática genérica de los Mesotherimae (Notoungulata, Typotheria). Ameghiniana 2 2 1960: 29-36. [English summary.]

Frank, H. (1). Probleme der Niederwildhege in Deutschland. [Small-game management Germany.] Meded. Inst. Toeg. biol. No. 50 1960: 46-51 2 figs. 2 tabs. [English summary.]

Frank, H. (2), Beobachtungen an Fledermäusen in Höhlen der Schwäbischen Alb unter besonderer Berücksichtigung der Mopsfiedermaus (*Barbastella barbastellus*), Bonn. zool. Beitr. 11 Sonderheft: 143–149 3 figs. 2 tabs.

Franke, M. Anzahl und Grösse der Giomerula in der Niere des Syrischen Goldhamsters. Anat. Anz. 109: 293-310 1 fig. 5 tabs.

Frankel, H. M. see Folk.

Franzke, H. J. & Heinze, W. Zur Blutgefäss- und Nervenversorgung der Schulterbeim Reh (Capreolus capreolus L.) 1. Mitteilung (Schultergliedmasse). Anat. Anz. 109: 334–347 4 figs.

Fraser Darling, F. Wild Life in an African Territory. London (Oxford University Press) 1960: i-viii 1-160 1 col. pl. 3 maps. 3 appendices.

Frassetto, F. Di una nuova classificazione delle razze umane fossili alla luce del digenismo. Mem. Accad. Bologna (10) 5 1949: 45–98 29 figs.

Frechkop, S. (1). De la partie lombaire du squelette chez le cheval sauvage de Mongolie, d'après le Dr. R. M. Stecher. Zoo, Antwerp. 26: 118.

Frechkop, S. (2). Le Professeur Edouard Bourdelle. Zoo, Antwerp 27: 25-27 2 figs.

Freedman, L. (1). New cercopithecoid fossils, including a new species, from Taung, Cape Province, South Africa. Ann. S. Afr. Mus. 46: 1-14, 2 figs. 9 pls. 3 tabe.

Freedman, L. (2). Some new fossil cercopitheooid specimens from Makapansgat, South Africa. Palaeont. africana 7:7-45 17 figs. 20 tabs.

Friant, M. (1). Morphologie du cerveau des mammifères protothériens et métathériens (Monotrèmes et Marsupiaux). Ann. Soc. zool. Belg. 90 1959-60 [1960]: 317-338 14 figs.

Friant, M. (2). Sur les caractères anatomiques des dents jugales chez les castoridae d'Europe. Acta anat. **43** 1960 : 21–39 19 figs. [English summary.]

Friant, M. (3). De l'interprétation des prémolaires chez les Insectivores et les Primates. Acta anat. 43 1960: 137-143 6 figs. [English summary.]

Frick, H. (1). Das Herz der Primaten. (In Hofer & others. Primatologia. Handbook of Primatology 3 (2) 1960. Blut- und Kreislauforgane 1 o. 163—272 70 figs. 2 tabs.).

Frick, H. (2). Allometrische Untersuchungen an inneren Organen von Säugetieren als Beitrag zur "neuen Systematik." Z. Säugetierk. 26: 138-142 1 fig.

Fritz, T. E. see Ferris.

Frydendall, M. Occurrence of Peromyscus leucopus aridulus in Ellis County, Kansas with some notes on their activities. Trans. Kansas Acad. Sci. 64: 36-40 1 fig. 1 tab.

Fujii, S. A single differential staining method for vaginal smears. J. Fac. Fish, Hiroshima Univ. \$ 1960: 197-201 1 pl.

Fujino, K. Immunogenetic and marking approaches to identifying subpopulations of the North Pacific whales. Sci. Rep. Whales Res. Inst. 15 1960; 85–142 9 figs. 46 tabs. I appendix.

Pullager, P. J., Jewell, P. A., Lockley, R. M. & Rowlands, I. W. A census of the voles and mice on Skomer Island. Nature in Wales 7: 3-6.

Puller, J. L. see Mordkoff,

Fuller, W. A. The ecology and management of the American bison. Terre et la Vie 108: 286-304 2 figs. 1 pl. 2 tabs.

Funaioli, U. & Simonetta, A. M. (1). Statut actuel des ongules en Somalie. Mammalia, Paris 25:97-111 1 fig.

Funaioli, U. & Simonetta, A. M. (2). Spedizione biologica in Somalia, 1959. Risultati zoologici, II. Carnivora. Monit. zool. ital. 68: 58-79 5 figs. [English summary.]

Funaioli, U. & Simonetta, A. M. (3). Spedizione biologica in Somalia, 1959. Risultati zoologici, III. Insectivora. Monit. zool. ital. 68:103-110 1 fig. [English summary.]

Funderburg, J. B. (1). Virginia muskrat in south-eastern North Carolina. J. Mammal. 42: 268.

Funderburg, J. B. (2). Erythristic raccoons from North Carolina. J. Mammal. 42: 270-271.

G, C. Les mammouths retrouvés congelés en Sibérie ne sont pas mort de froid. Nature, Paris No. 3316: 350-351 l fig.

Gabis, R. V. Os des membres de *Dolichopitheous*, singe fossile du Pliocene du Roussillon. C.R. Acad. Sci. Paris **252**: 1308-1370 1 fig.

[Gabuniya, L. K.] (1). [Towards a history of the Hipparion species (from materials from the Neogene of the USSR)] Moscow (Akad. Nauk. SSR) 1959 pp. 1-570 69 figs. 23 pls. 2 tabs. in text 106 tabs. added 4 graphs 3 maps. [In Russian.]

Gabuniya, L. K. (2). Mammalian remains in the Middle Pliocene of the northern Caucasus (Kossjakino). Paleont. Zh. No. 1:163-165 2 figs.

Gabuniya, L. K. & Iliescu, O. On the first discovery in Rumania of remains of gigantic Rhinoceroses of the family Indricotheriidae. C.R. Acad. Sci. U.R.S.S. (Earth Sciences) 130, 2. 1960: 425–427, 3 figs. [In Russian.] See also Translation 130, 1-6, 1961: 179–181, 3 figs.

Gabuzov, O. S. On the feeding of roe-deer. Zool. Zh. 39 1960: 1892-1894 1 fig. [Russian, English summary.]

[Gadzhiev, V. G.] [Binagadinsk fossils of Equus cf. hidruntinus Reg.]. In [Location of Quaternary Fauna and Flora at Binagadinsk 3.] Trud. Estest.-Istori. Mus. G. Zardabi Akad. Nauk. Azerb. SSR. No. 6 1953: 5-156 29 figs. 39 tabs. [In Russian.]

Gaffrey, G. (1). Wanderratte und Hasratte in ihrer Bedeutung als Hygieneschädlinge von Mensch und Haustier. Angew. Parasit. 1 1960: 98–104. [English summary.]

Gaffrey, G. (2). Hausratte als Nistkastenbewohner. Säugetierk. Mitt. 9: 127. Gattrey, G. (3). Merkmale der Wildlebenden Säugetiere Mitteleuropas. Leipzig (Akad. Verlagsges. Geest & Portig K.-G.) pp. 1–284 213 figs. 26 pls.

Gahne, B. & Rendei, J. Blood and serum groups in reindeer compared with those in cattle. Nature, Lond. 192: 529-530 1 fig. 2 tabs.

Gaisler, J. Ökologische Beobachtungen in einer Kolonie der Kleinen Hafeisennase (Rhinolophus h. hipposideros Bechstein 1800). Acta Mus. Regin. Hrad. 1A 1960: 83–99 3 figs. 1 pl. 1 tab. [Czechoslovak, German summary.]

Gaisler, J. & Nevrly, M. The use of coloured bands in investigating bats. Mém. Soc. zool. tchécosl. 25: 135–141, 1 fig., 2 tabs.

Galambos, R. see Weitzman.

Gambarjan, P. P. & Karapetjan, W. S. Besonderheiten im Bau des Seelöwen (Eumetopias californianus), der Baikalrobbe (Phoca sibirica) und des Secotters (Enhydra lutris) in Anpassung an die Fortbewegung im Wasser. Zool. Jb. (Anat.) 79: 123-148, 10 figs., 7 tabe.

Gambarjan, P. P., Papanjan, S. B. & Martirosjan, B. A. Materials on the ecology of Meriones meridianus dahli Schidl. in Armenia. Byull. Mosk. Obsch. Isp. Prir. Otd. Biol. 65: 1960: 17-22, 4 figs., 3 tabs. [Russian, English summary.]

Gamble, H. J. & Goldby, S. Mast cells in peripheral nerve trunks. Nature, Lond. 189: 766-767.

Gandal, C. P. see Heuschelle.

Garbini, J. D. see Trefolgi.

Gard, R. Effects of beaver on trout in Sagehen Creek, California. J. Wildl. Mgmt. 25: 221-242, 7 figs., 7 tabs.

Garde, M. L. see Stump.

Garevski, R. Die Mastodonreste beim Bahnhof Čaška in Mazedonien. Acta Mus. maced. Sci. nat. 7, 1960: 75–87, 14 figs. [Slav, German summary.]

Garry, B. see Blumberg.

[Garutt, V. E.] [The skeleton of the Vilnius mammoth.] Byull. Kom. Izuch. Chetvert. Perioda 24, 1960: 99-100. [In Russian.]

Gashwiler, J. S. Longevity of a wild deer mouse. Murrelet 41, 1960: 27.

Gashwiler, J. S., Robinette, W. L., & Morris, O. W. (1). Foods of bobcats in Utah and eastern Nevada. J. Wildl. Mgmt. 24: 1960: 226–229, 2 tabs.

Gashwiler, J. S., Robinette, W. L., & Morris, O. W. (2). Breeding habits of bobcats in Utah. J. Mammal. 42: 76-84, 6 tabs.

Gashwiler, J. S. see Robinette.

Gătuneanu, I. see Manolache.

Gaunt, W. A. (1). The vascular supply in relation to the formation of roots on the cheek teeth of the mouse. Acta. anat. 48 1960: 116-136, 8 figs.

Gaunt, W. A. (2). The presence of spical pits on the lower cheek teeth of the mouse. Acta anat. 44: 146-158, 8 figs.

Gauthier-Pilters, H. Observations sur l'écologie du dromadaire dans le Sahara Nord-Occidental. Mammalia, Paris 25 : 195–280, 32 tabs.

Gayre, G. R. A brief discussion of ethnology, palaeontology and the problem of the polygenic origin of mankind. J. Palaeont Soc. India 2: 1957: 58-68.

[]

6

of t

J. 1

6

6

wee

Ma

stu

He

19

glo

1 1

hi

ei

a

Gazin, C. L. New sciuravid rodents from the Lower Eccene Knight Formation of western Wyoming. Proc. biol. Soc. Wash. 74: 193-194.

Gee, E. P. (1). Report from India. Oryx 6: 99-102, 2 pls.

Gee, E. P. (2). The brow-antlered deer of Manipur. [abridged version]. Oryx 6: 103-115, 3 pls.

Gee, E. P. (3). The distribution and feeding habits of the golden langur. *Presbytis geei* Gee (Khajuria, 1956). J. Bomb. nat. Hist. Soc. 58: 1–12, 2 pls., 2 maps.

Gee, E. P. (4). Some notes on the golden cat Felis temmincki Vigors & Horsfield. J. Bomb. nat. Hist. Soc. 58: 508-511, 2 pls.

Geil, E. H. see Handley.

Geissert, F. see Gouin.

Geist, V. Feral goats in British Columbia. Murrelet 41, 1960: 34-40, 1 fig., 1 tab.

Geist, V. see Cowan.

Gentner, W. see Koenigswald.

George, G. & Wakefield, N. Victorian cave bats. Vict. Nat. Melb. 77: 294-302, 6 figs.

George, J. C. & Susheels, A. K. A histophysiological study of the rat diaphragm. Biol. Bull., Woods Hole 121: 471–480, 11 figs.

Gets, L. L. (1). A population study of the vole, Microtus pennsylvanicus. Amer. midl. Nat. 64, 1960: 392-405, 8 figs., 1 tab.

Gets, L. L. (2). Factors influencing the local distribution of shrews. Amer. midl. Nat. 65: 67-88, 8 figs., 4 tabs.

Gets, L. L. (3). Notes on the local distribution of Peromyscus leucopus and Zapus hudsonius. Amer. midl. Nat 65: 486-500, 7 figs.

Gets, L. L. (4). Responses of small mammals to livetraps and weather conditions. Amer. midl. Nat. 66: 160-169. 3 figs., 2 tabs.

Getz, L. L. (5). Factors influencing the local distribution of *Microtus* and *Synaptomys* in southern Michigan. Ecology 42: 110–119, 3 figs., 2 tabs.

Gets, L. L. (6). Home ranges, territoriality, and movement of the meadow vole. J. Mammal. 42: 24-36, 4 figs., 3 tabs.

Gets, L. L. (7). New locality records of some Kansas mammals. J. Mammal. 42: 282–283.

[Gharutt, V. E.] [A skeleton of mammoth from Vilnius.] Byull. Kom. Izuch. Chetvert. Perioda 24, 1960: 99-100. [In Russian.]

Ghosh, G. S. & Behurs, B. K. A technique for the decalcification of the skull of mammals for the dissection of the brain for morphological studies. Proc. Indian Sci. Congr. 46: 3, 1959: 407.

Gibson, W. C. see Miller.

Gieseler, W. Die Fossilgeschichte des Menschen. Die Evolution der Organismen (Stuttgart, G. Fisher) 2, 1957: 951-1109, 34 figs.

Gijsen, A. (1). Liste des mammiferes ayant figuré ou figurant dans le collections du Jardin Zoologique de la Société Royale de Zoologie d'Anvers, depuis sa fondation en 1843 jusqu'au mois de juin 1960 (inclus), avec en regard (l'année la plus reculée au cours de laquelle leur présence fut établie. Bull. Soc. roy. Zool. Antwerp No. 16, 1960: 1–18.

Gijzen, A. (2). Naissance de "Ndukuvokapi femelle". Zoo, Antwerp 26: 77, 1 fig.

Gijzen, A. (3). Onagres (Equus onager Pallas). Zoo, Anvers 26: 113-117, 5 figs.

Gijzen, A. (4). Le boeuf musque (Ovibos moschatus (Zimmerman)). Zoo, Anvers 27: 41-48, 11 figs.

Giles, E. Multivariate analysis of Pleistocene and Recent coyotes (Canie latrans) from California. Pub. Dept. Geol. Univ. Calif. 36: 1960: 369-390, 4 figs, 6 tabs.

Gill, J. (1). Die Durchgangszeiten der Nahrung durch den Verdauungskanal des Elches. [The rate of passage of foodstuffs through the alimentary tract of the elk.] Meded. Inst. Toeg. biol. No. 50, 1960: 155-164, 2 figs., 3 tabs. [English summary.]

Gill, J. (2). Der Grössenvergleich des Magendarmkanals des Mufflons, *Ovis musimon* (Pallas 1811) und des Mähnenschafs, *Amnotragus Lervia* (Pallas 1777). Acta Theriologica 4 1960: 93–101, 4 tabs.

Gill, J. (3). Die grösse des Magendarmkanals bei zwei Elchen Alces alces (Linnaeus 1758). Acta Theriologica 4: 292–294.

Gill, J. & Bieguszewski, H. Die Durchgangszeiten der Nahrung durch den Verdauungskanal der Nutria, Myocastor coypus Molina, 1782. Acta Theriologica 4, 1960: 11–26, 6 figs., 4 tabs.

Gill, J. & Korda, P. Untersuchungen über den Magendarmkanal der Hirschziegenautilope, Antilope cervicapra (Linnaeus 1758). Acta Theriologica 4 1960: 45–52, 1 pl., 6 tabs.

Gill, J. see Jaczewski.

Gillham, M. E. Alteration of the breeding habit by sea birds and seals in western Australia. J. Ecol. 49: 289-300, 2 figs., 4 pls.

Gilmore, R. M. (1). A census of the California gray whale. Spec. Sci. Rep. Fisheries, U.S. Fish and Wildlife Serv. No. 342, 1960: 1-30, 15 figs., 5 tabs.

Gilmore, R. M. (2). Whales, porpoises and the U.S. navy. Norsk Hvalfangsttid. 50: 89-108, 3 figs.

Gilmore, R. M. (3). Whales without flukes or flippers. J. Mammal. 42: 419–420, 1 fig.

Gilmore, R. M. (4). A pelagic immature northern fur seal. J. Mammal. 42: 549-550.

Ginsburg, L. (1). Découverte de Pliopithecus antiquus Bl. dans le falun savignéen de Noyant-sons-le-Lude. (Maine-et-Loire). C. R. Acad. Sci. Paris 252: 585-587, 1 fig.

Ginsburg, L. (2). Un nouveau Tritylodonte du Trias supérieur du Basutoland (Afrique du Sud). C.R. Acad. Sci. Paris 252 : 3853–3854, 1 fig.

Ginsburg, L. (3). Plantigradie et digitigradie chez les carnivores fissipedes. Mammalia, Paris 2:1-21, 6 figs.

Ginsburg, L. (4). La faune des carnivores Miocènes de Sansan (Gers). Mém. Mus. Hist. nat. Paris N.S. 9C: 1-187, 72 figs., 20 pls., 1 tab.

Gladkova, T. D. Comparative characteristic of the palm dermatoglyphics of man and some monkeys. Sovet. antrop. Mosk. 2: 4, 1958: 97–108, 2 figs., 5 tabs. [In Russian.]

Glas, P. De hamster (Cricetus cricetus L.) in Zuid-Limburg. Levende Nat. 60: 77-81, 4 figs. [English summary.] Glass, B. P. & Halloran, A. F. The small mammals of the Wichita Mountains Wildlife Refuge, Oklahoma. J. Mammal. 24: 234–239.

Glass, B. P. see Jones.

Glen, W. Pliocene and lower Pleistocene of the western part of the San Francisco Peninsula. Publ Dep. Geol. Univ. Calif. 36: 1959: 147–198, 5 figs., 3 pls. [Mammals p. 185.]

Glenister, T. W. Organ culture as a new method for studying the implantation of mammalian blastocysts. Proc. roy. Soc. 154B: 428-431, 2 pls.

Gligié, M. O. Contribution à la connaissance de Dolomys Nehring des montagnes centrales de Bosnie et Herzegovine. Bull. Mus. Hist. nat. Belgr. No. 14B, 1959: 265-297, 13 figs., 6 pls. [Slav, French summary.]

Gluecksohn-Waelsch, S. The inheritance of hemoglobin types and other biochemical traits in mammals. J. cell. comp. Physiol. 56; Suppl. 1 1980; 89-101, 2 figs., 1 tab.

Godlewski, H. The method of freezing and drying in histochemistry. Folia morph., Warszawa 12:97-104 5 figs. [Polish, English summary.]

Goldby, S. see Gamble.

Golikova, V. L. see Larina.

Goller, H. Topographie und segmentaler Feinbau eines Rehrückenmarkes. Anat. Anz. 109: 137–155, 4 figs., 2 tabs.

Golley, F. B. Trap and bait preferences of cotton rats. J. Mammal. 42: 106-107, 1 tab.

Golley, F. B. (2). Effect of trapping on adrenal activity in Sigmodon. J. Wildl. Mgmt. 25: 331-333, 3 tabs.

Golley, F. B. (3). Interaction of natality, mortality and movement during one annual cycle in a *Microtus* population. Amer. midl. Nat. 66: 153-159, 1 fig., 3 tabs.

Golov, B. A. A trap for mole-rats. Zool. Zh. 40: 1110-1111, 1 fig. [Russian, English summary.]

Golovkin, A. N. see Flint.

Golvan, Y.-J. & Rioux, J.-A. Écologie des mérions du Kurdistan iranien. Relations avec l'épidémiologie de la peste rurale. Ann. Parasit. hum. comp. 36: 449– 588, 60 figs., 9 tabs.

Gomes-Ferreira, J. V. see Barbosa Sueiro.

Gooding, C. D. see Calaby.

Goodman, M. & Poulik, E. Effects of speciation on serum proteins in the genus *Macaca* with special reference to the polymorphic state of transferrin. Nature, Lond. 190: 171-172, 2 figs.

Goodwin, G. G. (1). Flying squirrels (Glaucomys volans) of Middle America. Amer. Mus. Novit. No. 2059: 1-22, 7 figs., 2 tabs.

Goodwin, G. G. (2). The murine opossums (Genus Marmosa) of the West Indies, and the description of a new subspecies of Rhipidomys from Little Tobago. Amer. Mus. Novit. No. 2070: 1-20, 10 figs., 1 tab.

Goodwin, G. G. & Greenhall, A. M. A review of the bats of Trinidad and Tobago. Descriptions, rabies infection and ecology. Bull. Amer. Mus. nat. Hist. 122: 187–302, 113 figs., 40 pls., 2 tabs., 2 maps.

Goodyear, G. F. Whales. Sci. on the March 41: 61.

Gopalakrishna, A. & Moghe, M. A. Observations on the ovaries of some Indian bats. Proc. nat. Inst. Sci. India 26B Suppl. 1960: 11-19, 2 pls.

Gordon, E. B. see Wiener.

Gordon, J. G. The relationship between rumination and frequent feeding. Anim. Behav. 9:16-19, 4 tabs.

Gordon, M. S. Wave-riding dolphins. Science 133: 204-205, 1 fig.

Gosney, D. C. Keeping rabbits in a warren. Sch. Nat. Study 56: 28-30, 2 figs.

Gozs, R. J. Experimental investigations of morphogenesis in the growing antler. J. Embryol. exp. Morph. 9: 342-354, 1 fig, 5 pls.

Gottis, C. Sur l'age des dunes de la region d'Ouchtata. Notes ser. geol. Tunis 9 [1953] : 223-226, 3 pls. [From Bull. Soc. Sci. Nat. Tunis, 6, 1952-3 : 223-226.]

Goueffon, S. see Camain.

Gouin, F., Busser, L. & Geissert, F. Le rat musque et le ragondin en Alsace. Bull. Ass. philom. Strasbourg 10, 1959: 99-114, 2 figs., map.

Gould, E. see Negus.

Gould, P. J. Emergence time of *Tadarida* in relation to light intensity. J. Mammal. 42:405-407, 1 fig., 1 tab.

Gould, W. P. & Brown, J. H. Atlantic white-cedar as a winter deer browse. J. Wildl. Mgmt. 25: 342.

Gowen, J. W. see Schaible.

Graaff, G. de. (1). A preliminary investigation of the mammalian microfauna in Pleistocene deposits of caves in the Transvaal system. Palaeont. africana 7:59–118, 6 figs., 7 tabs., 2 graphs.

Graaff, G. de. (2). A short survey of investigations of fossil rodents in African deposits. S. Afr. J. Sci. 57: 191-196.

Graaff, G. de. (3). On the fossil mammalian microfauna collected at Krondraai by Draper in 1895. S. Afr. J. Sci. 57: 259–260.

Gräber, G. A la recherche de Pinnipèdes et de Manchots dans la régions polaire antarctique. Zoo, Antwerp 24: 126-130, 6 figs.

Graefe, G. Die Aktivitätsperiodik des Flughörnchens, Glaucomys volans (Linnaeus 1758) und des Backenhörnchens, Tamias striatus (Linnaeus 1758). Ein Beitrag zur Frage der Doppelbestetzung von Gehegen mit dunkel-und lichtaktiven Tierarten. Z. Tierpsychol. 18:84–90, 5 figs. [English summary.]

Graff, N. Studies in the early growth of long bones in mice of two strains. Growth 24: 1960: 209-214.

Graham-Jones, O. Tuberculosis in zoo animals. Symp. zool. Soc. Lond. No. 4:69-79, 2 tabs.

Gray, E. G. The granule cells, mossy synapses and Purkinje spine synapses of the cerebellum: light and electron microscope observations. J. Anat., Lond. 95: 346-356, 1 fig., 7 pls.

Gray, J. General principles of vertebrate locomotion. Symp. zool. Soc. Lond. No. 5: 1-11, 5 figs.

Green, D. E. see Edwards.

Green, E. L. & Green, M. C. Transplantation of ova in mice. An attempt to modify the number of presacral vertebrae. J. Hered. 50: 1959: 109-114, 5 tabs.

Green, M. (1). Late Pleistocene mammals from western South Dakota. Proc. S. Dak. Acad. Sci. 39: 1960: 38-40. Green, M. (2). A Tertiary Cynomys from South Dakota. J. Paleont. 34, 1960: 545-547, 4 figs., 1 tab.

Green, M. & Martin, H. Bison latifrons in South Dakota. J. Paleont. 34: 1960: 548-550, 2 figs., 1 tab.

Green, M. C. & Dickie, M. M. Linkage map of the mouse. J. Hered. 50: 1959: 3-5, 1 fig.

Greenhall, A. M. Check list of the bats of Trinidad and Tobago. Caribbean Med. J. 21, 1959: 169-171.

Greenhall, A. M. see Goodwin.

Greer, B. see Roth.

Gregoire, A. Recherches histophysiologiques sur la surrénale du rat au cours de la période péri-natale. Arch. Biol., Paris 72:413-459., 3 pls. [English summary.]

Gregory, M. E. see Aschaffenburg.

Gremyatsky, M. A. (1). Fossil monkeys on U.S.S.R. territory. Sovet. antrop. Mosk. 1: 1957: 35-46, 6 figs., 1 tab. [In Russian.]

Gremyatsky, M. A. (2). On the "new" genus of apes—the "Bonobo". Sovet. antrop. Mosk. 1; 1957: 263–269, 3 figs., 1 tab. [In Russian.]

Gremyatsky, M. A. (3). The Oreopithecus skeleton in Italy. Sovet. antrop. Mosk. 3, 1, 1959: 123-124. [In Russian.]

Gremyatsky, M. A. (4). Main line of primate evolution in the Neogene. Vopros. antrop. Mosk. No. 7:3-8. [In Russian.]

Gressitt, J. L. X. Terrestrial fauna. [In. Blumenstock, D. I. A report on typhoon effects upon Jaluit Atoll.] Atoll Res. Bull. No. 75: 69-73.

Griesel, J. A new game sanctuary for the Orange Free State. The Willem Pretorius Game Reserve. Afr. Wild Life 15: 121-125, 3 figs.

Griffee, W. E. More mice—more owl eggs. Murrelet 39, 1958: 18.

Griffen, A. B. Mammalian pachytene chromosome mapping and somatic chromosome identification. J. cell. comp. Physiol. 56: Suppl. 1, 1960:113-121, 2 figs., 2 tabs.

Griffiths, M. E., Calaby, J. H. & McIntosh, D. L. The stress syndrome in the rabbit. C.S.I.R.O. Wildl. Res. 5: 1960: 134-148, 6 figs., 1 pl., 3 tabs.

Griffo, J. V. A study of homing in the cotton mouse, Peromyscus gossypinus. Amer. midl. Nat. 65: 257-289, 8 figs., 7 tabs.

Grimwood, I. The future status of Kenya's National Reserves. Wild Life, Nairobi, 3 (2): 22-29.

Grimwood, I. R., Benson, C. W. & Ansell, W. F. H. The present-day status of ungulates in Northern Rhodesia. In Fraser Darling, F. Wild life in an African Territory. London (Oxford University Press), 1960: 138-151 (Appendix III).

Grinkraut, C. N. & Sawaya, P. On the action of ions on the uterine mechanics. Bol. Fac. Filos. Cienc. S. Paulo (Zool.), No. 21, 1957 [1958]: 123-151, 8 figs.

Grive, J. Le mécanisme du repérage par ultrasons chez les chauves-souris. Nature, Paris No. 3320 : 535–539, 7 figs.

Grobman, A. B. see Charles.

Gromov, I. M. The Quarternary ground-squirrels of the western Palearotic. I. Subgenus *Colobotis* Brandt. Trud. 2001. Inst. Akad. Nauk. SSSR. 29: 22-80, 13 figs. [In Russian.]

[Gromova, V.] (1). [Gigantic rhinoceroses.] Trav. Inst. Paleont. Akad. Sci. URSS 71 1959: 1-164, 25 figs., 21 pls., 43 tabs. [In Russian.]

[Gromova, V.]. (2). [A new family (Tshelkariidae) of primitive carnivores (Creodonta) from the Oligocene of Asia.] Trav. Inst. Paléont. Akad. Sci. USSR 77 1960: 41-74, 16 figs., 4 pls. [In Russian.]

[Gromova, V.] (3). [New material of Palaeocene tapirs from Asia.] Trav. Inst. Paléont. Akad. Sci. USSR 77 1960: 79–107, 10 figs., 8 tabs. [In Russian.]

[Gromova, V.]. (4). [The first discovery in the Soviet Union of an amynodont (new genus *Procadurcodon*). Trav. Inst. Paléont. Akad. Sci. USSR 77 1960: 128-151, 9 figs., 4 pls., 6 tabs. [In Russian.]

[Gromova, V.]. (5). [Key to the identification of the mammals of the U.S.S.R. based on skeletal bones. Part 2. Key for identification of the large tarsal bones.]. Trav. Comm. Quatern. Acad. Sci. URSS 16 1960: 1-116, 62 figs. [In Russian.]

Gross, C. G. see Lovell.

Gruber, J. Vier Jahre Fledermausberingung in Eberschwang, Ob.-Österreich (1956-59). Bonn. zool. Beitr. Sonderheft 1960: 33-35, 1 tab.

Grummt, W. Zur Morphologie der Kleinäugigen Wühlmaus Pitymys subterraneus de Selys-Longchamps. Zool. Anz. 166: 26-32, 1 fig., 1 tab.

Grüneberg, H. (1). Developmental genetics in the mouse, 1960. J. cell. comp. Physiol. 56 Suppl. 1, 1960: 49-60, 1 tab.

Grüneberg, H. (2). Genetical studies on the skeleton of the mouse. XXX. The development of syndactylism. Genet. Res. Camb. 1, 1960: 196–213, 14 figs., 2 pls., 3 tabs.

Grüneberg, H. (3). Genetical studies on the skeleton of the mouse. XXVII. The development of oligosyndactylism. Genet. Res. Camb. 2: 33-42, 10 figs., 1 tab.

Grüneberg, H. (4). Genetical studies on the skeleton of the mouse. XXIX. Pudgy. Genet. Res. Camb. 2: 384-393, 3 figs., 1 pl.

Grüneberg, H. (5). Evidence for genetic drift in Indian rats (Rattus rattus L.). Evolution 15: 259-262, 1 fig., 2 tabs.

Grüneberg, H. & Truslove, G. M. Two closely linked genes in the mouse. Genet. Res. Camb. 1 1960: 69–90, 9 figs., 4 pls., 14 tabs.

Grüneberg, H. see Desl.

Grzimek, B. The last great herds of Africa. Nat. Hist. N.Y. 70, 1: 8-21, illustr.

Grzimek, B. & Grzimek, M. Serengeti shall not die. [Translated from the German by E. L. & D. Rewald.] London (Hamish Hamilton) 1960. pp. 1-344, frontis., 71 pls. (incl. in pagination), text illustr.

Grzycki, S. Secretory granules of pancreatic cells refractometrically examined by phase contrast illumination. Acta. anat. 44: 374–381, 16 figs.

Grzywinski, L. Analysis of feces from the middle age period. Zool. Polon. **10** 1959–1960 [1961]: 195–199, 2 pls.

Gudmundsson, F. Bird protection in Iceland. Bull. Int. Counc. Bird Prot. 1952 6: 153-160.

Guerriere, A. see Wimsatt.

ıf

.]

n

n

T

t.

e

u.

N I IRRABIES

Guest, W. see Welch.

Guilday, J. E. (1). Prehistoric record of Scalopus from western Pennsylvania. J. Mammal. 42:117-118.

Guilday, J. E. (2). Plecotus from the Pennsylvania Pleistocene. J. Mammal. 42: 402-403.

Guilday, J. E. (3). Abnormal lower third molar in Odocoileus. J. Mammal. 42: 551-553, 1 pl.

Guiler, E. R. (1). Breeding season of the thylacine.
J. Mammal. 42: 396–397, 1 fig.

Guiler, E. R. (2). Notes on the externals of the potoroo, *Potorous tridactylus* (Kerr). Pap. roy. Soc. Tasm. 95: 41-48, 9 figs., 1 pl.

Guiler, E. R. (3). The former distribution and decline of the thylacine. Aust. J. Sci. 23: 207-210, 2 figs., 4 tabs.

Gunderson, H. L. (1). A self-trapped gray fox. J. Mammal. 42: 270.

Gunderson, H. L. (2). An unusual cause of death of a white-tailed deer. J. Mammal. 42: 553.

Gunkel, R. D. see Tansley.

Gupta, B. B. Investigations of the rolling mechanism in the Indian hedgehog. J. Mammal. 42: 365-371, 2 figs., 1 pl.

Gupta, B. B. & Sharma, H. L. Birth and early development of Indian hedgehogs. J. Mammal. 42: 398-399, 1 pl.

[Gureev, A. A.] [Hares (Lagomorpha) from the Oligocene of Mongolia and Kazakhstan.] Trav. Inst. Paléont. Akad. Sci. USSR 77, 1960: 5–34, 12 figs. [In Russian.]

[Gurinovich, L. A.] [On the functional features of the retarded conditioned reflexes in dogs of one year of age]. Vestz. Akad. Nauk. Beloruss. S.S.R. biol. No. 4, 1960: 75-84, 3 figs. [In Belorussian].

[Gurova, N. I.] [On the development of intercostal musculature in the embryo of *Bos taurus*]. Trud. Inst. Morf. Zhiv. 29 1960: 75-102, 16 figs. [In Russian.]

Guth, C. La région temporale des Édentés. Le Puy (Haute-Loire) (Jeanne d'Arc), i-xviii, 1-191, 144 figs., 10 pls. [privately published.]

Gysel, L. W. An ecological study of tree cavities and ground burrows in forest stands. J. Wildl. Mgmt. 25: 12-20, 2 figs., 3 tabs.

Haatten, J. L. van. Harbour seal and grey seal in Dutch coastal waters. Meded. Inst. Toeg. biol. No. 50, 1960: 64-67.

Haartman, L. von. Charles Darwin and ethology. The expression of the emotions in man and animals reconsidered. Comment. biol. Helsingf. 22, 7:1-28, 5 fizs.

Haber, A. Le sanglier en Pologne. Terre et la Vie 108: 74-76.

Haberey, P. Etude de la déperdition par chaleur sensible chez trois espèces de Rongeurs d'origine saharienne. C.R. Soc. Biol. Paris 154: 1635-1638, 1 fig., 1 tab.

Hafes, E. S. E. (1). An experimental study of ova reception and some related phenomena in the rabbit. J. Morph. 108: 327-353, 1 fig., 4 pls., 8 tabs.

Hatez, E. S. E. (2). Embryonic survival in relation to number and size of implantation swellings in the rabbit Oryctologus cuniculus. Proc. Soc. exp. Biol. Med. 107: 680-684, 3 figs., 2 tabs. Hafez, E. S. E. & Ensminger, M. E. Transfer of ova to the bursa ovarii and the "suspended loop" of tube in the rabbit. Nature, Lond. 190: 557-559, 1 fig.

Hatt, J. S., Hovde, C. A. & Harman, P. J. Factors related to recording photic potentials from cat cerebellum. Neurology, Minneapolis 11: 371-379 6 figs.

Haft, J. S. see Berry.

Hattorn, S. (1). Analysis of food remnants from three nests of Aquila chrysačius. K. norske Vidensk. Selsk. Forh. 32, 1960: 18-23, 3 figs. [Norwegian English summary.]

Haftorn, S. (2). En dags sammenhengende iakttagelser over en grizzlybjørn-familie i Alaska. K. norske vidensk. Selsk. Årb. 1960: 79–85 2 figs., 1 tab. [English summary.]

Haga, R. Birds and seals around Japanese Syowa Base on Prince Harald Coast Antarctica (Preliminary.) Antarct. Rec. Tokyo No. 11, 1961: 146-148.

Hagemann, E. & Schmidt, G. Ratte und Maus. Versuchstiere in der Forschung. Bertus (Walter de Gruyter) 1960: pp. i-x 1-318 74 figs.

Hahn, P. see Vacek.

Hailman, J. P. Stereotyped feeding behaviour of a North Carolina nutria. J. Mammal, 42: 269.

Haimovici, S. L'étude de la faune néolithique de Truşeşti. Ar. Sti. Univ. Iasi (2) Sti. nat. 6 1960 : 387–396 4 pls. 1 tab.

Haimovici, S. see Necrasov.

Haines, H. Seasonal changes in the reproductive organs of the cotton rat Sigmodon hispidus. Texas J. Sci. 13: 219-230 5 figs., 1 tab.

Hale, J. B. see Cook.

Hall, E. R. Bison bison in Nevada. J. Mammal. 42: 279-280 1 fig.

Hall, E. R. & Alvarez, T. (1). A new species of mouse (*Peromyscus*) from northwestern Veracruz, Mexico. Proc. biol. Soc. Wash. 74: 203–205.

Hall, E. R. & Alvarez, T. (2). A new subspecies of the black *Myotis* (bat) from Eastern Mexico. Univ. Kansas Pub. Mus. nat. Hist. 14: 69-72 l, fig.

Hall, E. R. & Jones, J. K. North American yellow bats "Dasypterus", and a list of the named kinds of the genus Lasiurus Gray. Univ. Kans. Pub. Mus. nat. Hist. 14: 73-98, 4 figs.

Hall, J. S. Myotis austroriparius in central Kentucky. J. Mammal. 42: 399-400.

Hallander, A. Hasselmusfynd i Jönköpings län 1954– 1960. Fauna o. flora 56: 81–87 2 figs.

Hall-Craggs, E. C. B. The skeleton of an adolescent gorilla (*Gorilla gorilla beringei*). S. Afr. J. Sci. **91**: 299–302 1 tab.

Halloran, A. F. & Shrader, C. A. Longhorn cattle management on Wichita Mountains Wildlife Refuge. J. Wildl. Mgmt. 24 1960: 191-196 1 fig., 4 tabs.

Halloran, A. F. see Glass.

Halls, L. K. & Crawford, H. S. Deer-forest habitat relationships in north Arkansas. J. Wildl. Mgmt. 24 1960: 387-395, 4 figs.

Halnan, C. R. E. see Tong.

Haltenorth, T. (1). Lebensraum, Lebensweise und Vorkommen des Mesopotamischen Damhirsches, Cervus mesopotamicus Brooke, 1875. Säugetierk. Mitt. 9: 15-39, 21 figs.

Haltenorth, T. (2). Fruchtbare Rückkreuzung eines weiblichen Mähnenschaf-Hausziegen-Bastards mit einem Steinbock. Säugetierk. Mitt. 9: 105–109, 3 figs.

Halvorson, C. H. Curiosity of a marten. J. Mammal. 42: 111-112.

Hamerton, J. L., Fraccaro, M., Carli, L. de, Nuzzo, F., Klinger, H. P., Hulliger, L., Taylor, A. & Lang, E. M. Somatic chromosomes of the gorilla. Nature. Lond. 192: 225-228, 6 figs., 3 tabs.

Hammond, L. E. see Bentley.

Hanák, V. & Figala, J. Kleinsaüger des mittleren Böhmerwaldes. Acta Univ. carol. Praha 1960, 2, 1960 : 103–124, 2 pls. [N.V.]

Handley, C. O., Stafford, R. & Geil, E. H. A west Virginia puma. J. Mammal. 42: 277-278, 1 pl., 1 tab.

Hanly, E. W. see Welch.

Hanney, P. Records of new and unusual mammals. Ann. Rep. & Bull. Nyasaland Mus. 1961: 30-32.

Hannon, J. P., Vaughan, D. A. & Hock, R. J. The endogenous tissue respiration of the Arctic ground squirrel as affected by hibernation and season. J. cell. comp. Physiol. 57: 5-10, 2 tabs.

Hansen, R. M. see Vaughan.

Hanzawa, S., Asano, K. & Takai, F. Catalogue of type specimens of fossils in Japan. Palaeontological Society of Japan: pp. i-vi, 1-422.

Hao-chuang, L. see Lavrov.

Harlow, H. F. Love in infant monkeys. Sci. Amer. 200 6, 1959: 68-74, figs.

Harlow, R. F. (1). Fall and winter foods of Florida white-tailed deer. Quart. J. Fla. Acad. Sci. 24: 19-38 3 figs., 7 tabs., 2 maps.

Harlow, R. F. (2). Characteristics and status of Florida black bear. Trans. N. Amer. Wildl. Conf. No. 26: 481–495 3 figs., 8 tabs.

Harman, P. J. see Berry.

Harman, P. J. see Haft.

Harper, F. Land and fresh-water mammals of the Ungava Peninsula. Univ. Kans. Mus. Nat. Hist. Misc. Pub. No. 27: 1-178, 3 figs., 8 pls., 45 maps.

Harrison, D. L. (1). Notes on some Central and East African bats. Durban Mus. Novit. 6 1960: 65-78, 1 fig., 5 pls., 4 tabs.

Harrison, D. L. (2). Notes on Southern and East African bats. Durban Mus. Novit. 7: 149—152, 1 fig.

Harrison, D. L. (3). On Savi's pipistrelle (*Pipistrellus savii* Bonaparte 1837) in the Middle East, and a second record of *Nycticeius schlieffeni* Peters 1859 from Egypt. Senck. biol. Frankfurt 42: 41-44, 1 pl., 2 tabs.

Harrison, D. L. (4). A checklist of the bats (Chiroptera) of Kenya Colony. J. East Afr. Nat. Hist. Soc. 23: 286-295.

Harrison, D. L. & Lewis, R. E. The large mouseeared bats of the Middle East, with description of a new subspecies. J. Mammal. 42: 372-380, 3 pls., 4 tabs.

Harrison, J. L. The value of small mammals. Nature Conservation in Western Malaysia, 1961. Malay. Nat. J. 21st Anniv. Spec. Issue: 207-210.

Harrison, R. J. Experiments with diving seals. Proc. roy. Inst. G.B. 38: 414-429, 4 pls.

Harrison, T. J. The influence of the femoral head on pelvic growth and acetabular form in the rat. J. Anat. Lond. 95: 12-24, 6 figs., 2 pls., 2 tabs.

Harrisson, B. (1). Die Niah-Höhlen in Borneo. Tierund Menschenfunde aus 50,000 Jahren. Umschau 60 1960: 653–656, 10 figs.

Harrisson, B. (2). The immediate problem of the orang-utan. Oryx 6: 128-136.

Harrisson, B. (3). A study of Orang-utan behaviour in semi-wild state, 1956–1960. Sarawak Mus. J. 9: 422–447, 1 pl.

Harrisson, T. (1). The threat to rare animals in Borneo. Oryx 6: 126-128.

Harrisson, T. (2). A remarkably remote orang-utan; 1958-60. Sarawak Mus. J. 9: 448-451, 2 pis.

Harrisson, T. (3). Prehistoric fauna changes and losses in Borneo. Nature Conservation in Western Malaysia, 1961. Malay. Nat. J. 21st Anniv. Spec. Issue: 89-92.

Harrisson, T., Hooijer, D. A. & Medway, Lord. An extinct giant pangolin and associated mammals from Niah Cave, Sarawak. Nature, Lond. 189: 166.

Harthoorn, A. M., Lock, J. A. & Lack, C. P. Handling and marking of wild African elephants (*Loxodonta africana*) with the use of the drug immobolising technique—a preliminary report. Brit. vet. J. 117: 87-91, 3 figs.

Harthoorn, A. M. see Buechner.

Hartwig, W. Lifespan of cattle and horses under various climatic conditions and the reasons for premature culling. In Wolstenholme, G. E. W. & O'Connor, M. Ciba Foundation colloquia on ageing, 5, The lifespan of animals. London (J. & A. Churchill, Ltd.) 1959: 57-71, 7 tabs.

Haslewood, G. A. D. Comparative studies in "bile salts". 13. Bile acids of the leopard seal, Hydrurga leptonyx, and of two snakes of the genus Bitis. Biochem. J. 78: 352-359, 3 figs.

Haslewood, G. A. D. & Ogan, A. U. Comparative studies of "bile salts". 12. Application to a problem of rodent classification: Bile salts of the cutting grass, Thryonomys swinderianus. Biochem. J. 73 1959: 142-144.

Hassett, J. sec Denyes.

Hatrisarantos, C. & Kanellis, A. La protection des oiseaux et mammifères rares de la Grèce. Terre et la Vie 106 Suppl.: 74-76.

Haugen, A. O. (1). Cottontails with "horns". Proc. Iowa Acad. Sci. 67, 1960: 610-615, 4 figs., 1 tab.

Haugen, A. O. (2). Wolverine in Iowa. J. Mammal. 42: 546-547.

Havekost, H. Die Beringung der Breitflügelfledermaus (Eptesicus serotinus Schreber) im Oldenburger Lond. Bonn. 2001. Beitr. 11 Sonderheft: 222-233, 1 fig., 6 tabs.

Hawley, R. G. see Waite.

Hayek, H. von. Die Lunge und Pleura der Primaten. (In Hofer & others. Primatologia. Handbook of Primatology, 8, (2), 1960. Respirationsorgane. pp. 588-625, 24 figs.)

Hayman, R. W. The red goral of the North-east Frontier region. Proc. zool. Soc. Lond. 136: 317-324, 1 pl., 1 tab. Hayward, A. F. & Teagle, W. G. Some observations on the medial lobules of the ears of the long-eared bat *Plecotus auritus* (Linnaeus). Proc. zool. Soc. Lond. 137: 469-473, 2 pls.

Hayward, B. J. & Johnson, R. R. Notes on Plecotus phyllotis from Arizona. J. Mammal. 42: 402.

Hazard, E. B. The subgeneric status and distribution in time of *Cstellus rexroadensis*. J. Mammal. 42: 477–483, 9 figs., 2 tabs.

Hebel, R. Untersuchungen über das Vorkommen von lymphatischen Darmkrypten in der Tunica submucosa des Darmes von Schwein, Rind, Schaf, Hund und Katze. Anat. Anz. 109, 1960: 7-27, 9 figs.

Heberer, G. Grundlinien im modernen Bild der Abstammungsgeschichte des Menschen. Biol. Jh. 1960: 59-78. [N.V.]

Hechter-Schulz, K. Bait selection by rats. S. Afr. J. Sci. 91: 303-311, 3 graphs.

Hediger, H. & Kummer, H. Das Verhalten der Schnabeligel. (Tachyglossidae). In Kukenthal, W. & Krumbach, T. Handbuch der Zoologie 8 Bd., 10 Teil, 8a Beitr. (27 Lief.): 1-10, 7 figs.

Heerdt, P. F. van & Sluiter, J. W. (1). The results of bat banding in the Netherlands in 1959. Natuur. Maandbl. 49, 1960: 42-44.

Heerdt, P. F. van & Sluiter, J. W. (2). New data on longevity in bats. Natuur. Maandbl. 50: 36.

Heerdt, P. F. van & Sluiter, J. W. (3). Resultaten van het vleermuis-onderzook in Nederland in 1960. Levende Nat. 64: 156-162, 6 tabs. [English summary.]

Heerdt, P. F. van see Sluiter.

Hegg, O. Analysen von Grosswildkot aus dem schweizerischen Nationalpark zur Ermittlung der Nahrungszusammensetzung. Rev. suisse Zool. 68: 156–165, 1 fig., 2 tabs.

Heideman, M. J. see Lyne.

f

Heim, W. G. The serum proteins of the rat during development. J. Embryol. exp. Morph. 9:52-59, 2 figs., 1 tab.

Heimburger, N. Beobachtungen an handaufgezogenen Wildeaniden (Wölfin und Schakalin) und Versuche über ihre Gedächtnisleistungen. Z. Tierpsychol. 18: 265– 284, 16 figs., 5 tabs. [English summary.]

Heimstra, N. W. & Newton, G. Effects of prior food competition on the rat's killing response to the white mouse. Behaviour 17: 95-102.

Heinze, W. Die Kaumuskulatur des Schweines in anatomischer und funktioneller Hindsicht. Anat. Anz. 109: 269–291, 16 figs.

Heinze, W. see Franzke.

Hell, P. Starkes Anwachsen der Luchsbestände in der Slowakei. Z. Säugetierk 26: 57-59, 1 tab.

Heller, F. (1). Das Diluvialprofil in der Jungfernhöhle bei Tiefenellern, Landkreis Bamberg. Erlanger geol. Abh. 34 1960: 3-17, 1 pl.

Heller, F. (2). Würmeiszeitliche und letztinterglaziale Faunenreste von Lobsing bei Neustadt/Donau. Erlanger geol. Abh. 34 1960: 19-33, 2 pls.

Helminen, M. see Jellison.

Helwing, S. see Schnapp.

Henderson, F. R. Beaver in Kansas. Misc. Publ. Mus. nat. Hist. Kansas Univ. No. 26, 1960 : 1–85, 36 figs. Heptner, V. G. On geographic variability of pikas (Ochotona Link.; Mammalia, Lagomorpha) inhabiting Turkmenia. Zool. Zh. 40: 621-622. [Russian, English summary.]

[Heptner, V. G., Nasimovitch, A. A. & Bannikov, A. G.] [The mammals of the Soviet Union] [Edited by Heptner, V. G. & Naumov, N. P.] Moscow, 1961, 1. Even-toed and odd-toed mammals. pp. 1-776, 252 figs., 6 pls. [In Russian.]

Heráň, I. Beitrag zur funktionellen Anatomie der Wasserratte (Arvicola terrestris L.). Vestn. českosl. zool. Spolec. 25: 28–38, 6 figs., 4 pls. [Czechoslovak, German summary.]

Herlant, M. L'activité génitale chez la femelle de Galago senegalensis moholi (Geoffr.) et ses rapports avec la persistance de phénomenes d'ovogenese chez l'adulte. Ann. Soc. roy. Zool. Belg. 91 (1960–1961): 1-15.

Herlant, M. see Peyre.

Hermann, A. L. The degree of resistance to water deficiency in some mouse-like rodents of the steppe zone. Zool. Zh. 40: 914-921, 1 fig., 3 tabs. [Russian, English summary.]

Hernández-Camacho, J. Primitiae Mastozoologicae Colombianae—I. Status taxonomico de Sciurus pucheranii santanderensis. Caldasia, Bogota (Bol. Inst. Cienc. Nat. Univ. Nac. Colombia) 8, 1960: 359–368, 2 tabs [Spanish, English summary.]

Hernández-Pacheco, F. & Crusafont Pairó, M. Primera caracterización paleontológica del Terciario de Extremadura. Bol. Real. Soc. Esp. Hist. nat. Secc. Geol. 58, 1960: 275–282, 1 pl.

Herre, W. (1). Zur Problematik der Parallelbildungen bei Tieren. Zool. Anz. 166: 309–333, 14 figs.

Herre, W. (2). Kleine Bemerkung zu systematischen Fragen. Z. Säugetierk 26:189–191, 3 figs. [English summary.]

Herrick, E. H. Some preliminary experiments on adrenal function during seasonal stresses in a wild marsupial (Setonix brachyurus). J. roy. Soc. W. Aust. 44: 61-64, 8 figs.

Hershkovitz, P. (1). On the South American smalleared Zorro Atelocynus microtis Sclater (Canidae). Fieldiana Zool. 39: 505-523, 7 figs., 1 tab.

Hershkovitz, P. (2). On the nomenclature of certain whales. Fieldiana Zool. 39: 547-565.

Herter, K. Über Igel von Neuseeland. Zool. Beitr., Berl. N.F. 6: 347-376, 11 figs.

Henschele, W. P. (1). Cancer . . . a problem in the zoo, too. Zoonooz 34 (4): 6-7, 1 fig.

Heuschele, W. P. (2). Chlordiazepoxide for calming zoo animals. J. Amer. vet. med. Ass. 139: 998-998.

Heuschele, W. P. & Gandal, C. P. Handling and treatment of common exotic mammal pets. J. Amer. vet. med. Ass. 138: 608-612, 6 figs.

Hewer, H. R. & Backhouse, K. M. "Headless" grey seal pups. Proc. zool. Soc. Lond. 137:630-631, 1 pl.

Hewes, G. W. Food transport and the origin of hominid bipedalism. Amer. anthrop. 63: 687-710.

Hewson, R. Collars for marking mountain hares. J. Wildl. Mgmt. 25: 329-331, 1 fig., 1 tab.

Heyner, S. The survival of embryonic mammalian cartilage after freezing to — 79°C. J. exp. Zool. 144, 1960: 165–177, 4 figs., 1 pl., 5 tabs.

Hickling, G. see Coulson.

Hiehle, J. L. & Slosson, J. R. A method of immobilizing bear for ear tagging. Calif. Fish Game 47: 303, 1 fig.

Hildebrand, M. (1). Further studies on locomotion of the chectah. J. Mammal. 42: 84-91, 5 figs.

Hildebrand, M. (2). Voice of the grasshopper mouse. J. Mammal. 42: 263.

Hill, C. A. (1). Origin of the zoo. Zoonooz 33 (12) 1960: 11-15, 4 figs.

Hill, C. A. (2). Bushbuck and impala. Zoonooz 34 (2): 3-7, 4 figs.

Hill, C. A. (3). Wildebeest—hartebeest. Zoonooz 34 (6): 3-7, 5 figs.

Hill, C. A. (4). Fennecs, sentries of the sands. Zoo-nooz 34 (12): 3-5, 3 figs.

Hill, G. R. Rats in Wales. Nature in Wales 7: 43-45.

Hill, J. E. (1). Indo-Australian bats of the genus Tadarida. Mammalia Paris 25: 29-56, 5 tabs.

Hill, J. E. (2). Fruit-bats from the Federation of Malaya. Proc. zool. Soc. Lond. 136: 629-642, I fig.

Hill, W. C. O. (1). Vascular specializations in platyrrhine monkeys. Z. wiss. Zool. 165: 133-139, 3 figs., 2 tabs.

Hill, W. C. O. (2). Abominable snowmen: the present position. Oryx 6: 86-98.

Hill, W. C. O. (3). Hybridization in marmosets. Proc. zool. Soc. Lond. 137: 321-322, 1 tab.

Hillaby, J. (1). Harvesting wild animals. New Scient. 9: 744-746, 4 figs.

Hillaby, J. (2). Conservation in Africa: a crucial conference. New Scient. 11: 536-538, 4 figs.

Hillaby, J. (3). Elephants as a pest control problem. New Scient. 12: 736-738, 5 figs.

Hilton, A. H. Hominid evolution. New Scient. 11: 479.

Hirs, C. H. W. see Edmundson.

Hirst, S. M. Experiment with eland. Afr. Wild Life 15: 117-120, 3 figs.

Hislop, J. A. (1). The distribution of elephant, rhinoceros, seladang and tapir in Malaya's National Park. Nature Conservation in Western Malaysia, 1961. Malay. Nat. J. 21st Anniv. Spec. Issue: 95-99, 2 figs.

Hislop, J. A. (2). Protection of wild life in the Federation of Malaya. Nature Conservation in Western Malaysia, 1961. Malay. Nat. J. 21st Anniv. Spec. Issue: 136-142.

Hjortsjö, C-H. Aspects of gestation period and fetal development. Forh. K. fysiogr. Sällsk. Lund 30, 1960: 71-78, 1 fig.

Hock, R. J. Seasonal variations in physiologic functions of Arctic ground squirrels and black bears. Bull. Mus. comp. Zool. Harv. 124, 1960: 155-171, 10 figs.

Hock, R. J. see Hannon.

Hocquet, P. see Masseyeff.

Hodos, W. see Weitzman.

Hoehl, E. Beringungsergebnisse in einem Winterquartier der Mopsfledermäuse (Barbastella barbastellus) Schreb. in Fulda. Bonn. 2001. Beitr. Sonderheft 1960: 192-197, 2 figs., 1 tab. Hoesch, W. (1). Über Ziegen hütende Bärenpaviane (Papio ursinus ruacana Shortridge). Z. Tierpsychol. 18: 297–301, 5 figs. [English summary.]

Hoesch, W. (2). Vom Honigdachs (Mellivora capensis). Nat. u. Volk 91: 340-342, 3 figs.

Hofer, H. Das Gestaltwandelproblem des Schädels der Säuger. Mitt. naturf. Ges. Bern. N.F. 18, 1960: 81–87, 3 figs.

Hofer, H. Schults, A. H. & Starck, D. Primatologia. Handbook of Primatology. 3, (2), 1960. Blut- und Kreislauforgane. Respirationsorgane. Gebiss. Basel and New York (S. Karger) pp. i-xvi, 1-872, text illstr.

Hofer, H. see Thenius.

Hoffmann, M. Zu Uloth: Von der Bisamratte (Ondatra zibethica) am Breitunger See. Säugetierk. Mitt. 9: 163-164.

Hoffman, R. A. & Kirkpatrick, C. M. Seasonal changes in thyroid gland morphology of male gray squirrels. J. Wildl. Mgmt. 24, 1960: 421-425, 2 figs., 1 tab.

Hoffman, R. A. see Kirkpatrick.

Hoffman, R. S. & Taber, R. D. Preliminary notes on the vertebrate faunas of the Montana alpine. Proc. Montana Acad. Sec. 19, 1960: 91.

Hoffmeister, D. F. Unusual coat colors in some wild American carnivores. Trans. Ill. St. Acad. Sci. 53, 1960: 141-143, 1 fig.

Hoffmeister, D. F. & de la Torre, L. Geographic variation in the mouse *Peromyscus difficilis*. J. Mammal. 42: 1-13, 2 figs.

Hoffstetter, R. Description d'un squelette de Planops (Gravigrade du Miocène de Patagonie). Mammalia, Paris, 25: 57-96, 12 figs. [English summary.]

Hofmann, R. Berlockenähnliche, paarige Oberschenkelanhänge be; einem Rothirsch (Cervus elaphus hippelaphus). Anat. Anz. 109: 369-379, 8 figs.

Holden, F. F. see Rosen.

Hollander, W. F. (1). The problem of superfetation in the mouse. J. Hered. 50, 1959: 71-73, 2 figs.

Hollander, W. F. (2). Genetics in relation to reproductive physiology in mammals. J. cell. comp. Physiol. 56, Suppl. 1, 1960: 61-72, 2 figs.

Holliman, D. C. Erythrism in an Alabama cottontail. J. Mammal. 42: 254-255.

Holmes, A. M. Observations on the intrinsic innervation of the rectum and anal canal. J. Anat., Lond. $95:416-422,\ 2\ pls.$

Holmes, R. L. The adrenal glands of the ferret, Mustela putorius. J. Anat., Lond. 95: 325-336, 1 fig., 3 pls., 1 tab.

Holten, J. W. & Toll, J. E. Winter weights of juvenile and adult swamp rabbits in southeastern Missouri. J. Wildl. Mgmt. 24, 1960: 229-230, 1 tab.

Holten, J. W. see Martinson.

Holz, P. Operation Noah. Frontiers 26 1: 12-15, 5 figs.

Hooijer, D. A. (1). Namaak neushoorn-hoorns. Ned. Tijdsch. Geneesk. 104, (48), 1960 :?

Hooijer, D. A. (2). The fossil vertebrates of Ksär, Akil, a Palaeolithic rock shelter in the Lebanon. Zool. Verhandl. Leiden No. 49:1-68, 2 pls., 25 tabs. [Mammalia pp. 11-68.]

8)

ler

nd tr. ra

la.

on

0:

ic al.

a-

n

il.

Hooijer, D. A. (3). The giant extinct pangolin (Manis laeojavanica Dubois) from Niah. Sarawak. Mus. J. 9: 350-355, 1 pl.

Hooijer, D. A. (4). The orang-utan in Niah Cave prehistory. Sarawak Mus. J. 9: 408-421, 1 pl.

Hootjer, D. A. & Singer, R. (1). Fossil rhinoceroses from Hopefield, South Africa. Zool. Meded. 37, 1960: 113-128, 1 pl., 6 tabs.

Hooijer, D. A. & Singer, R. (2). The fossil hippo-otamus from Hopefield, South Africa. Zool. Meded. 37: 157-165, 2 pls., 11 tabs.

Hooijer, D. A. see Harrisson.

Hook, O. (1). The wild mammals. In Berlin, J., et al. The New Forest, London (Galley Press) 1960, pp. i-x, 1-201, illustr. [pp. 70-87.]

Hook, O. (2). Notes on the status of seals in Iceland, June-July, 1959. Proc. zool. Soc. Lond. 137: 628-630, 1 fig., 1 pl.

Hooper, E. T. (1). Notes on mammals from western and southern Mexico. J. Mammal. 42: 120-122.

Hooper, E. T. (2). The glans penis in Procchimys and other caviomorph rodents. Occ. Pap. Mus. Zool. Univ. Mich. No. 623: 1-18, 5 figs.

Horn, G. & Ford, E. H. R. The effects of thyroid deficiency on the growth of the rat skull. J. Anat. Lond. 95: 131-136, 1 fig., 1 pl., 1 tab.

Hornocker, M. see Craighead.

Horwood, R. H. see Denyes.

Hosking, K. F. G. A re-examination of an alleged stanniferous deer's-horn from the Cornish tin-bearing alluvials. Trans. R. geol. Soc. Cornwall 19, 1960: 154-161, 1 fig., 2 pls.

Houck, W. J. Notes on the Pacific striped porpoise. J. Mammal, 42: 107.

Hough, J. R. Review of Oligocene didelphid marsupials. J. Paleont. 35: 218-228, 2 figs.

House, H. B. see Long.

Hoyde, C. A. see Berry.

Hovde, C. A. see Haft.

Howard, M. M. see Cornwall.

Howard, W. E. A pocket gopher population crash. J. Mammal. 42: 258-260, 1 tab.

Howard, W. E. & Brock, E. M. A drift-fence pit trap that preserves captured rodents. J. Mammal. 42: 386–391, 1 fig., 1 pl., 1 tab.

Howard, W. E. & Evans, F. C. Seeds stored by prairie deer mice. J. Mammal. 42: 260-263, 1 tab.

Howell, F. C. Reply. [To Comments by Livingstone, F. B. (q.v.) and Cowgill, G. (q.v.) on Howell, F. C. European and northwest African Middle Pleistocene hominids. Curr. Anthrop. 1, 1960: 192-232.] Curr. Anthrop. 2: 118-120.

Howells, W. Mankind in the making. The story of human evolution. London (Secker & Warburg) 1960 pp. 1-382, text illustr.

Howes, J. R., Davis, G. K., Loggins, P. E. & Hentges, J. F. Blood potassium and sodium of Hereford and Brahman cattle and some breeds of sheep maintained in Florida. Nature, Lond. 190: 181-182, 2 tabs.

Hrisafi, C. see Manolache.

Heien, H. H. see Chow.

Hsu, T. C. see Levan.

Hsu, Y. H., Hsien, H. H. & Chou, P. H. Artiodactyla. In Chow, M. & others. Pleistocene mammalian fossils from the Northeastern Provinces. Mem. Inst. Vert. Pal. Acad. Sinica 3, 1959: 50-74, 2 figs., 16 pls. [Chinese, English summary.]

Bau, Y. H. see Chow.

Hu, C-K. The occurrence of *Parabrontops* in Hami, inking. Vertebrata Palasiatica 1961: 41-42, 1 fig. [Chinese, English summary.]

Hu, C. K., Liu, H. I., Hsu, Y. H., Chou, P. H. & Lee, Y. C. Perissodactyla. In Chow, M. and others, Pleistocene mammalian fossils from the Northeastern Provinces. Mem. Inst. Vert. Pal. Acad. Sinica 3, 1959: 34-49, 14 pls. [Chinese, English summary.]

Hu, C. K. see Chow.

Hu, C. K. see Kahlke.

Huang, W. P. & Han, D. F. On the formation and mammalian fossils of Tatitsun, Tungshenhsien in Hupei Province. Paleovertebrata et Paleoanthropologia 1 (1). 1959: 43-45. [In Chinese] [N.V.]

Hubbard, R. L. & McKeever, S. Meadow mouse girdling—another cause of death of reseeded bitterbrush plants. Ecology 42: 198, 2 figs.

Hubbs, C. L. The marine vertebrates of the outer coast [of Baja California]. Syst. Zool. 9, 1960: 134-147.

Hückinghaus, F. (1). Zur Nomenklatur und Abstammung des Hausmeerschweinchens. Z. Säugetierek. 26: 108-111, 3 figs. [English summary.]

Hückinghaus, F. (2). Die Bedeutung der Allometrie für die Systematik der Rodentia. Z. Säugetierk. 26: 142-146, 6 figs.

Hudson, J. W. see Bartholomew.

Huey, L. M. Further northern extension of the hog-nosed skunk. J. Mammal. 42: 421.

Huggett, A. St. G. & Nixon, D. A. Fructose as a component of the foetal blood in several mammalian species. Nature, Lond. 190: 1209, 1 tab.

Hulliger, L. see Hamerton.

Hume, C. W. Poisoned baits for wallabies. New Scient. 11: 737.

Huminski, S. see Chudoba.

Hummel, K. P. & Chapman, D. B. Visceral inversion and associated anomalies in the mouse. J. Hered. 50, 1959: 9-13, 3 tabs.

Rummitzsch, E. Fledermausberingungen in Leipzig und Umgebung. Bonn. zool. Beitr. 11 Sonderheft: 99-104, 1 fig., 3 tabs.

Humphrey, D. C. & Spencer, N. Chromosome number in the mink. J. Hered. 50, 1960: 245-247, 1 fig.

Humphries, D. A. The small mammals of Bardsey. Bardsey Observ. Rep. 1958: 42-44, 1 tab.

Hurme, V. O. & Van Wagenen, G. Basic data on the emergence of permanent teeth in the rhesus monkey (Macaca mulaita). Proc. Amer. phil. Soc. 105: 105-140, 9 figs., 22 tabs.

Hurwitz, H. M. B. & Millenson, J. R. Maintenance of avoidance behaviour under temporally defined contingencies. Science 133: 284-285, 2 figs.

Hürzeler, J. see Crusafont-Pairó.

Husson, A. M. De zoogdieren van de Nederlandse Antillen. Fauna Nederlandse Antillen No. 2, 1960, pp. i-viii, 1–170, 27 figs., 43 pls. [Detailed English summary.]

Ichihara, T. Blue whales in the waters around Kerguelen Island. Norsk Hvalfangsttid. 50: 1-20, 9 figs., 5 tabs.

Iliescu. O. see Gabuniya.

Hyichev, V. D. Some regularities in the evolution of the external ear of the vertebrates. Zool. Zh. 40: 1795–1807, 5 figs. [Russian, English summary.]

Imaisumi, Y. Coloured illustrations of the mammals of Japan. Osaka (Hoikusha) 1960, pp. i-viii, 1-916, 68 coloured pls. [Text in Japanese.]

Immendorf, M. Über die Aufzucht eines Krallenäffchen-Bastards aus dem Kölner Zoo. Mutter Rothand-Tamarin, Leontocebus (Tamarin) midas (Linné, 1758); Vater Manteläffchen, L. (Marikina) bicolor (Spix, 1833). Säugetierk. Mitt. 9: 145-151, 6 figs.

Ingles, L. G. (1). A quantitative study on the activity of the dusky shrew (Sorex vagrans obscurus). Ecology 41, 1960: 656-660, 1 fig., 2 tabs.

Ingles, L. G. (2). Home range and habitats of the wandering shrew. J. Mammal. 42:455-462, 2 figs., 1 pl., 1 tab.

Ingles, L. G. (3). Reingestion in the mountain beaver. J. Mammal. 42: 411-412, 1 pl.

Inoue, M. Studies on peripheral blood cells of normal Macaca monkeys (Macaca fuscata). J. Primatology 1, 1958: 160. [Summary.] [In Japanese.]

Ip, M. C. see Barker.

Isaacson, J. H. see Falconer.

Ishihara, Y. Studies on crystalline whale pepsin. Mem. Fac. Fish. Hokkaido Univ. 8: 1-81, 26 figs., 18 tabs.

Ishunin, G. I. The otter in Uzbekistan. Zool. Zh. 40: 1745–1746. [Russian, English summary.]

[Ismagilov, M. I.] [Ecology of the local rodents of Bet-Pak-Dal and the southern Pre-Balkhash]. Alma-Ata (Izdatel'stvo Akad. Nauk Kazakhskoi SSR), pp. 1-365, text illustr. [In Russian.]

Ismagilov, M. M. On the type of settlements of Marmota bobac Müll. and on its action upon vegetation in the regions of the development of virgin steppe soils in Kazakhstan. Zool. Zh. 40: 905-913, 8 figs. [Russian, Ruglish summary.]

Isogai, S. see Tokita.

Issel, B. & Issel, W. Beringungsergebnisse an der Grossen Hufeisennase (Rhinolophus ferrumequinum Schreb.) in Bayern. Bonn. zool. Beitr. 11 Sonderheft: 124–142, 2 fgs., 10 tabs.

Ito, R. see Tokita.

Itoigawa, N. Studies of behaviour in Japanese monkeys (1) Play. J. Primatology 1, 1958:161-162. [Summary.] [In Japanese.]

Ivanova, E. I. Body-size proportions and the growth character of the Far East whales. Trud. Sovesh. Ichtiol. Kom. No. 12: 72-78. [In Russian.]

Jablokov, A. V. (1). Functional morphology of breathing organs of Cetacea odontoceti. Trud. Sovesh. Ichtiol. Kom. No. 12: 79-86, 3 figs. [In Russian.]

Jablokov, A. V. (2). About the smell in marine mammals. Trud. Sovesh. Ichtiol. Kom. No. 12:87-93, 3 figs. [In Russian.]

Jackon, J. S. (1). Two records of grey squirrel, Sciurus carolinensis Gmelin, shot in counties Armagh and Monaghan. Irish Nat. J. 13: 215.

Jackson, J. S. (2). Record of a long-eared bat, Piecotus auritus (Linnaeus) from County Clare. Irish Nat. J. 13: 262-263.

Jaczewski, Z., Gill, J. & Kozniewski, S. (1). Regulation of blood pressure in the brown bear. Meded. Inst. Toeg. biol. No. 50, 1960: 131-145, 12 figs.

Jaczewski, Z., Gill, J. & Kozniewski, S. (2). Capacity of the different parts of the digestive tract in the brown bear. Meded. Inst. Toeg. biol. No. 50, 1960: 146-154, 4 figs., 3 tabs.

Jakhimovich, N. N. Remains of an Upper Pliocene large antelope. Palaeont. Zh. No. 3, 1959:142-145, 1 fig., 1 tab. [In Russian.]

Jakobsen, A. Sealing and whaling. Tromss Mus. Skr. 8, 1960: 209-215, 2 figs.

Jakobsen, K. E. A Danish record of a common dolphin with deformed upper jaw. Flora og Fauna 66, 1960: 90-92, 2 figs. [Danish, English summary.]

Jakovenko, M. Ja. Method of the age determination of Hystriophoca groenlandica oceanica Lepechin in connection with the determination of the fishery norm. Trud. Sovesh. Ichtiol. Kom. No. 12:192-198, 3 figs. [In Russian.]

Jakway, G. S. Symbos convexifrons an invalid species, J. Mammal. 42: 114-115. [errata corrected loc. cit. p. 429.]

James, R. see Saunders.

Jameson, E. W. Relationships of the red-backed voles of Japan. Pacif. Sci. 15: 594-604, 2 figs.

Jameson, E. W. see Ota.

Jankovic, Z. see Simic.

Jánossy, D. Die Entwicklung der Kleinsäuger fauna Europas im Pleistozän (Insectivora, Rodentia, Lagomorpha). Z. Säugetierk. 26: 40–50, 2 figs. [English summary.]

Jarosz, S. The fertilized egg-cell of the cow. Acta biol. cracov. (Zool.) 2, 1959 [1960]: 151-161, 1 fig., 3 pls., 2 tabs.

Jeffers, J. N. R. see Crowcroft.

Jelinek, A. J. A late Pleistocene vertebrate fauna from Texas. J. Paleont. 34, 1960: 933-939, 1 fig., 1 pl., 5 tabs.

Jellison, W. L., Helminen, M. & Vinson, J. W. Presence of a pulmonary fungus in rodents in Finland. Ann. Med. exper. Fenn. 38, 4, 1960: 1–8, 3 figs.

Jenness, R. see Sowls.

Jennings, R. K. & Kaplan, M. A. Qualitative comparative serology. Bull. serol. Mus. No. 25: 5-8, 4 figs.

Jennings, W. L., Schneider, N. J., Lewis, A. L. & Scatterday, J. E. Fox rabies in Florida. J. Wildl. Mgmt. 24 1960: 171-179, 1-fig., 2 tabs.

Jenson, A. G. see Davis.

Jerman, J. Paleohistological researches in Riss-Würm travertines in the area Hrádok-Gánovce near Poprad (Czechoslovakia). Acta Mus. nat. Prag. 16B, 1960: 125-163, 4 figs., 34 pls. Ñ.

n

n

d

n

Jewell, P. The wild sheep of St. Kilds. New Scient. 11: 268-271, 7 figs.

Jewell, P. A. see Fullager.

Johansen, K. Temperature regulation in the ninebanded armadillo (*Dasypus novemcinctus mexicanus*). Physiol. zool. 34: 126-144, 11 figs.

Johansson, B. Brown fat and its possible significance for hibernation. Bull. Mus. comp. Zool. Harv. 124, 1960: 233-248, 1 tab.

Johnen, A. G. see Engländer.

Johnsen, A. O. Den moderne hvalfangsts historie. Opprinnelse og utvikling. 1. Finnmarksfangstens historie 1864–1905. Oslo (H. Aschehoug & Co. (W. Nygaard)) 1959: 1-711, illustr.

Johnson, D. R. Additional record of mountain goat in northeastern Washington. J. Mammal. 42: 280-281.

Johnson, L. J. Mammal studies on the Lubrecht Forest, Montana—a preliminary report. Proc. Mont. Acad. Sci. 20: 40-48, 8 tabs.

Johnson, M. L. & Benson, S. B. Relationship of the pocket-gophers of the *Thomomys mazama-talpoides* complex in the Pacific Northwest. Murrelet 41 1960: 17–22, 1 fig.

Johnson, M. L. & Clanton, C. W. Natural history of Sorex merriami in Washington State. Murrelet 35, 1954: 1-4, 1 fig.

Johnson, M. L., Wicks, M. J. & Brenneman, J. Serum protein electrophoresis of some boreal mammals. Murrelet 39, 1958: 32–36, 6 figs.

Johnson, M. L. see Clanton.

Joly, M. see Jullien.

Jones, C. J. Additional records of bats in New Mexico. J. Mammal. 42: 538-539.

Jones, C. J. see Findley.

Jones, C. L. Additional records of shrews in New Mexico. J. Mammal. 42: 399.

Jones, D. A. A salable approach to the elk-cattle competition problem. Trans. N. Amer. Wildl. Conf. 25 1960: 387–395, 4 figs.

Jones, D. A. see Julander.

Jones, J. K. & Cortner, G. L. The subspecific identity of the gray squirrel (Sciurus carolinensis) in Kansas and Nebraska. Trans. Kans. Acad. Sci. 63, 1960: 285–288, 1 tab.

Jones, J. K. & Glass, B. P. The short-tailed shrew, Blarina brevicauda, in Oklahoma. Southwest Nat. 5, 1960: 136-142, 2 figs., 1 tab.

Jones, J. K. & Long, C. A. Sorex longirostris in Mississippi. J. Mammal. 42: 252.

Jones, J. K. & Mursaloglu, B. (1). A syntype of Peromyscus maniculatus nebrascensis (Coues). Proc. biol. Soc. Wash. 74: 101-104, 1 tab.

Jones, J. K. & Mursaloglu, B. (2). Geographic variation in the harvest mouse, Reithrodontomys megalotis, on the central Great Plains and in adjacent regions. Univ. Kans. Publ. Mus. nat. Hist. 14:9-27, 1 fig., 2 tabs.

Jones, J. K. see Hall.

Jones, O. G. Some notes on the monkey. J. Small Animal Practice 1, 1, 1960: 32-46.

Jones, T. Notes on bat-eating snakes. Niger. Fld. 26: 69-70.

Jonge, T. E. de. Atypische Strukturvereinfschung der oberen molares. Anat. Anz. 109 1960: 174-191,7 figs.

Jonklass, R. The vanishing dugong. Loris 8, 1960: 302-304.

Jouffroy, F.-K. (1). Le squelette des membres et ses musculaires dans le genre *Lemur* L. 1. L'humerus. Bull. Mus. Nat. Hist. nat. Paris (2), 32, 1960: 259-268, 4 figs., 1 tab.

Jouffroy, F. K. (2). La musculature pectorale de trois genres de lémuriformes Malgaches: *Propithecus, Lemur* et *Daubentonia*. Description et anatomie comparée. Mém. Inst. sci. Madagascar 13A, 1960: 179-194, 5 figs., 3 pls.

Jouffroy, F-K. (3). Remarques d'anatomie comparée à propos du faisceau scapulaire du deltoide et du petit rond chez les insectivores et les prosimiens. C.R. Acad. Sci. Paris 252: 3873–3875, 1 fig.

Jouffrey, F. K. & Lessertisseur, J. La main des lémuriens Malgaches comparée à celle des autres Primates. Mém. Inst. sci. Madagascar 13A, 1960: 195-219, 12 figs., 3 pls.

Julander, O., Robinette, W. L. & Jones, D. A. Relation of summer range condition to mule deer herd productivity. J. Wildl. Mgmt. 25: 54-60, 4 tabs.

Julian, R. J. see Ditchfield.

Jullien, A., Cardot, J. & Joly, M. Le chat sauvage (Felis silvestris Brisson) dans la région de Besançon. Bull. Soc. Hist. nat. Doubs 62, 1960: 95-98, 2 figs.

Juminer, B. L'elevage de la gerbille (G. hirtipes) au laboratoire. Arch. Inst. Pasteur Tunis 38: 229-239, 1 fig., 5 photos., 2 tabs. [English summary.]

Justice, K. E. A new method for measuring home ranges of small mammals. J. Mammal. 42: 462-470, 2 figs., 1 pl.

Kabitzsch, J.-F. Die Verwandtschaft vom Löwen und Tiger dargestellt in ihrem Gebiss unter Berücksichtigung der Gebisse von Jaguar und den zwei pleistozänen Grosskatzen Felis epelaea und Felis atrox. Säugetierk. Mitt. 8, 1960: 103–140, 23 figs.

Kahler, O. Karl Toldt. Säugetierk. Mitt. 9: 130-131, 1 fig.

Kahlke, H.D. (1). Die neuen Gigantopithecus—Funde vom Leng-chai-shan, Liucheng-Distrikt, Kwangsi (Süd china). Urania 21, (1), 1958: 7-10. [N.V.]

Kahlke, H. D. (2). On the complex of the Stegodon-Ailuropoda-Fauna of Southern China and the chronological position of Gigantopithecus blacki v. Koenigswald. Vertebrata Palasiatica 1961: 83-108, 1 fig. [Chinese, English summary.]

Kahlke, H-D., Hu, C. K. & Chow, B. S. Zur chronologischen Stellung der südchinesischen Gigantopithecus-Funde. Z. wiss. Zool. 165: 47-86, 6 figs., 1 tab.

Kahmann, H. & Cağlar, M. (1). Istanbul Zooloji Enotitüsünün Subat 1960. Hatay Ekskursiyonüna ait ilto rapor. Turk. biologi Dergisi, Istanbul 10, 1960: 45–46. [N.V.] [In Turkish.]

Kahmann, H. & Cağlar, M. (2). Türkiyede memeli hayvanlar arastirimi sahasinda yeni baluşlar. Inveresulta of mammal collecting in Turkey.] Türk. biologi Dergisi, Istanbul 10, 1960: 119–126, 4 figs. [In Turkish.]

R

R

Ic

Si

fi

8

Kahmann, H. & Cağlar, M. (3). Beitraege zur Saeugetierkunde der Türkei. 1—Fledermaeuse aus der Landschaft Hatay. (Eine vorlaenfige Mitteilung). Rev. Fac. Sci. Univ. Istanbul (Istanbul Üniv. Fak. Mecmuasi), Ser. B, 25 (1–2), 1960: 1–21, 4 figs., 14 tabs. [English summary.]

Kahrulin, B. E. On the biology of Spermophilopsis leptodactylus Licht. Mater. Poznan. Faun. Flor. SSSR. N.S. (Zool.) 38 1960: 165–182, 6 figs., 2 tabs., [Russian, English summary.]

Kaiser, E. & Michl, H. Die Biochemie der tierischen Gifte. Wien (Franz Denticke) 1958: i-viii, 1-258, 23 figs.

Kalabukhov, N. I. Comparative ecology of hibernating mammals. Bull. Mus. comp. Zool. Harv. 124, 1960: 45-74.

Kalels, O. Wanderungen. In Kukenthal, W. & Krumbach, T. Handbuch der Zoologie 8 Bd., 10 Teil, 3 Beitr. (27 Lief.): 1-40, 9 figs.

Kallen, F. C. Vascular changes related to hibernation in the vespertilionid bat *Myotis lucifugus*. Bull. Mus. comp. Zool. Harv. **124**, 1960: 373–386, 1 fig.

Kälin, J. Über die fossilen Primaten des Fayum (unteres Oligocaen) von Ägypten. Z. wiss. Zool. 165: 35-46, 4 figs.

Kamar, G. A. R. see Badreldin.

Kanellis, A. see Hatzisarantas.

[Kantorova, V. I.] [Development of placenta in the cow]. Trud. Inst. Morf. Zhiv. 30 1960: 101-191, 32 figs. [In Russian.]

Kanwar, K. C. Morphological and cytochemical studies on the Harderian glands of rats. Cellule 61, 1960: 129-141, 1 pl.

Kapitonov, V. J. Ecological observations on Ochotona hyperborea Pall. in the lower part of the Lena river. Zool. Zh. 40: 922-933, 6 figs., 2 tabs. [Russian, English summary.]

Kaplan, M. A. see Jennings.

Kaplan, W. D. see Ohno.

Karapetjan, W. S. see Gambarjan.

Karaseva, E. V. The peculiarities of stational distribution of *Microtus arvalis* Pall. and the significance of various stations in its life span in the central districts of the Russian federation. Mater. Poznan. Faun. Flor. SSSR, N.S. (Zool.) No. 38, 1960: 27-55, 14 figs., 4 tabs., [Russian, English summary.]

Karasseva, E. V. The action of virgin soil ploughing on the mode of life and the distribution of mouse-like rodents over the territory in North Kazakhstan. Zool. Zh. 40: 768-773, Stabs. [Russian, English summary.]

Karlov, N. N. The composition and stratigraphic significance of the Romankovo Mammalian fauna. C. R. Acad. Sci. U.R.S.S. (Earth Sciences), 128, 5, 1959: 140-143, 1 fig., 1 tab. [In Russian.] See also Translation 128, 1-6, 1960: 837-840, 1 fig., 1 tab.

Karschny, A. Ein Fund von Bison priscus (Bojanus (Mammalia) in Wiesbaden. Notizbl. hess. Landesamt. Bodenforsch. 88, 1960: 63–64.

Kasuya, T. see Nishiwaki.

Kasyanenko, V. G. Principles of a phylogenetic change in the organs and their importance for the physiological essence of evolutionary transformation of the organs and systems. Zool. Zh. 40:1759-1769. [Russian, English summary.]

Kawasaki, Y. see Tokita.

Kay, L. Perception of distance in animal echolocation. Nature, Lond. 190: 361-362.

Kaye, S. V. Movements of harvest mice tagged with gold—198. J. Mammal. 42: 323-337, 4 figs., 1 pl.

Kaye, S. V. see Dunaway.

Kayser, C. (1). Hibernation versus hypothermia. Bull. Mus. comp. Zool. Harv. 124, 1960: 9-30, 6 figs., 1 pl., 8 tabs.

Kayser, C. (2). Consommation d'oxygène et température centrale au cours de l'hiver austral de deux Insectivores de Madagascar, Centetes ecaudatus et Setifer setosus. C.R. Soc. Biol. Paris 154: 1870-1876, 1 fig., 1 tab.

Eayser, C. (3). The physiology of natural hibernation. London (Pergamon Press): pp. i-vii, 1-325, text illustr.

Kayser, C. see Weill.

Kebbe, C. E. (1). Muskrat migration from Klamath Marsh. Murrelet 36, 1955: 26.

Kebbe, C. E. (2). Status of the opossum in Oregon. Murrelet 36, 1955: 42.

Kebbe, C. E. (3). Record of white muskrat from Baker County, Oregon. Murrelet 37, 1956: 11.

Kebbe, C. E. (4). Black mule deer taken in southern Oregon. Murrelet 37, 1956: 34.

Kehl, T. H. & Morrison, P. Peripheral nerve function and hibernation in the thirteen-lined ground squirrel, Spermophilus tridecentlineatus. Bull. Mus. comp. Zool. Harv. 124, 1960: 387-403, 6 figs., 3 tabs., 1 pl.

Kelemen, G. & Sade, J. The vocal organ of the howling monkey (Alouatta palliata). J. Morph. 107 1960: 123-140, 11 figs.

Kellas, L. M. An intra-epithelial granular cell in the uterine epithelium of some ruminant species during the pregnancy cycie. Acta anat. 44: 109-130, 13 figs.

Kellogg, W. N. Porpoises and sonar. Chicago (University of Chicago Press) pp. i-xiv, 1-177, 25 figs., 8 pls., 8 tabs.

Keisall, J. P. Co-operative studies of barren-ground caribou 1957-58. Wildl. Mgmt. Bull. Canad. Wildl. Serv. Ottawa Ser. 1, No. 15, 1960: 1-145, 22 tabs., 10 maps.

Kendrew, J. C. see Edmundson.

Kennerly, T. E. see Blair.

Kenyon, K. W. Cuvier beaked whales stranded in the Aleutian Islands. J. Mammal. **42**: 71-76, 1 fig., 2 pls., 2 tabs.

Kenyon, K. W. & Rice, D. W. Abundance and distribution of the Steller sea lion. J. Mammal. 42: 223-234, 1 fig., 1 pl., 2 tabs.

Kepka, O. (1). Die Ergebnisse der Fledermausberingung in Steiermark vom Jahr 1949 bis 1960. Bonn. zool. Beitr. Sonderheft 1960: 54-76, 2 figs., 23 tabs.

Kepka, O. (2). Mammalia. Chiroptera. In Anschau, M., Kepka, O. & Schuster, R. Allgemeine faunistische Nachrichten aus Steiermark (VII). Mitt. naturw. Ver. Steiermark 90, 1960: 5-12. [Mammals p. 12].

Kermack, K. A. & Clemens, W. A. [Wealden mammals.] Proc. geol. Soc. Lond. No. 1588: 90.

Kerney, M. P. An interglacial Tufa near Hitchin, Hertfordshire. Proc. Geol. Ass. Lond. 70, 1960: 322-337, 2 figs., 1 pl. Kerr, D. I. B. see Clezy.

Kerr, D. I. B. see Dennis.

Kerr, W. E. see Pisani.

Kerrest, J. see Camain.

Kershaw, W. E. see Stretch.

Khalansky, A. S. see Koshkina.

Kharlamov, V. P. see Shura-Bura.

Khmelevskaya, N. V. On the biology of Ochotona alpina Pallas. Zool. Zh. 40: 1583-1585, 1 fig., 1 tab. [Russian, English summary.]

Khrisantova, E. N. Evolutional changes in the ratio of cranial to facial divisions in the skulls of Hominidae. Sovet. antrop. Mosk. 2, 3, 1958: 21-34, 14 figs. [In Russian.]

Khrisanfova, E. N. see Belova.

Khromova, M. V. see Fateyev.

Khuzin, R. Sh. Perspectivity of the fishery development of white whale in European north. Trud. Sovesh. Ichtiol. Kom. No. 12:133-137. [In Russian.]

Kienzler, R. H. Spitzmäuse als Erdbeerfresser. Säugetierk. Mitt. 9: 162.

Kiesselbach, A. & Steiner, H. Zur vergleichenden und funktionellen Anatomie des Musculus biceps femoris und seiner Homologa bei Primaten. Z. wiss. Zool. 165: 88-107, 6 figs.

Kindahl, M. (1). Some aspects of the tooth development in Soricidae. Acta Odontologica Scandinavica 17, 1959: 203-237, 18 figs.

Kindahl, M. (2). The tooth development in *Erinaceus* europaeus. Acta Odontologica Scandinavica 17, 1959: 467-489, 8 figs.

Kindel, F. Use of dyes to mark ruminant feces. J. Wildl. Mgmt. 24, 1960: 429.

Kindred, B. M. Abnormal inheritance of the sexlinked tabby gene. Aust. J. biol. Sci. 14: 415-418, 2 tabs.

King, J. A. (1). The social behaviour of prairie dogs. Sci. Amer. 201, 4, 1959: 128-140, figs.

King, J. A. (2). The ontogeny of some locomotory and learning patterns in two subspecies of deer-mice Peromyscus maniculatus. Anim. Behav. 9: 114.

King, J. A. (3). Swimming and reaction to electric shock in two subspecies of deermice (*Peromyscus maniculatus*) during development. Anim. Behav. 9: 142-150, 6 figs., 4 tabs.

King, J. A. & Elettherion, B. E. Differential growth in the skulls of two sub-species of deermice. Growth 24, 1960: 179-192, 5 figs.

King, J. A. & Shea, N. J. Subspecific differences in the responses of young deermice on an elevated maze. J. Hered. 50, 1959: 14-18, 1 fig., 1 tab.

King, J. E. (1). Notes on the pinnipedes from Japan described by Temminck in 1844. Zool. Meded. Leiden 37: 211-224, 5 pls., 7 tabs.

King, J. E. (2). The feeding mechanism and jaws of the crabeater seal (*Lobodon carcinophagus*). Mammalia, Paris 25: 462-466, 3 figs.

King, J. E. & Harrison, R. J. Some notes on the Hawaiian monk seal. Pacif. Sci. 15: 282-293, 6 figs., 2 tabs.

Kinoshita, E. & Maeda, M. Field experiments on the biology of field mice in the woodland. Bull. Govt. Forest Exp. Station, Tokyo, No. 127: 61-98, 13 figs., 2 pls., 17 tabs. [Japanese, English summary.]

Kinosita, R. see Ohno.

Kinsey, C. Leopard frog attacks bat. J. Mammal. 42:408.

Kirchshofer, R. Hirschferkel und andere primitive Hirsche. Kosmos, Stuttgart 57: 76-81, 10 figs.

Kirk-Greene, A. H. M. The Bornu stud farm. Niger. Fld. 26, 1:4-9, 1 fig.

Kirkpatrick, C. M. & Hoffman, R.A. Ages and reproductive cycles in a male gray squirrel population. J. Wildl. Mgmt. 24 1960: 218-221, 1 fig. 2 tabs.

Kirkpatrick, C. M. see Hoffman.

Kirkpatrick, R. D. (1). The introduction of the San Juan rabbit (Oryctolagus cuniculus) in Indiana. Proc. Ind. Acad. Sci. 69, 1960: 320-324, 1 tab.

Kirkpatrick, R. D. (2). New observations of Indiana swamp rabbits. J. Mammal. 42: 99-100.

Kirpichnikov, A. A. Essay of the history of the studying of marine mammals of Sarmata deposit and adjoining countries. Trud. Sovesh. Ichtiol. Kom. No. 12: 25-39. [In Russian.]

Kitchener, H. J. (1). The dog-faced fruit bat (Cynopterus horsfieldi lyoni).
J. Darjeeling nat. Hist. Soc. 31;
1-4, 2 pls.

Kitchener, H. J. (2). Wild life flash photography. Malay Nat. J. 15: 20-35, 11 pls.

Kitchener, H. J. (3). The sambur deer—Cervus unicolor equinus. Malay. Nat. J. 15: 52-61, 2 pls.

Kitchener, H. J. (4). A bleak prospect for the seladang or Malayan gaur. Nature Conservation in Western Malaysia, 1961. Malay. Nat. J. 21st Anniv. Spec. Issue: 197-201, 1 pl.

Kitchener, H. J. (5). The importance of protecting the Malayan tiger. Nature Conservation in Western Malaysia, 1961. Malay. Nat. J. 21st Anniv. Spec. Issue: 202-206, 1 pl.

[Kitchina, M. M.] [On the influence of cobalt on body weight and the content of proteins in rabbit]. Vestn. Akad. Nauk. Beloruss. SSR. biol. No. 1:98-104, 1 fig., 4 tabs. [In Byelorussian.]

Kitts, D. B. A sabre-tooth cat, Smilodon californicus Bovard, from Logan County, Oklahoma. Oklahoma Geology Notes 18, 1958: 19-23, 3 figs.

Kitts, D. B. & Myers, A. J. A Pliocene badger, Pliolaxidea nevadensis (Butterworth) from Harper County, Oklahoma. Oklahoma Geology Notes 19, 1959: 143-146, 2 figs., 1 tab.

Kitts, W. D. see Currier.

Klein, D. R. & Olson, S. T. Natural mortality patterns of deer in south east Alaska. J. Wildl. Mgmt. 24 1960: 80–88, 1 fig., 4 tabs.

Klein, H. G. Ecological relationships of Peromyecus leucopus noveborecensis and P. maniculatus gracilis in central New York. Ecol. Monogr. 30, 1960: 387-407, 7 figs., 14 tabs.

[Kleinenberg, S. E.] (1). [Mammals of the Black and Azov Seas: a biological and economic investigation.] Moscow (Izdatel'stvo Akad. Nauk SSSR) 1956: 1–288, text illustr. [In Russian.]

[]

of l

tivi

Eng

ara

268

fro

5, 1

cra

tid

Th

he

ter

of

R

N

ti

(N

P

de

ta

g

B

P

e

.

1

Kleinenberg, S. E. (2). Study of marine mammals in the USSR and the basic orientations of seven year plan investigations. Trud. Sovesh. Ikhtiol. Kom. No. 12: 7-13. [In Russian.]

Klemmer, K. see Felten-

Klinger, H. P. see Hamerton.

Knorre, D. von. Zur Kleinsäuger-Fauna des Spreewaldes und seines südlichen Vorgeländes. Z. Säugetierk. 26: 183–187, 1 fig., 1 tab. [English summary.]

Knowlton, F. F. Food habits, movements and populations of moose in the Gravelly Mountains, Montana. J. Wildl. Mgmt. 24 1960: 162-170, 2 figs., 4 tabs.

Knudsen, O. Prophase bouquets in the first meiotic division studied in bulls with and without general anaesthesia. Hereditas 47: 304-308, 4 figs.

Koby, F.-E. (1). Les léporides magdaléniens de la grotte de la Vache. 1958 : 49. [N.V.].

Koby, F.-E. (2). Contribution à la connaissance des lièvres fossiles, principalement de ceux de la dernière glaciation. Verh. naturf. Ges. Basel 71, 1960 : 149-173, 6 figs.

Koby, F.-E. (3). Découverte dans le paléolithique français de Felis (Catolynx) chaus Güld. Ecl. geol. helv. 53 (1960) 1961: 829-831, 1 fig.

Koch, J. H. & Turner, H. N. Studies on the sodium-potassium balance in erythrocytes of Australian Merino sheep. I. Changes in concentrations in the erythrocytes of lambs from birth to 98 days. Aust. J. biol. Sci. 14: 79-86, 1 fig., 2 tabs.

Koch, J. H. see Turner.

Koch, T. Zur Geschichte des Pferdes. Ein Lesebüchlein für meine Studenten. Jena (VEB Gustav Fischer Verlag) pp. i-ix, 1-108, text illustr.

Kochetkova, V. I. (1). Mode of reconstruction of encephalon lobes of the fossil hominid's brain by way of measuring the endocran casts. Vopros. antrop. Mosk. No. 3, 1960: 33-45, 2 figs. [In Russian.]

Kochetkova, V. I. (2). A quantitative description of brain variability in fossil hominids as shown by cranial casts. Vopros. antrop. Mosk. No. 6: 3-20, 9 figs. [In Russian.]

Kochetkova, V. I. (3). Evolution of specific human areas in the brain cortex of hominids. Vopros. antrop. Mosk. No. 7: 14-22, 6 figs. [In Russian.]

Kocher, W. see Denes.

Kock, D. & Schomber, H. W. (1). Beitrag zur Kenntnis der Verbreitung und des Bestandes des Atlashirsches (*Cervus elaphus barbarus*) sowie eine Bemerkung zu seiner Geweihausbildung. Säugetierk. Mitt. 9: 51-54, 5 figs.

Kock, D. & Schomber, H-W. (2) Beitrag zur Kenntnis der Lebens- und Verhaltensweise des Gundi, *Cteno*dactylus gundi (Rothmann, 1776). Säugetierk. Mitt. 9: 165–166, 1 fig.

Kock, D. see Schomber.

Kodachova, K. S. see Formosov.

Koenigswald, G. H. R. von. Fossil cats from the Tegelen clay. Publ. natuurk. Genootsch. Limburg No. 12: 19-27, 8 figs., 1 pl., 2 tabs.

Koenigswald, G. H. R. & Crusatont Pairo, M. Nuevos yacimientos de mamiferos en la subdepresion de Calatayud. Notas Inst. geol. Esp. 61:109-114. [English summary.]

Koenigswald, G. H. R. von., Gentner, W. & Lippolt, H. J. Age of the basalt flow at Olduva: East Africa. Nature, Lond., 192: 720-721, 1 tab.

Kotord, C. B. (1). The vicuña. Oryx 6: 43-52, 1 pl.

Kotord, C. B. (2). The prairie dog of the North American Plains, and its relations with plants, soil, and land use. Terre et la Vie 108: 327-341, 1 pl.

Koford, C. B. (3). The ecology and management of the vicuna in the puna zone of Peru. Terre et la Vie 108: 342-353, 1 fig., 1 pl.

Koldovský, O. see Vacek.

Komardina, M. G. see Krilova.

Komuro, H. see Kubota.

Kondakov, N. N. To the systematics of Baikal seal. Trud. Sovesh. Ichtiol, Kom. No. 12: 211-213, 1 fig. [In Russian.]

König, C. & Konig, I. Zur Kenntnis der mediterranen Kleinwühlmaus Pitymys duodecimcostatus (de Selys-Longchamps 1839) in der Provence. Zool. Anz. 166: 32-42, 6 figs., 2 tabs.

Konopacka, B. Lipids in the intestine epithelium of domestic pig embryos. Folia morph., Warszawa 11 1960: 247-250, 3 pls. [Polish, English summary.]

Koopman, K. F. A collection of bats from Sinaloa, with remarks on the limits of the Neotropical Region in northwestern Mexico. J. Mammal. 42: 536-537, 1 tab.

Kootcherook, V. V. Burrows as means of protection against the unfavourable effect of abiotic environmental factors. Mater. Poznan. Faun. Flor. SSSR, N.S. (Zool.) No. 38 1960: 56-95, 8 figs., 3 tabs. [Russian, English summary.]

Korda, P. see Gill.

Korenberg, E. J. & Semenova, L. P. On the opizootology of leptospirosis among insectivorous animals. Zool. Zh. 40: 942-945, 2 tabs. [Russian, English summary.]

Kortenbout van der Sluijs, G. The fossil tapir of Maalbeek, Netherlands. Publ. naturh. Genootsch. Limburg No. 12: 12–18, 1 pl., 2 tabs.

Korzhuev, P. A. & Nikol'skaya, I. S. The amount of bone marrow in reindeer. Dokl. Akad. Nauk SSSR (Tranal.) Biol. Sci. 134: 794-796, 1 tab. [Russian original pp. 225-228.]

Koshkina, T. V. & Klalansky, A. S. The age variation in the skull of the Norwegian lemming and the population composition analysis in this species. Byull. Mosk. Obshch. Isp. Prir. Otd. Biol. 66 (2): 3-14, 5 figs., 3 tabs. [Russian, English summary.]

Kostroń, K. Fetusresorption in red deer. Sborn. Vys. Škol. Zem. Brnč (C) 1960: 135–140, 1 fig. [English summary.]

Kotarba, I. Breeding of Himalayan bear in Opole Zoo. Przegl. Zool. 5: 267-271, 4 figs., 1 tab.

Kotov., V. L. State and tasks of marine mammalsfishery regulation in the waters of USSR and adjoining countries. Trud. Sovesh. Ikhtiol. Kom. No. 12: 14-17. [In Russian.]

Kowalska, K. & Mikiaszewska-Mroczkowska, A. Benedykt Dybowski. Materialy biograficzno-bibliograficzne. Mem. zool. Akad. Nauk. Warsaw 5, 1960: 1–97.

n.

ri-

hd

of

:

of

1

b.

m

n

Ł.

Kowalska, Z. & Woliński, Z. Observations on biology of hyaena dogs, *Lycaon pictus* (L.) in conditions of captivity. Przegl. zool. 5: 152–162, 8 figs., 4 tabs. [Polish, English summary.]

Kowalska-Dyres, A. Seasonal variations in Sorex araneus Linnaeus 1758 in Poland. Acta Theriologica 4: 268-273, 3 figs., 4 tabs.

Kowalski, K. (1). Pliocene insectivores and rodents from Rebielice Królewskie (Poland). Acta zool. cracov. 5, 1960: 155-201, 8 figs., 3 pls.

Kowalski, K. (2). Cricetidae and Microtidae (Rodentia) from the Pliocene of Weze (Poland). Acta zool. cracov. 5, 1960: 447-505, 10 figs., 7 pls.

Kowalski, K. (3). Pitymys McMurtrie 1831 (Microtidae, Rodentia) in the Northern Carpathians. Acta Theriologica. 4 1960: 81-91, 2 figs., 3 tabs.

Kowalski, K. (4). Pleistocene rodents from Nietoperzowa Cave in Poland. Folia Quaternaria 5: 1-22, 1 fig., 2 tabs. [Polish, English summary.]

Kowalski, K. (5). Small mammals from "Puszcza Piska" in northern Poland. Acta Theriologica 4: 295–296.

Kowalski, K. (6). The problem of the faunal relations between Europe and North America in the light of new zoogeographical and paleontological investigation. Przegl. 2001. 5: 29-33. [Polish, English summary.]

[Kozhar, L. L.] [Morphology and distribution of endothelium in pectoral lymphatic system in horse.] Vestz. Akad. Nauk. Beloruss. SSR biol. No. 1:93-97, 3 figs. [In Byelorussian.]

Konhevnikova, R. K. see Voronov.

Kozicky, E. see Madson.

Kozniewski, S. see Jaczewski.

Kraft, V. A. Migrations of water voles (Arvicola terrestrie L.) and their vole in the formation of epizootics of tularemia. Zool. Zh. 40: 1883–1890, 2 figs., 2 tabs. [Russian, English summary.]

Kraglievich, J. L. (1). Sobre la presencia de Carolozittelia cf. tapiroides Ameghino, en La Fm. La Balsa de Neuquén. Ameghiniana 1, 3, 1957: 22-26, 3 figs.

Kraglievich, J. L. (2). Revisión de los Roedores extinguidos del género "Eumysops" Ameghino, 1888. (Nota proliminar). Ameghiniana 1, 3, 1957: 37–39.

Kragievich, J. L. (3). Marsupiales tilacosmilinos de la fauna de Chapadmalal. Publ. Mus. Cienc. nat. Mar del Plata 1, 1960: 53–72, 5 figs., 2 tabs. [English summary.]

Kraglievich, J. L. (4). Un nuveo roedor octodontido del Eccuartario de Salinas Chicas (Prov. de Buenos Aires). Rev. Asoc. geol. argent. 15:15-40, 3 figs., 4 tabs. [English summary.]

Kramer, G. Beobachtungen an einem von uns aufgezogenen Wolf. Z. Tierpsychol. 18:91-109, 14 figs.

Kramp, P. Blutgruppen und Blutfaktoren. (In Hofer, and others. Primatologia. Handbook of Primatology. 3, (2), 1960. Blutund Kreislauforgane. pp. 88–162, 2 figs., 26 tabs.).

Krantz, G. S. Pithecanthropine brain size and its cultural consequences. Man 61: 85-87, 1 fig.

Krasovsky, L. I., see Alexandrova.

Krbek, F. Zur Faserstruktur von Pia mater und Ligamentum denticulatum beim Rückenmark des Meerschweinehens. Anat. Anz. 109: 170-173, 1 fig. Krieg, H. & Rahm, U. Das Verhalten der Xenarthren (Ameisenbären, Faultiere und Gürteltiere) und Das Verhalten der Schuppentiere. In Kukenthal, W. & Krumbach, T. Handbuch der Zoologie 8 Bd., 10 Teil, 12 Beitr. (27 Lief.): 1–48, 30 figs.

Kriegel, H. Das biologische Verhalten radioaktiver Spaltprodukte bei trächtigen Säugetieren. Verh. dtsch. zool. Ges. 1960 (1961): 238–244, 4 figs.

Krilova, K. T., Varshavsky, S. N., Shilova, E. S., Shilov, M. N., Padlesskii, G. I. & Komardina, M. G. Peculiarities of interspecific contacts in the settlements of Rhombomys opimus Licht. on North Aral Territory. Zool. Zh. 40 (3), 1961: 434-446, 4 figs., 2 tabs. [Russian, English summary.]

Krishna, D. & Prakash, I. A note on the mammals of the desert of Rajasthan, India. Res. J. Hindi Sci. Acad. 3, 1960; 203–214, 5 figs. [Hindi, English summary.]

Kristjansson, F. K. Genetic control of three haptoglobins in pigs. Genetics 46: 907-910, 1 fig., 1 tab.

Kristoffersson, R. Hibernation of the hedgehog (Erinaceus europaeus). The ATP and O-phosphate levels in blood and various tissues of hibernating and non-hibernating animals. Ann. Acad. Sci. fenn. 4A, 50: 1–45, 9 tabs., 2 appendices.

Kritskaya, T. I. The role of the raccoon-like dog (Nyctereutes procyonoides) in the biocoenose of the Manych steppe. Zool. Zh. 40: 788-790, 1 tab. [Russian, English summary.]

Krott, P. Der gefährliche Braunbär (*Ursus arctos* L. 1758). Z. Tierpsychol. 18: 245–256, 5 figs. [English summary.]

Krüger, H. Uber die Vater-Pacinischen Körperchen der Baucheingeweide der Katze. Anat. Anz. 109: 311–333. 4 figs.

Krumbiegel, I. Einfarbigkeit als Rückbildungsvorgang, nach einer Beobachtung am Grantzebra (Hippotigris quagga granti). Säugetierk. Mitt. 9: 1-3, 5 figs.

Kruszewski, St. see Wiegkowska.

Krutzsch, P. H. A summer colony of male little brown bats. J. Mammal. 42: 529-530.

Krutzsch, P. H. & Wells, W. W. Androgenic activity in the interscapular brown adipose tissue of the male hibernating bat (Myotis lucifugus). Proc. Soc. exp. Biol. Med. 105, 1960: 578-581, 1 fig., 1 tab.

Krysiak, K. The department of animal anatomy of the central school of Agriculture, Warsaw. Acta Theriologica 4: 297–301.

Krzanowski, A. (1). Investigations of flights of Polish bats, mainly Myotis myotis (Borkhausen 1797). Acta Theriologica. 4 1960: 175-184, 2 tabs.

Krzanowski, A. (2). Weight dynamics of bats wintering in the cave at Pulawy (Poland). Acta Theriologica 5: 249-264, 4 figs., 9 tabs.

Kubota, K., Komuro, H., Nagasaki, F., Tsuboi, M., & Matsumoto, K. (1). The eruption and shedding of teeth in the fur seal. Okajimas Folia Anat. Jap. 87: 331–337, 4 figs., 3 tabs.

Kubota, K., Komuro, H., Nagasaki, F., Tsuboi, M., & Matsumoto, K. (2). The calcification of teeth of the fur seals (roentgenographic examination). Okajimas Folia Anat. Jap. 37: 389-419, 12 pls.

Küenzi, W. (1). Vivienne Goschen-von Wattenwyl. Mitt. Naturf. Ges. Bern, N.F. 16, 1958: 115-116, 1 pl. Küenzi, W. (2). Zweiter Bericht über das Gefangenschaftsleben unseres Springtamarins (Callimico goeidii Thos.). Mitt. naturf. Ges. Bern. N.F. 18, 1960: xxxvxxxvi.

Kugler, J. H. see McMinn.

Kühme, W. Beobachtungen am afrikanischen Elefanten (Loxodonta africana Blumenbach 1797) in Gefangenschaft. Z. Tierpsychol. 18: 285-296, 11 figs. [English summarv.]

Kühn, H. & Oberröder, C. Beitrag zur makroskopischen Anatomie der Rückenmarkshäute des Schafes (*Ovis aries*). Anat. Anz. 109: 444–457, 1 fig., 3 tabs.

Kuhn, H.-J. Genetta (Paragenetta) lehmanni, eine neue Schleichkatze aus Liberia. Säugetierk. Mitt. 8, 1960: 154-160, 12 figs., 1 tab.

Kühne, W. G. (1). Eine Mammaliafauna aus dem Kimeridge Portugals. Neues Jb. Geol. Paläont. Monatshefte 7: 374–381, 4 figs.

Kühne, W. G. (2). A mammalian fauna from the Kimmeridgian of Portugal. Nature. Lond. 192: 274–275, 2 figs.

Kuksova, M. I. (1). Cutting of deciduous teeth by hamadryna baboons. Sovet. antrop. Mosk. 2, 1, 1958: 17-21, 3 tabs. [In Russian.]

Kuksova, M. I. (2). Postembryonic changes in the blood composition of rhesus monkeys and hamadryas baboons. Sovet. antrop. Mosk. 2, 2, 1958: 35-53, 3 figs., 11 tabs. [In Russian.]

[Kuliev, G. K.] (1). [Structure of the skin in the newly born lambs of Azerbaidjan mountain merino, bozakh and their cross-breed]. Izvest. Akad. Nauk. Azerbaid. S.S.R. No. 1:47-57, 7 figs., 5 tabs. [In Russian].

[Kuliev, G. K.] (2). [Growth and development of some systems and of internal organs in Azerbaidjan mountain merino lamb and its cross-breed under different conditions of maintenance.] Izvest. Akad. Nauk. Azerbaidj. S.S.R. No. 4: 49-55 3, tabs. [In Russian.]

Kulik, I. L. & Nikitina, N. A. Fauna of small mammals of the forest zone in Komi Republic. Byull. Mosk. Obshch. Isp. Priv. Otd. Biol. 65, 1960: 3–16, 9 tabs. [Russian, English summary.]

Kulikova, V. G. [Influence of the incorporated Cerium-144 on fecundity of mice and the development of progeny]. Trud. Inst. Biol. Akad. Nauk. Ural Filial 12, 1960: 34-45, 9 figs., 5 tabs. [In Russian.]

Kummer, H. see Hediger.

Kurez, M. A comparative study of the spontaneous activity of the white rat and the brown or wharf rat. Acta Biol. Acad. Sci. hung. 11, 1960: 271-283, 10 figs., 2 tabs.

[Kurnosov, K. M.] [Anatomical and histological investigation of the development of the dorsal muscles and the anterior extremity in cows]. Trud. Inst. Morf. Zhiv. 29, 1960: 14-33, 7 figs. [In Russian.]

Kurskov, A. N. An interesting case of flight of Vespertilio murinus L. Zool. Zh. 40:1108-1109. [Russian, English summary.]

Kurtén, B. (1). The age of the Australopithecinae. Acta Univ. Stockholm. geol. 6, 2, 1960: 9-22, 2 figs., 2 tabs.

Kurtén, B. (2). A skull of the grizzly bear (*Ureus arctos* L.) from Pit 10, Rancho La Brea. Contr. Sci. Los Angelea Cty. Mus. No. 39, 1960: 1-6, 1 fig., 1 pl., 1 tab.

Kurtén, B. (3). Faunal turnover dates for the Pleistocene and late Pliocene. Comment. biol. Helsingf. 22, 5: 1-14, 9 tabs.

Kuss, S. E. Eine neuentdeckte S\u00e4ugetierfauna aus dem Aquitan von B\u00fcchelberg in der Pfalz. Notizbl. hess. Landesamt. Bodenforsch. 88, 1960: 29-62, 2 figs., 5 pls.

Kustaloglu, O. A. Australopithecus and Paranthropus dentitions. Southwest. J. anthrop. 17: 226-238, 1 pl.

Kuster, A. see Burckhardt.

Lack, C. P. see Harthoorn.

LaFave, L. D. Sharp-skinned hawk attacks bobcat. Murrelet 36, 1955: 34.

Lakin, G. F. (1). Postembryonic changes of the body proportions on monkeys. Sovet. antrop. Mosk. 2, 2, 1958: 21-33, 4 figs., 4 tabs. [In Russian.]

Lakin, G. F. (2). Length of the gestation period in mantled baboons and some other lower monkeys. Sovet. antrop. Mosk. 3, 1, 1959: 49-55, 3 tabs. [In Russian.]

Lami, R. Le dauphin de Risso, Grampus griseus Cuv., au Cap Frehel. Penn ar Bed N.S. 3: 102.

Lamprey, H. F. see Talbot.

Landau, B. R. & Dawe, A. R. Observations on a colony of captive ground squirrels through the year. Bull. Mus. comp. Zool. Harv. 124, 1960: 173-191, 6 figs., 1 tab.

Lang, E. M. see Hamerton.

Lange, K. Die Entwicklung der Rippenknorpelgelenke beim Schwein. Anat. Anz. 108, 1960: 172–201, 11 figs., 1 tab.

Lange, K. I. Mammals of the Santa Catalina Mountains, Arizona. Amer. midl. Nat. 64, 1960: 436-458, 1 tab.

Lanza, B. Alcune particularità delle pliche palatine e dell'accrescimento postembrionale del cranio in *Epomophorus* (Mamm.; Megachiroptera). Monit. zool. ital. 68, 1960 (1961): 170–184, 6 figs., 4 tabs. [English summary.]

Larina, N. I. & Golikova, V. L. The study of the ovarian cycle in Silvimus females under natural conditions. Mater. Poznan. Faun. Flor. SSSR, N.S. (Zool.), No. 38, 1960: 97–110, 6 figs., 3 tabs. [Russian, English summary.]

Larson, S. On the influence of the arctic fox Alopex lagopus on the distribution of Arctic birds. Oikos 11, 1960: 276-305, 1 fig.

Larsson, K. Effects of enforced intervals on the mating behaviour of rats of different ages. Z. Tierpsychol. 17, 1960: 547-551, 1 fig., 2 tabs.

Lashkow, V. F. Materials to the comparative histology of the afferent innervation of the larynx of man and some mammals. Sovet. antrop. Mosk. 2, 2, 1958: 141–146, 3 figs. [In Russian.]

Lauder, I. M. Tuberculosis in dogs and cats. Symp. zool. Soc. Lond. No. 4: 37-44, 4 tabs.

Laughlin, H. E. see Wilks.

Lavrov, L. S. & Hao-chuang, L. Present conditions and ecological peculiarities of beaver (Castor fiber L.) natural colonies in Asia. Vestn. leningr. Univ. No. 9: 72-89, 6 figs. [Russian, English summary.]

Lavrov, N. P. Selections from "Acclimatization of muskrats in the USSR". Transl. russ. Game Rep., Ottawa, 7 1960, p. i-iii, 1-150, text illust.

Laws, R. M. (1). Problems of whale conservation. Trans. N. Amer. Wildl. Conf. 25, 1960: 304-319, 3 figs., 2 tabs.

Laws, R. M. (2). Laminated structure of bones from some marine mammals. Norsk Hvalfangsttid. 50: 116-117, 1 fig.

Laws, R. M. (3). Reproduction, growth and age of southern fin whales. Discovery Rep. 31: 327-486, 60 figs., 4 pls.

Lawson, F. A. see Russell.

Layne, J. N. Feeding adaptations and behaviour of a freshwater dolphin, *Inia geoffrensis*. Anat. Rec. 134, 1959: 598. [Abstr.]

Leakey, L. (1). Problems relating to fossil man. Leech, Johannesburg 28, 1958: 116-119. [N.V.]

Leakey, L. S. B. (2). New finds at Olduvai Gorge. Nature, Lond. 189: 649-650, 4 figs.

Leakey, L. S. B. (3). The juvenile mandible from Olduvai. Nature, Lond. 191: 417-418, 1 fig.

Leakey, L. S. B. (4). The age of Zinjanthropus. New. Scient. 12:501.

Leakey, L. S. B., Evernden, J. F. & Curtis, G. H. Age of Bed 1, Olduvai Gorge, Tanganyika. Nature, Lond. 191: 478-479, 1 tab.

Leaming, D. B. & Cauna, N. A qualitative and quantitative study of the myenteric plexus of the small intestine of the cat. J. Anat. Lond. 95: 160-169, 2 figs., 2 pls.

Lecyk, M. (1). Seasonal changes in the epididymis of the field vole *Microtus arvalis* Pall. Zool. Polon. 10, 1959-60, [1961]: 173-182, 1 tab.

Lecyk, M. (2). The possibility of superfetation in *Microtus arvalis* Pall. Zool. Polon. 10 1959–1960 [1961]: 325–327, 1 pl.

Lee, M. R. Montane mammals of southeastern Utah—with emphasis on the effects of past climates upon occurrence and differentiation. Bull. Univ. Utah 52, 27: 194—195. [Abstr.]

Lee, M. R. & Durrant, S. D. (1). A new long-tailed vole (*Microtus longicaudus* (Merriam)) from Utah. Proc. biol. Soc. Wash. **73**, 1960: 167-170, 1 tab.

Lee, M. R. & Durrant, S. D. (2). A new jumping mouse (Zapus princeps Allen) from Utah. Proc. biol. Soc. Wash. 73, 1960: 171-174.

Lee, Y. C. see Chow.

Legait, H. & Roux, M. Importance variable de la pars intermedia chez les rongeurs et résistance différente au cours d'épreuves de déshydration. C.R. Soc. Biol. Paris 155: 379-381.

Legrand, C. D. Comunidades psamofilas de la Region de carrasco (Uruguay). An. Mus. Hist. nat. Montevideo (2) 6, 7, 1959: 1-65, 22 pls. [Mammals p. 53].

Le Gros Clark, W. F. Early hominids. New Scient. 9: 700.

Lehmann, E. von (1). Entstehung und Auswirkung der Kontaktzone zwischen dem Europäischen und Sibirischen Reh. Säugetierk. Mitt. 8, 1960: 97–102.

Lehmann, E. von (2). Die Unterarten von Desmodillus auricularis (A. Smith, 1834) in SW-Afrika. Säugetierk. Mitt. 8, 1960: 161. Lehmann, E. von. (3). Über die Kleinsäuger der La Sila (Kalabrien). Zool. Anz. 167: 214–229, 2 figs.

Lehmann, E. von (4). Apodemus tauricus geminae ssp. nova—eine neue Unterart der Gelbhalsmaus. In Lehmann, E. von, Über die Kleinsäuger der La Sila (Kalabrien). [pp. 228–229.] Zool. Anz. 167: 214–229, 2 figs.

[Leibman, K. I.] [New discovery of *Elephas* in Podol Territory.] Byull. Kom. Izuch. Chetvert. Perioda 24, 1960: 100-103, 1 fig., 1 tab. [In Russian.]

Leivestad, H. see Eliassen.

Lemke, C. W. & Thompson, D. R. Evaluation of a fox population index. J. Wildl. Mgmt. 24 1960: 406-412, 7 figs, 3 tabs.

Lennerstedt, I. see Ahlén.

Lensink, B. M. see Wijngaarden.

Leonardi, P. Nuovi problemi relativi all'Uomo fossile. An. Univ. Ferrara N.S. Pal. umana e palet. 1, 1960: 49-87, 28 figs. [English summary.]

Leontyeva, M. N. On the reproduction of *Rhombomys* opimus Licht. Zool. Zh. 40: 1874-1883, 2 figs., 3 tabs. [Russian, English summary.]

Lerma, B. de see Arvy.

Lessertisseur, J. see Jouffroy.

Le Stourgeon, W. L. see Spalding.

Levan, A. & Hsu, T. C. Repeated endoreduplication in a mouse cell. Hereditas 47: 69-71, 2 figs.

Lever, J. D. & Esterhuizen, A. C. Fine structure of the arteriolar nerves in the guinea pig pancreas. Nature, Lond. 192: 566-567, 3 figs.

Levi-Montalcini, R. & Angeletti, P. U. Growth control of the sympathetic system by a specific protein factor. Quart. Rev. Biol. 36: 108-99, 16 figs., 2 tabs.

Levin, M. G. & Aleksejeva, L. W. Atlanto-scapular muscles in primates. Vopros. antrop. Mosk. No. 1, 1960: 81-87. [In Russian.]

Lewis, A. L. see Jennings.

Lewis, R. E. see Harrison.

Leytham, G. W. H. see Stretch.

Li, C-H. Mechanism of fibrillation potentials in denervated mammalian skeltal muscle. Science 132, 1960: 1889–1890.

Li, Y. A Pleistocene mammalian locality in the Likiang Basin, Yunnan. Vertebrata Palasiatica 1961: 143–149, 4 figs. [Chinese, English summary.]

Libby, W. L. Occurrence of "Samson" condition in marten. J. Mammal. 42: 112.

Lidicker, W. Z. (1). A new subspecies of the cliff chipmunk from central Chihuahua. Proc. biol. Soc. Wash. 73, 1960: 267–273, 3 tabs.

Lidicker, W. Z. (2). Two southern range extensions in Chihuahua. J. Mammal. 42: 281.

Lierse, W. (1). Der Mechanismus der Nickhautbewegung des Kanichens. Anat. Anz. 109, 1960: 1-6, 5 figs.

Lierse, W. (2). Die Gefässversorgung der Stammganglien im Gehirn der Katze. Anat. Anz. 109: 358– 368. 7 figs.

Lillie, R. D. & Yamada, H. On the yellow brown pigments of the substantia nigra, locus caerulus and dorsal vagus nucleus of a monkey (*Macaca mulatta*). Okajimas Folia Anat. Jap. 36 1960: 181-183.

Lim, B. L. & Rahman bin Omar, I. A. Observations on the habits in captivity of two species of wild cats, the leopard cat and the flat-headed cat. Malay Nat. J. 15: 48-51, 2 pls.

Limbaugh, C. Observations on the California sea otter. J. Mammal. 42: 271-273.

Lin, C-K. & Yen, Y. Diffused hyperostosis in a deer antiler. Vertebrata Palasiatica 1961: 130-138, 4 pls. [Chinese, English summary.]

Lindberg, K. Recherches biospéléologiques en Afghanistan. Acta Univ. lund. Avd. 2. N.F. 57, 1:1-39.

Lindenlaub, E. Neue Befunde über die Anfangsorientierung von Mäusen. Z. Tierpsychol. 17, 1960: 555-578, 20 figs., 7 tabs.

Lindop, P. J. & Rotblat, J. Long term effects of a single whole-body exposure of mice to ionizing radiations. I. Life-shortening pp. 332-349, 12 figs., 5 tabs. II. Causes of death pp. 350-368, 8 figs., 8 tabs. Proc. roy. Soc. 154B.

Lindgren, E. Natural history notes from Jigalong. V. Aboriginal flora and fauna names. W. Aust. Nat. 7: 195-201.

Lindzey, G., Winston, H. & Manosevitz, M. Social dominance in inbred mouse strains. Nature, Lond. 191: 474-475, 1 tab.

Lindsey, J. S. Leonard Meese Llewellyn 1907-1960. J. Wildl. Mgmt. 25: 351, 1 fig.

Ling, H. Über den Naturschutz unserer Grosssäugetiere. Abiks Loodos. Tartu No. 43, 1960 : 22–34, 4 figs. [In Esthonian.]

Lipkow, J. Die Wirkung von Sexualhormonen auf die Trächtigkeit der weissen Maus. Säugetierk. Mitt. 9: 54–56, 1 tab.

Lippoldt, A. see Stains.

Lippolt, H. J. see Gentner.

Lithgow, T. The possible extinction of rhino at the Ngorongoro crater. Afr. Wild Life 15: 162-165, 2 figs.

Litvinov, N. J. A new subspecies of the vole Alticola argentatus sev. (Mammalia, Muridae) from the iale of Olkhon (Baikal). Zool. Zh. 39 1960: 1888–1891, 4 figs. [Russian, English summary.]

Liu, H. I. see Chow.

Liu, H-Y. Length and breadth relationship in the cheek teeth of *Equus*. Vertebrata Palasiatica 1961: 32–38, 6 figs. [Chinese, English summary.]

Livingstone, F. B. Comments. [On Howell, F. C. European and northwest African Middle Pleistocene hominids. Curr. Anthrop. 1, 1960: 192-232.] Curr. Anthrop. 2: 117-118.

Llewellyn, L. M. & Webster, C. G. Raccoon predation on waterfowl. Trans. N. Amer. Wildl. Conf. 25, 1960: 180–185.

Lloyd, D. P. C. (1). Action potential and secretory potential of sweat glands. Proc. nat. Acad. Sci. Wash. 47: 351-358, 7 figs.

Lloyd, D. P. C. (2). Temperature and the action of sweat glands. Proc. nat. Acad. Sci. Wash. 47: 358-362, 4 figs.

Lock, J. A. see Buechner.

Lock, J. A. see Harthoorn.

Locke, L. N. see Clark.

Lockie, J. D. The food of the pine marten Martes martes in west Ross-shire, Scotland. Proc. zool. Soc. Lond. 136: 187-195, 1 fig.

Lockley, R. M. Mammals. Nature in Wales 7: 71.

Lockley, R. M. see Fullager.

Löfgren, F. (1). On the transport mechanism between the hypothalamus and the anterior pituitary. Forh. K. fysiogr. Sällsk. Lund. 30, 1960: 115-120, 6 figs.

Löfgren, F. (2). The glial-vascular apparatus in the floor of the infundibular cavity. Further studies on the transport mechanism between the hypothalamus and the anterior pituitary. Acta Univ. lund. Avd. 2, N.F. 57, 2: 1-18, 16 figs.

Lofts, B. Cyclical changes in the distribution of the testis lipids of a seasonal mammal (*Talpa europaes*).

Quart. J. micr. Sci. 101, 1960: 199-205, 2 pla., 1 tab.

Quart. J. micr. Sci. 101, 1960 : 199–208, 2 pls., 1 tab.
Lojda, Z. & Zawistowski, S. The Golgi zone and
enzymes. Folia. Morph. Warszawa 11, 1960 : 265–274,
21 figs. [Polish, English summary.]

Long, C. A. (1). First record of the gray bat in Kansas. J. Mammal. 42: 97-98.

Long, C. A. (2). Woodchuck in Oklahoma and southeastern Kansas. J. Mammal. 42: 255–256.

Long, C. A. (3). Reithrodontomys montanus griseus in Missouri. J. Mammal. 42: 417-418.

Long, C. A. (4). A dental abnormality in Sorez palustris. J. Mammal. 42: 527-528, 1 fig.

Long, C. A. (5). Natural history of the brush mouse (Peromyscus boylis) in Kansas with description of a new subspecies. Univ. Kansas Publ. Mus. nat. Hist. 14: 99-110, 1 fig., 2 tabs.

Long, C. A. & House, H. B. Bassariscus astutus in Wyoming. J. Mammal. 42: 274-275.

Long, C. A. see Jones.

Long, T. A., Cowan, R. L., Wolfe, C. W. & Swift, R. W. Feeding the white-tailed deer fawn. J. Wildl. Mgmt. 25: 94-95.

Longhurst, W. M. Big-game and rodent relationships to forests and grasslands in North America. Terre et la Vie 108: 305-326.

Longhurst, W. M. see Barnes.

Lens, O. Reinen på Svalbard, Meddel. norsk. Polarinst. No. 83, 1959 : 1-31, 4 figs., 1 tab.

Long, O. and synes, P. White whale fishery at Spitzbergen. Norsk Hvalfangsttid. 50: 267–286, 12 figs.

Loose, H. Dicerorhinus hemitoechus Falc. in the Netherlands. Proc. ned. Akad. Wet. Amst. 64B: 41-46, 5 figs.

Lord, J. C. Some further results of trapping for small mammals at Bookham Common. Lond. Nat. No. 40: 73-80, 4 tabs.

Lord, R. D. (1). Litter size and latitude in North American mammals. Amer. midl. Nat. 64, 1960: 488-499, 2 figs., 1 tab.

Lord, R. D. (2). Potential life span of cottontails. J. Mammal. 42:99.

Lord, R. D. (3). The lens as an indicator of age in the gray fox. J. Mammal. 42: 109-111, 1 fig., 1 tab.

Lord, R. D. (4). Magnitudes of reproduction in cottontail rabbits. J. Wildl. Mgmt. 24: 28-33, 3 figs., 4 tabs.

Lord, R. D. (5). Mortality rates of cottontail rabbits. J. Wildl. Mgmt. 25: 33-40, 5 figs., 4 tabs. 1]

rtes

Soc.

١.

orb.

the

the

the

2:

the

sa).

and

74.

88.

th-

in

rea

180

4 :

in

W.

6.

11

Lord, R. D. (6). Seasonal changes in roadside activity of cottontails. J. Wildl. Mgmt. 25: 206-209. 4 figs., 1 tab.

Lord, R. D. (7). A population study of the gray fox. Amer. midl. Nat. 66: 87-109, 3 figs., 4 tabs.

Lord, R. D. & Casteel, D. A. Importance of food to cottontail winter mortality. Trans. N. Amer. Wildl. Conf. 25 1960: 267-276, 3 figs., 2 tabs.

Lord, R. D. see Ferris.

Lord, R. D. see Mohr.

Loutel, J. F. Ionizing radiation and the whole animal. Sci. Amer. 201, 3, 1959: 117-134, figs.

Lovell, M. R. C., Gross, C. G. & Weiskrantz, L. A note on the effects of gymnemic acid on taste perception. Anim. Behav. 9: 31-33, 2 figs.

Lowe, V. P. W. A discussion on the history, present status and future conservation of red deer (*Cervus elaphus* L.) in Scotland. Terre et la Vie 108: 9-40.

Lowe, V. P. W. & McDougall, E. I. Serum B-globulin types in red deer and other species and their stability in the presence of bacteria. Nature, Lond. 192: 983– 984, 2 tabs.

Lozan, M. N. Age determination of *Dyromys nitedula* Pall. and of *Muscardinus avellanarius* L. Zool. Zh. 40: 1740-1743, 2 figs. [Russian, English summary.]

[Luchnik, N. V.] [Radiation and its effect. IV. Influence of various substances introduced into mice on radiation]. Trud. Inst. Biol. Akad. Ural Filial 12, 1960: 46-75, 5 figs, 15 tabs. [In Russian.]

Lumley, H. de. La grotte de la Masque (Vaucluse). Station paléolithique avec Rhinocéros de Merck. Bull. Soc. géol. Fr. (7), 1, 1960: 903-915, 7 figs.

Luna, J. J. R. La fauna guatemalteca. An. Soc. Georgr. Hist. Guatemala 32, 1959: 152-158.

Lund, H. M-K. The winter food of Lepus timidus in Norway. Meded. Toeg. Inst. biol. No. 50, 1960: 52-57, 1 fig., 2 tabs.

Lundelius, E. Past Pleistocene faunal succession in Western Australia and its climatic interpretation. Rep. 21st Internat. Geol. Cong. 4, 1960: 142–153, 5 tabs.

Luppa, H. Makroskopische, mikroskopische und topochemische Untersuchungen an der Schleimhaut des Enddarmes der Bisamratte (Ondatra zibethica L.) und einiger munider Nager. Z. mikr. anat. Forsch. 67: 610-631. 12 figs.

Luse, S. A. The ultrastructure of normal and abnormal oligodendroglia. Anat. Rec. 138 1960: 461-492, 12 pls.

Lustinee, K. (1). A contribution on the evolutionary and comparative aspects of chemical thermoregulation. Vést. českosl. zool. Společ. 24, 1960: 333-337, à fig.

Lustinee, K. (2). A contribution to the question of the effect of adaptation to cold upon the extent of respiratory metabolism of rats. Vestn. ceskosl. zool. Společ. 24, 1960: 338-341, 2 figs.

Luttig, G. & Thenius, E. Über einen Anthracotherüden ans dem aettertiär von Thrazien (Griechenland). Paläont. Z. 35: 179–186, 2 figs., 1 pl. [English summary.]

Luzardo, H. see Praderi.

Lyman, C. P. Hibernators and their problems. Mass. Audubon 46: 69-73. Lyman, C. P. & Blinks, O. C. The effect of temperature on the isolated hearts of closely related hibernators and non-hibernators. J. cell. comp. Physiol. 54 1959: 53-63, 4 figs.

Lyman, C. P. & O'Brien, R. C. Circulatory changes in the thirteen-lined ground quirrel during the hibernating cycle. Bull. Mus. com. Z. Zool. Harv. 124, 1960: 353-372, 8 figs.

Lyne, A. G. The postnatal development of wool follicles, shedding, and skin thickness in inbred Merino and Southdown-Merino crossbred sheep. Aust. J. biol. Sci. 14: 141-156, 10 figs., 3 tabs.

Lyne, A. G. & Heideman, M. J. The pre-natal development of skin and hair in cattle. Bos indicus L. and B. taurus L. Aust. J. biol. Sci. 13, 1960: 584-599, 8 figs., 4 tabs.

Lyne, A. G. see Downes.

Lyne, A. G. see Molyneux.

Lyon, M. F. (1). Zigzag: a genetic defect of the horizontal canals in the mouse. Genet. Res. Camb. 1, 1960: 189-195, 1 fig., 7 tabs.

Lyon, M. F. (2). Gene action in the X-chromosome of the mouse (Mus musculus L.). Nature, Lond. 190: 372– 373.

Lyon, M. F. (3). Linkage relations and some pleiotropic effects of the dreher mutant of the house mouse. Genet. Res. Camb. 2: 92-95, 3 figs.

Lyon, M. F. see Carter.

Lysenko, N. I. (1). On the finding of Equus sussenbornensis Wüsti remains referring to the terrace deposits of the mountainous area in the Crimea. Bull. Soc. Nat. Moscou Geol. 35, 2, 1960: 123-124, 2 figs. [Russian, English summary.]

Lysenko, N. I. (2). A new occurrence of *Hipparion* in the Pliocene of the Crimea. Palaeont. Zh. 1960, 3: 139-140, 1 fig., 1 tab. [In Russian.]

Macchi, G. see Borri.

McClure, H. E. Batu Caves, Kuala Lumpur. Nature Conservation in Western Malaysia, 1961. Malay. Nat. J. 21st Anniv. Spec. Issue: 73-78, 3 figs., 1 pl.

McConnell, B. R. & Dalke, P. D. The cassia deer herd of southern Idaho. J. Wildl. Mgmt. 24 1960: 265–271, 4 tabs.

McCrane, M. European ferrets are fun 48 hours a day. Anim. Kingd. 63 1960: 194-199, 2 figs.

McCue, J. J. G. How bats hunt with sound. Nat. geogr. Mag. 119: 571-578, 8 figs.

McCullough, C. Y. & Inglis, J. M. Breeding periods of the Ord kangaroo rat. J. Mammal, 42: 337-344, 1 fig., 3 tabs.

Macdonald, J. R. (1). An early Pliocene fauna from Mission, South Dakota. J. Paleont. 34, 1960: 961-982, 9 figs., 9 tabs.

Macdonald, J. R. (2). The lower dentition of Proterix loomist Matthew? J. Paleont 35: 632-633, 1 fig., 1 tab.

McDougall, E. I. see Lowe.

McGaughey, C. A. The diseases of elephants. Part 1. Ceylon nat. J. 9, 1-2; 17-21.

McIntosh, D. L. see Griffiths.

Mack, C. Mammals from south-western Queensland. Mem. Queensland Mus. 13: 213–228, 8 figs., 1 pl. McKeever, S. see Hubbard.

McKenna, M. C. (1). Fossil Mammalia from the early Wasatchian Four Mile Fauna, Eocene of northwest Colorado. Bull. Dep. Geol. Univ. Calif. 37, 1960: 1-130, 64 figs., 10 tabs.

McKenna, M. C. (2). The Geolabidinae. A new subfamily of Early Cenozoic erinaceoid insectivores. Pub. Dep. Geol. Univ. Calif. 37, 1960: 131-164, 6 figs.

McKenna, M. C. (3). On the shoulder girdle of the mammalian subclass Allotheria. Amer. Mus. Novit. No. 2066: 1-27, 6 figs.

Mackensen, J. A. "Open eyelids" in newborn mice. J. Hered. 51, 1960: 188-190, 2 figs., 1 tab.

Mackensen, J. A. see Stevens

Mackerras, M. J. & Smith, R. H. Breeding the short-nosed marsupial bandicoot, *Isoodon macrourus* (Gould), in captivity. Aust. J. Zool. 8 1960: 371-382, 2 pls., 3 tabs.

Mackiewics, J. S. see Dodds.

McKinley, D. (1). The badger in pioneer Missouri. Bluebird (Audubon Soc. Missouri.) 27, 1960: 3-7, 2 figs.

McKinley, D. (2). The American elk in pioneer Missouri. Missouri Hist. Rev. 54, 1960: 356-365, 1 fig.

McLaren, A. New evidence of unbalanced sexchromosome constitutions in the mouse. Genet. Res. Camb. 1, 1960: 253-261, 4 tabs.

McLaughlin, C. A. see Van Gelder.

MacLeod, C. F. & Cameron, A. W. Distribution records for mammals in west-central Quebec. J. Mammal. 42: 281-282.

McManus, W. R. Mixed saliva from sheep. Nature, Lond. 192: 1161-1163, 3 tabs.

MacMillen, R. E. see Bartholomew.

McMinn, R. M. H. & Kugler, J. H. The glands of the bile and pancreatic ducts: autoradiographic and histochemical studies. J. Anat. Lond. 95: 1-11, 2 pls.

McNeil, W. L. The pallid bat discovered near Spokane, Washington. Murrelet 37, 1956: 34-35.

Madson, J. & Kozicky, E. George O. Hendrickson 1891–1961. J. Wildl. Mgmt. 25: 352.

Maeda, M. see Kinoshita.

Magnier, P. see Arambourg.

Mahadevan, V., Negi, S. S. & Agarwala, O. N. Feeding of bamboo flowers to laboratory rats and mice. Nature, Lond. 192: 470–471, 2 tabs.

Mahoney, E. Toilet of the hedgehog. Proc. zool. Soc. Lond. 137: 635.

Maldziunaite, S. A. (1). [Biology of marten in forests of Lithuania.] Trud. Akad. Nauk. Lith. S.S.R. Ser. B. 1, (17), 1959: 189-201, 3 figs., 2 tabs. [Lithuanian, Russian summary.]

Maldziunaite, S. A. (2). [Distribution and feeding of otter in Lithuania.]. Trud. Akad. Lith. S.S.R. ser. C. 3, (23), 1960: 181–189, 3 tabs. [Lithuanian, Russian summary.]

Malez, M. (1). Ein Beitrag zur Kenntnis der Höhlenbären der Ćićarija in Istrien. Geol. Vjesn. 12, 1959: 95– 114, 3 pls. [Slovenian, German summary.]

Malez, M. (2). Über ein Nashorn aus den Pliozän-Ablagerungen bei Klanjec (Hrvatsko Zagorje). Geol. Vjesn. 13, 1960: 175–184, 1 pl. [Slovenian, German summary.] Mamayera, G. B. Some regularities of the linear growth of the skeleton in silver-black foxes. Zool. Zh. 40:1557-1564, 1 fig., 8 tabs. [Russian, English summary.]

Mambetzhumaev, A. M. On the ecology of the deer Cervus elaphus bactrianus Lydekker. Zool. Zh. 40: 1725-1731, 1 fig., 2 tabs. [Russian, English summary.]

Manaro, A. J. Observations on the behaviour of the spotted skunk in Florida. Quart. J. Fla. Acad. Sci. 24: 59-63.

Mandel, P. see Weill.

Manly, B. M. see Barnett.

Mann, F., G. (1). Regiones biogeograficas de Chile. Invest. zool. chil. 6, 1960: 15-49, figs.

Mann, F., G. (2). Neurobiologia de Desmodus rotundus. Invest. zool. chil. 6 1960: 79-99, 18 figs. English summary.]

Manolache, C., Manolache, Fl., Hrisai, C., Gătuneanu, I. & Boguleanu, Gh. Situation dăunătorilor animali ai plantelor cultivate in anii 1955–1956 si 1956–1957. Mem. Inst. Cercet. agron. N.S. No. 28, 1959: 1–85, 18 figs., 11 tabs.

Manosevitz, M. see Lindsey.

Manville, R. H. (1). The entepicondylar foramen and Ochrotomys. J. Mammal. 42: 103-104.

Manville, R. H. (2). Notes on behaviour of marten. J. Mammal. 42; 112.

Manville, R. H. (3). Angora cottontail from Georgia. J. Mammal. 42: 255.

Manville, R. H. & Shanahan, R. P. Kogia stranded in Maryland. J. Mammal. 42: 269-270.

Manville, R. H. see Paradiso.

Maqsood, M. Initiation of mammary secretion in virgin rats by stimulation of nipples. Pakist. J. sci. Res. 13: 93-95, 4 figs., 1 tab.

Marai, I. F. M. see Badreldin.

Marchette, N. J. Microelectrophoresis of the serum proteins of two species of kangaroo rats. Proc. Utah Acad. Sci. 32, 1955: 211.

Marin, S. N. & Rotschild, E. V. Ecological and epizootological importance of necturnal activity of *Rhombomys opimus* Licht. Zool. Zh. 40: 264-268, 3 tabs. [Russian, English summary.]

Markgren, G. & Markgren, M. Encounters between fox (Vulpes vulpes) and golden eagle (Aquila chrysaetos). Fauna och Flora 56: 28-35, 2 figs. [Swedish, English summary.]

Markov, G. Zur Variabilität der Färbung des Eichharnchens in Bulgarien. Z. Saugetierk. 26: 59-60, 1 tab.

Markova, A. J. The reactions of monkeys to the colour, shape and size of objects. Vopros. antrop. Mosk. No. 6: 44-56, 4 tabs. [In Russian.]

Marlow, B. J. (1). The mammals of the Sydney district. Aust. Mus. Mag. 13, 1960: 246-249, 2 figs.

Marlow, B. J. (2). Whale marking. Aust. Mus. Mag. 13: 309-313, 3 figs.

Marlow, B. J. (3). Vampire bats—true and false. Aust. Mus. Mag. 13: 354-357, 4 figs.

Marlow, B. J. (4). Reproductive behaviour of the marsupial mouse, Antechinus flavipes (Waterhouse) (Marsupialia) and the development of the pouch young. Aust. J. Zool. 9: 203-218, 3 figs., 2 pls., 2 tabs.

1

d

d

g

Marriott, F. H. C. see Morris.

Marsden, C. D. Pigmentation in the nucleus substantiae nigrae of mammals. J. Anat. Lond. 95: 256-261, 1 pl.

Marsden, C. D. see Barnett.

Marshall, W. H. see Tester.

Martin, H. see Green.

Martin, R. L. (1). A comprehensive classification of shape-variants of vertebrae. Turtox News 38, 1960: 226-227, 2 figs.

Martin, R. L. (2). A history of chiropteran rabies with special reference to occurrence and importance in the United States. Wildl. Dis. & Abstr. (on Microcard) No. 3: 75 pp.

Martin, R. L. (3). Vole predation on bats in an Indiana cave. J. Mammal. 42: 540-541.

Martini, E. Strutture dell'intracardio negli insettivori. Atti Accad. Sci. Bologna R.C. (11), 6, 1959: 163–165.

Martinson, R. K., Holten, J. W. & Brakhage, G. K. Age criteria and population dynamics of the swamp rabbit in Missouri. J. Wildl. Mgmt. 25: 271-281, 5 figs., 4 tabs.

Martinsson, A. Ein subfossiles Geweih vom Rothirsch, Cervus elaphus elaphus Linnaeus, von Mossberga auf Oland. Bull. geol. Inst. Univ. Uppsala 40: 365-373, 3 figs. [English summary.]

Martirosjan, B. A. see Gambarjan.

Maskar, U. Über eine Knorpelanlage im Oesophagus eines Dromedarfetus. Acta anat. 44: 206–209, 4 figs. [English summary.]

Mason, I. L. Supplement to a World Dictionary of breeds, types and varieties of Livestock. Suppl. to Tech. Commun. No. 8, Commonwealth Bureau of Animal Breeding and Genetics, Edinburgh. Slough (Commonwealth Agricultural Bureaux), 1957, pp. 1-52.

Mason, R. J. The earliest tool-makers in South Africa. S. Afr. J. Sci. 57:13-16.

Masseyeff, R., Camerlynck, P. & Hocquet, P. Les protéines sériques de *Cricetomys gambianus* Waterhouse. Etude par électrophorèse et immuno-électrophorèse en gel de gélose. C.R. Soc. Biol. Paris 154: 1571-1575, 1 fig.

Massoia, E. Notas sobre los cricétidos de la Selva Marginal de Punta Lara (Mammalia, Rodentia). Publ. Mus. Municipal Cienc. Nat. y Trad. de Mar del Plata 1: 115-134, 21 figs., 14 tabs. JEnglish summary.]

Matsumoto, K. see Kubota.

Matthews, W. H. Texas fossils: An amateur collector's handbook. Guidebook Univ. Tex. Bur. econ. Geol. 2, 1960: 1-123, 49 pls. [Mammalia pp. 100-106.]

Matthey, R. (1). Cytologie comparée des Cricetinae paléarctiques et américains. Les chromosomes de Calomyscus bailwardi Thomas et la position du genre Calomyscus dans la systématique des Cricetinae. Rev. suisee Zool. 68: 41-61, 39 figs. [English summary.]

Matthey, R. (2). Etudes de cytogénétique chez les Muridae: Reithrodontomys megalotie Allen, Hypogeomys antimena Grandid. et Neofiber alleni True. Resumé. Rev. suisse Zool. 68: 263-264.

Matthey, R. (3). Etudes de cytogénétique et de taxonomie chez les Muridae (Rodentia) Reithrodontomys megalotis dychei Allen, Hypogeomys antimena Grand., Neofiber alleni True. Mammalia, Paris 25:145-161, 20 figs.

Matthey, R. & Meylan, A. Le polymorphisme chromosomique de *Sorex araneus* L. (Mamm. Insectivora). Etude de deux portées de 5 et 9 petits. Rev. suisse Zool. 68: 223–227, 5 figs.

Matthey, R. & Zimmermann, K. La position systématique de *Microtus middendorffi* Poliakov. Taxonomie et Cytologie. Rev. suisse Zool. 68: 63-72, 8 figs. [English summary.]

Matveyev, B. S. On the dependence of the development of the vertebrate brain upon the developmental rate of the sense organs and the conditions of existence. Zool. Zh. 40: 1778–1794, 9 figs. [Russian, English summary.]

Mawby, J. E. A new American occurrence of *Heterosorex* Gaillard. J. Paleont. 34, 1960: 950-956, 2 figs., 1 tab.

Mayer, W. V. Histological changes during the hibernating cycle in the Arctic ground squirrel. Bull. Mus. comp. Zool. Harv. 124 1960: 131-154, 4 figs., 2 pls.

Mayeux, P. see Roth.

Maxwell, G. The lives and times of Mij and Edal. Nat. Hist. N.Y. 70, 3:50-61, illustr.

Mead, A. P. A response of the albino rat to red light. Anim. Behav. 9: 225-226, 1 tab.

Meads, E. B. see Ditchfield.

Mech, D. (1). Exit timber wolf, enter coyote. Anim. Kingd. 64: 89-92, 4 figs.

Mech, D. (2). The marten, symbol of wilderness. Anim. Kingd. 64: 133-137, 4 figs.

Medway, Lord. (1). The Malay tapir in late Quaternary Borneo. Sarawak Mus. J. 9: 356-360, 1 pl.

Medway, Lord. (2). Niah Cave bone III—Hell bone (— 1959). Sarawak Mus. J. 9: 361-363, 1 tab.

Medway, Lord. (3). Niah Cave bone IV—Shrew (Crocidura sp.). Sarawak Mus. J. 9:364-367, 1 fig., 2 tabs.

Medway, Lord, see Harrisson.

Mechan, W. R. Observations on feeding habits and behaviour of grizzly bears. Amer. midl. Nat. 65: 409-412, 1 tab.

Meester, J. (1). Observations on southern African shrews. Pamphl. S. Afr. biol. Soc. No. 21, 1960: 27-29.

Meester, J. (2). Mammals of the Loskop Dam Nature Reserve. Fauna & Flora, Transv. No. 11, 1960: 75–82, 6 figs.

Meester, J. (3). Rat kings. Bull. Transvaal Mus. No. 6:7, 1 fig.

Meijer, W. C. P. Vitiligo bei Rindern in Asien und Europa. Z. Säugetierk. 26: 28-30, 3 figs.

Meitner, E. R. Über die Humerustorsion in der Phylogenese. Anat. Anz. 109: 160-163.

Melentis, J. K. Studien über fossile vertebraten Griechenlands. 1. Ein beitrag zur Kenntnis der Verbreitung von Elephas (Archidiskodon) meridionalis archaicus Deperet und Mayet 1923. Ann. géol. hellen. 11, 1960: 266-284, 3 figs., 1 pl.

Melhorn, W. N. The Parrish and Glasford mastodons. Proc. Ind. Acad. Sci. 69, 1960: 189-192, 1 tab.

Mellersh, H. E. L. The story of man. London (Hutchinson) 1959, pp. 1-256, text illustr., pls.

Menaker, M. The free running period of the bat clock: seasonal variations at low body temperature. J. cell. comp. Physiol. 57: 81-86, 3 figs.

Meneghelli, V. Protein synthesis in upper mesenteric lymph-nodes of rabbits (Pancreas asellii). Acta anat. 43, 1960: 231-244, 13 figs.

Mensalvas, F. S. Bibliography on animal industry of the Philippines (1901–1941) compiled by J. Yamane... Supplement (1941–1953). Bull. nat. Res. Counc. Philipp. No. 36, 1953: i-xvii, 1-117.

Merck, G. W. A look at wildlife in the Sudan. Anim. Kingd. 64: 82-88, 4 figs.

Mergner, H. Die Blutversorgung der Lamina terminalis bei einigen Affen. Z. wiss. Zool. 165: 140–185, 21 figs.

Merkova, M. A. see Zimina.

Metcalle, G. T. C. Rhinoceros in Malaya and their future. Nature Conservation in Western Malaysia, 1961. Malay. Nat. J. 21st Anniv. Spec. Issue: 183-191, 2 pls., 2 tabs.

Meyer, M. P. & Morrison, P. Tissue respiration and hibernation in the thirteen-lined ground squirrel, Spermophilus tridecemlineatus. Bull. Mus. comp. Zool. Harv. 124, 1960: 405-420, 1 fig., 6 tabs.

Meylan, A. Insectivores et rongeurs dans la région de Bretolet (Resumé). Rev. suisse Zool. 68: 165-166.

Meylan, A. see Matthey.

Michael, R. P. Observations upon the sexual behaviour of the domestic cat (*Felis casus L.*) under laboratory conditions. Behaviour 18: 1-24, 2 pls.

Michel, G. see Schwarze.

Michels, K. M. see Weaver.

Michl, H. see Kaiser.

Mickey, A. B. Record of the spotted bat from Wyoming. J. Mammal. 42: 401-402.

Mikach, E. D. see Cook.

Miklaszewska-Mroczkowska, A. see Kowalska.

Millenson, J. R. see Hurwitz.

Miller, A. H. see Stirton.

Miller, J. R., Wood, A. J. & Gibson, W. C. Longevity in mice with a genetically determined muscular dystrophy. Nature, Lond. 193: 552.

Miller, R. G., Ritcey, R. W. & Edwards, R. Y. Livetrapping marten in British Columbia. Murrelet 36, 1955: 1-8, 1 fig., 3 tabs.

Miller, W. J. see Stormont,

Milstead, W. W. Observations of the activities of small animals (Reptilia and Mammalia) on a quadrat in southwest Texas. Amer. midl. Nat. 65: 127-138, 1 fig.

Milton, O. The Shwe U Daung, a rhinoceros sanctuary in Burma. Nature Conservation in Western Malaysis, 1961. Malay. Nat. J. 21st Anniv. Spec. Issue: 103-106.

Mints, B. Embryological phases of mammalian gametogenesis. J. cell. comp. Physiol. 56, Suppl. 1, 1960: 31-47, 2 figs., 2 pls., 1 tab.

Mirié, D. Die Fledermäuse (Chiroptera) der Unterirdischen Gänge der Festung Petrovaradin. Bull. Mus. Hist. nat. Belgrade 16B, 1960: 163–175, 4 figs., 18 tabs. [Slav, German summary.]

Mislin, H. Zur Funktionsanalyse der Lymphgefässmotorik (Cavia porcellus L.) Rev. suisse Zool. 68: 228– 238, 5 figs., 1 tab.

Mitchell, B. L. & Uys, J. M. C. The problem of the lechwe (Kobus leche) on the Kafue Flats. Oryx 6: 171-183.

Mitchell, E. D. A new walrus from the Imperial Pliceene of southern California: with notes on odobenid and otariid humeri. Contr. Sci. Los Angeles No. 44: 1-28, 13 figs., 1 tab.

Mitchell, J. L. Mink movements and populations on a Montana river. J. Wildl. Mgmt. 25: 48-54, 2 figs. 4 tabs.

Mitzopoulos, M. K. (1). Über der ersten Nachweis einer pleistozänen Hyaene in Griechenland. Prakt. Akad. Athens 35, 1960: 173–178, 4 figs.

Mitzopoulos, M. K. (2). Über das vorkommen von Ursus spelaeus in Agrapha-Gebirge (Griechenland). Ann. géol. hellen. 11, 1960: 150–153, I fig., 1 pl.

Mitzopoulos, M. K. (3). Über den ersten nachweis einer Pleistozänen Hyaene in Griechenland. Ann. géol. hellen. 11, 1960: 293–296, 2 pls.

Moebes, W. K. G. Seltene Kaninbücher und noch eingiges andere. Börsenbl. deutsch. Buchhandel, Frankfurt 16. No. 120 1960: 2382-2383.

Mochres, F. P. Sonic orientation of bats and other animals. Symp. zool. Soc. Lond. No. 3, 1960: 57-66, 2 figs.

Moffat, D. B. (1). Pre- and post-natal changes in the left subclavian artery and their possible relationship to coarctation of the aorta. Acta anat. 43, 1960: 346-357, 9 for.

Moffat, D. B. (2). The development of the posterior. cerebral artery. J. Anat. Lond 95: 485-494, 1 fig., 2 pls

Moghe, M. A. see Gopalkrishna.

Mohlhenrich, J. S. Distribution and ecology of the hispid and least cotton rate in New Mexico. J. Mammal. 42: 13-24, 3 figs.

Mohr, C. O. & Lord, R. D. Relation of ectoparasite populations to rabbit populations in northern Illinois. J. Wildl. Mgmt. 24 1960: 290-297, 5 tabs.

Mohr, E. (1). Glossarium Europae Mammalium Terrestrium. Wittenberg Lutherstadt (A. Ziemsen Verlag) 1961, pp. 1–72.

Mohr, E. (2). Schuppentiere. Die Neue Brehm-Bücherei, Wittenberg Lutherstadt (A. Ziemsen Verlag), pp. 1–99, 70 figs.

Mohr, E. (3). Der Zahnschluss im Gebiss der Wildraubtiere und der Haushunde. Z. Säugetierk. 26: 50-56, 7 figs. [English summary.]

Mohr, E. (4). Willkürliche Betätigung der Rückendrüse beim Halsband-Pekari. Z. Säugetierk. 26: 57.

Mohrman, R. K. see Parmalee.

Molyneux, G. S. & Lyne, A. G. Studies on experimental dermal cysts in sheep. Aust. J. biol. Sci. 14: 131-140, 4 figs., I pl., I tab.

Monard, A. Contribution à la mammalogie d'Angola et prodrome d'une faune d'Angola. Arq. Mus. Bocage, Lisbos 6, 1935: 1-314, 43 figs. [Omitted from earlier Records.]

Montagna, W., Yasuda, K. & Ellis, R. A. (1). The skin of primates. III. The skin of the slow loris. (Nycticebus coucang). Amer. J. phys. anthrop. 19: 1-21, 8 pis.

Montagna, W., Yasuda, K. & Ellis, R. A. (2). The skin of primates. V. The skin of the black lemur (*Lemur macaco*). Amer. J. phys. anthrop. 19:115-127, 1 fig., 3 pls.

Montagna, W. see Yasuda.

Montgomery, G. G. A modification of the nicotine dart capture method. J. Wildl. Mgmt. 25: 101-102.

Moore, D. M. see Costin.

Moore, J. C. (1). The relationships of the gray squirrel, Sciurus carolinensis, to its nearest relatives. Southeast. Ass. Game & Fish Comm. 13th Conf. 1959: 356-363, 1 tab.

Moore, J. C. (2). The spread of existing diurnal squirrels across the Bering and Panamanian land bridges. Amer. Mus. Novit. No. 2044: 1-26, 2 tabs.

Moore, J. C. (3). Geographic variation in some reproductive characteristics of diurnal squirrels. Bull. Amer. Mus. nat. Hist. 122: 1-32, 9 tabs.

Moore, J. C. (4). Sailors' siren. Nat. Hist. N.Y. 70, 1: 54-55, illustr.

Mordkoff, A. M. & Fuller, J. L. Variability in activity within inbred and crossbred mice. J. Hered. 50, 159: 6-8. 3 tabs.

Morest, D. K. Connexions of the dorsal tegmental nucleus in rat and rabbit. J. Anat. Lond. 95: 229-246, 7 figs., 3 pls.

Morgane, P. J. Evidence of a "hunger motivational" system in the lateral hypthalamus of the rat. Nature, Lond. 191: 672-674, 2 figs.

Mori, M. Muskulatur des Pteropus edulis. Okajimas Folia Anat. Jap. 36, 1960: 253-307, 28 figs.

Morris, B. Some observations on the breeding season of the hedgehog and the rearing and handling of the young. Proc. 2001. Soc. Lond. 136: 201-206.

Morris, D. (1). Primate's aesthetics. Nat. Hist. N.Y. 70, 1: 22-29, illustr.

Morris, D. (2). Active life for zoo animals. New Scient. 10: 773-776, 5 figs.

Morris, L. R. Photoperiodicity of seasonal rhythm of wool growth in sheep. Nature, Lond. 190: 102-103, 2 figs.

Morris, L. R. see Ryle.

Morris, O. W. see Gashwiler.

Morris, O. W. see Robinette.

M [orris], R. C. Arthur Standard Vernay. J. Bomb. nat. Hist. Soc. 58: 249-250.

Morris, V. B. & Marriott, F. H. C. The distribution of light in an image formed in the cat's eye. Nature, Lond. 190: 176-177, 1 fig.

Morrison, J. A. Ovarian characteristics in elk of known breeding history. J. Wildl. Mgmt. 24, 1960: 297-307, 1 fig., 5 tabs.

Morrison, P. Some interrelations between weight and hibernation function. Bull. Mus. comp. Zool. Harv. 124, 1960: 75-91, 7 figs.

Morrison, P. see Kehl.

Morrison, P. see Meyer.

Morse, M. A. & Baiser, D. S. Fox calling as a hunting technique, J. Wildl. Mgmt. 25: 148-154, 1 fig., 4 tabs.

Mortelmans, J. Quelques considérations sur la pathologie des animaux sauvages. Zoo, Antwerp 27: 21-24, 4 figs.

Morton, W. R. M. Observations on the full-term footal membranes of three members of the Camelidae (Camelus dromedarius L., Camelus bactrianus L. and Lama glama L.). J. Anat. Lond. 95: 200-209, 2 figs., 5 pls.

Mortreuil-Langlois, M. Variation du nombre des nucléoles en fonction du diamètre nucléaire dans le parenchyme hépatique chez la souris. Arch. Biol., Paris 71 1960 : 473–488, 3 figs., 5 tabs. [English summary.]

Mörzer Bruijns, M. F. Over vogelbescherming, mangoestes en beren in Italië. Levend. Nat. 64: 61-64, 1 fg.

Moss, M. L. & Young, R. W. A functional approach to craniology. Amer. J. phys. anthrop. 18, 1960: 281-292, 8 figs.

Mossige, J. ses Eker.

Mottl, S. Mufloni zver. [A monograph on Ovis musimon.] Prague, 1960, pp. 1-180, 60 figs., tabs., maps. [Czechoslovak, German summary.] [N.V.]

Muir, T. J. & Polder, E. Notes on hibernating bats in Dubuque County Caves. Proc. Iowa Acad. Sci. 67, 1960: 602-606.

Mukherjee, D. P., Pal, K. & Bhattacharya, P. Thyroid and male fertility in farm animals. Proc. nat. Inst. Sci. India 26B, 1960: 255-268, 5 tabs.

Müller, H. J. Uber strukturelle Ahnlichkeiten der Ohr- und Occipitalregion bei Vogel und Säuger. Zool. Anz. 166: 391-402, 5 figs.

Munkacsi, F. Correlation between the age of horses and changes in the fractions of their serum proteins. Acta Biol. Acad. Sci. hung. 11, 1960: 231-239, 3 figs., 3 tabs. [German, English summary.]

Murdaugh, H. V. see Schmidt-Nielsen.

Murie, A. Some food habits of the marten. J. Mammal. 42: 516-521, 3 tabs.

Murphy, D. A. Rearing and breeding white-tailed fawns in captivity. J. Wildl. Mgmt. 24 1960: 439-441.

Mursaloglu, B. Ankara çevresindeki körfarelevin biyolojis ve bularla savas usulleri. Ziraat Fakültesi Yayınlar Ankara Univ. 68, 31, 1955: i-iv, 1-114, 30 figs.,

Mursaloglu, B. see Jones.

Musil, R. Die Fauna des Magdelénien der Hadi Höhle. Cas. moravsk. Mus. 46: 51–66, 8 tabs. [Polish, German summary.]

Musser, G. G. A new subspecies of flying squirrel (Glaucomys sabrinus) from southwestern Utah. Proc. biol. Soc. Wash. 74: 119-125, 1 tab.

Musteikaite, L. V. [Nervous system of rectum in pig] Trud. Akad. Lith. S.S.R. ser. C.3 (23), 1960: 211-217, 2 figs. [Russian, Lithuanian summary.]

Myczkowski, K. Rare variations of the venae cavae craniales in rabbit, dog, cat and calf. Folia morph. Warszawa 11 1960: 31-40, 5 figs. [Polish, English summary.]

Myers, A. J. see Kitts.

Myers, K. & Poole, W. E. A study of the biology of the wild rabbit, Oryctologus cuniculus (L.), in confined populations. II. The effects of season and population increase on behaviour. C.S.I.R.O. Wildl. Res. 6:1-41, 6 figs., 10 tabs. Mykytowycz, R. see Dudzinski.

Magasaki, F. (1). Some aspects in the distribution of fur-seals in the North Pacific. Bull. Tokai Fish. Res. Lab. No. 28 1960: 201-210, 8 tabs.

Nagasaki, F. (2). Abundance of pups on the Pribilofs estimated from tag-recoveries. Bull. Tokai. Fish. Res. Lab. No. 28 1960: 211-216, 4 tabs.

Nagasaki, F. see Kubota.

Nagasina, J. A fossil Rhinoceros from Kuzuu, Tochigi Prefecture, Japan. Trans. palaeont. Soc. Japan N.S. 42:63-67, 1 fig.

Nair, P. G. & Benjamin, B. R. (1). A preliminary report on sweat glands in some Indian cattle. Proc. Indian Sci. Congr. 47, 3, 1960: 487.

Nair, P. G. & Benjamin, B. R. (2). A preliminary report on sweat glands in the Indian water buffalo. Proc. Indian Sci. Congr. 47, 3, 1960: 488.

Nakamura, N. see Tokito.

Naniev, V. I. see Burchak-Abramovich.

Napier, J. R. Prehensility and opposability in the hands of primates. Symp. zool. soc. Lond. No. 5: 115-132, 7 figs., 1 pl.

Narnel-Hofstetter, M. L'origine de la parthénogénèse. Bull. Soc. vaud. Sci. nat. 67: 357-368.

Narkiewicz, O. The segmentation of the upper cervical ganglion. Folia morph., Warszawa 11, Nr. 2 1960: 126-130, 3 figs. [Polish, English summary.]

Naruse, M. On the position of thoracic organs in *Macacus cyclopsis*. Okajimas Folia Anat. Jap. 37: 291-315, 1 fig., 9 tabs.

Nassimovich, A. A. Some general problems and results of acclimatization of terrestrial animals. Zool. Zh. 40: 957-970. [Russian, English summary.]

Nasu, K. Oceanographic investigation in the Chukchi sea during the summer of 1958. Sci. Rep. Whales Res. Inst. 15, 1960: 143-157, 11 figs.

Natushke, G. Ergebnisse der Fledermausberingung und biologische Beobachtungen an Fledermäusen in der Oberlausitz. Bonn. zool. Beitr. 11 Sonderheft: 77– 98, 3 figs., 10 tabls.

Nedas, J. Jeleni zvěř. [A monograph on Cervus elaphus]. Prague, 1959, pp. 1-196, 80 figs., 18 tabs. [In Czechoslovak.] [N.V.]

Necrasov, O. & Haimovici, S. Nouvelle contribution à l'étude de Equus (Asinus) hydruntinus Reg. An. Sti. Univ. Iasi (2) Sti. nat. 6, 1960: 355-376, 12 pls.

Negi, S. S. see Mahadevan.

Negus, N. C., Gould, E. & Chipman, R. K. Ecology of the rice rat, Oryzomys palustris (Harlan), on Breton Island, Gulf of Mexico, with a critique of the social stress theory. Tulane Studies in Zoology 8: 93-123, 12 figs., 6 tabs.

Negus, N. C. see Stewart.

Nesturkh, M. F. Types of locomotion pecular to the monkeys and apes, and to the upright gait of man in connection with anthropogenesis. Sovet. antrop. Mosk. 1, 1957: 158-169, 1 fg. [In Russian.]

Nesturkh, M. F. see Alekseyera.

Neumann, G-H. Die visuelle Lernfähigkeit primitiver Säugetiere. Z. Tierpsychol. 18: 70-83, 7 figs., 3 tabs. [English summary.] Nevo, E. Observations on Israeli populations of the mole rat Spalax e. ehrenbergi Nehring 1898. Mammalia, Paris 25: 127-144, 7 figs., 2 tabs.

Nevo, E. & Amir, E. Biological observations on the forest dormouse *Dryomys nitedula* Pallas, in Israel (Rodentia, Muscardinidae). Bull. res. Counc. Israel 9B: 200-201.

Newton, G. see Heimstra.

Newton, R. F. Aerial census. Wild Life & Sport 2 (1): 25-28, 3 figs.

Nichols, C. T. see Bullard.

Niethammer, J. Uber die Säugetiere der Niederen Tauern. Mitt. zool. Mus. Berlin 36 1960: 407-443, 7 figs., 17 tabs.

Nieuwenhoven, P. J. van see Wilde.

Niggol, K. Early mortality in fur seals according to sex. J. Wildl Mgmt. 24 1960: 428-429, 2 tabs.

[Nikiforova, K. V.] [Caenozoic fauna of the central Kazakhstan steppes]. Trav. géol. Inst. USSR 45, 1960: 1–255, 63 figs., 3 tabs. [In Russian.]

Nikitina, N. A. (1). Some specific ecological features of the small *Citellus* dwelling at the southern boundary of the Aral. Mater. Poznan. Faun. Flor. SSSR, N.S. (Zool.) No. 38, 1960: 5–26, 2 figs, 13 tabs. [Russian, English summary.]

Nikitana, N. A. (2). The result of marking in the small mammals in Komi Autonomous Republic. Byull. Mosk. Obsheh. Isp. Otd. Biol. 66 (2): 15-25, 5 figs., 8 tabs. [Russian, English summary.]

Nikolaev, A. M. About the distribution, density population and biology of *Enhydra lutris*. Trud. Soveeh. Ichtiol. Kom. No. 12: 214-217. [In Russian.]

Nikol'skaya, I. S. see Korzhuev.

Nilsson, A. Djurlivet i nagra områden väster om Sjaunja. Fauna och Flora 56: 179–216, 9 figs., map.

Nishimuta, S. see Tokita.

Mishiwaki, M. Ryukuan humpback whaling in 1960. Sci. Rep. Whales Res. Inst. 15, 1960: 1-15, 8 figs., 3 tabs.

Nishiwaki, M., Ohsumi, S. & Kasuya, T. Age characteristics in the sperm whale mandible. Norsk. Hvalfangsttid. 50: 499-507, 7 figs., 1 tab.

Nishiwaki, M. & Yang, H-C. A curiously tailed dolphin caught in Formosa. Norsk. Hvalfangsttid. 50: 507–512, 5 figs., 1 tab.

Nixon, D. A. see Huggett.

Noble, G. A. Stress and parasitism. I. A preliminary investigation of the effects of stress on ground squirrels and their parasites. Exp. Parasit. 11: 63-67, 5 tabs.

Noell, W. K. see Paigen.

Nordan, H. C. see Wood.

Nordmark, J. Perception of distance in animal echolocation. Nature, Lond. 190: 363-364.

Norris, C. E. The dugong. The distribution of the dugong in Ceylon. Loris 8, 1960: 296-300, 3 tabs.

Norris, K. S. [Ed.] Standardized methods for measuring and recording data on the smaller cetaceans. J. Mammal. 42: 471-476, 1 fig.

Norris, K. S. & Prescott, J. H. Observations on Pacific cetaceans of California and Mexican waters. Univ. Calif. Publ. Zool. 63: 291-401, 12 figs., 15 pls., 15 tabs.

Norris, K. S., Prescott, J. H., Asa-Dorian, P. V. & Perkins, P. An experimental demonstration of echocation behaviour in the porpoises, *Tursiops truncatus* (Montagu). Biol. Bull. Woods Hole 120: 163-178, 4 figs.

Nouvel, J., Chauvier, G. & Straxielle, L. (1). Rapport sur la mortalité enregistrée a la Ménagerie du Jardin des Plantes pendant l'année 1959. Bull. Mus. Hist. nat. Paris (2), 33: 63-78, 4 tabs.

Nouvel, J., Chauvier, G. & Strazielle, L. (2). Effectif et natalité enregistrés a la Ménagerie du Jardin des Plantes pendant l'année 1959. Bull. Mus. Hist. nat. Paris (2), 33: 137-151, 2 tabs.

Novikov, G. A. In memoriam: Boris S. Vinogradov-Trud. zool. Inst. Akad. Nauk SSSR 29: 7-21, 1 pl. [In Russian.]

Novosyelova, S. L. The development of the chimpanzees experience in using a stick. Vopros. antrop. Mosk. No. 2, 1960: 31-37, 2 figs. [In Russian.]

Novosyelova, S. L. see Braynes.

Nuzzo, F. see Hamerton.

Oakley, K. Dating the stages of hominoid evolution. Leech, Johannesburg 28, 1958: 112-115 [N.V.]

Oberrüder, C. see Kühn.

O'Brien, R. C. see Lyman.

Ocetkiewicz, J. Essai de l'élevage du lièvre logé dans une cage. [Breeding trials of hares in cages.] Meded. Inst. Toeg. biol. No. 50, 1960: 114-121, 3 figs. [English summary.]

Ochara, N. L. Animal superstitions. Wild Life & Sport 2 (1): 18-19.

O'Dell, R. see Schmidt-Nielsen.

Ogan, A. U. see Haslewood.

Ogawa, Y. see Tokita.

O'Gorman, F. A. Fur seals breeding in the Falkland Islands Dependencies. Nature Lond. 192: 914-916, 1 fig.

Ohno, S., Kaplan, W. D. & Kinosita, R. (1). On the end-to-end association of the X and Y chromosomes of Mus musculus. Exper. Cell. Res. 18, 1959: 282-290, 11 form

Ohno, S., Kaplan, W. D. & Kinosita, R. (2). Do XY-and O-sperm occur in Mus musculus. Exper. Cell. Res. 18, 1959: 382–384, 6 figs.

Ohno, S., Kaplan, W. D. & Kinosita, R. (3). The basis of nuclear sex difference in somatic cells of the opossum Didelphis virginiana. Exper. Cell Res. 19, 1960: 417–420, 5 figs.

Ohno, S., Kaplan, W. D. & Kinosita, R. (4). On isopycnotic behavior of the XX-bivalent in occytes of Ratus norvegicus. Exper. Cell Res. 19, 1960: 637-639, 4 fors.

Ohsumi, S. Relative growth of the fin whale, Balaenoptera physalus (Linn.). Sci. Rep. Whales Res. Inst. 15, 1960: 17-84, 15 figs., 4 pls., 10 tabs., 3 appendices.

Ohsumi, S. see Nishiwaki.

Okazoe, T. & Amemiya, T. (1). On the development of the fine structure of the junction between epidermis and dermis in the back of the mouse. Okajimas Folia Anat. Jap. 36 1969: 223–231, 2 pls.

Okazoe, T. & Amemiya, T. (2). On the development of the junction between lamina propria mucosae and epithelium of the tongue of the mouse. Okajimas Folia Anat. Jap. 36: 417-427, 3 pls.

Okazoe, T. see Amemiya.

Olrog, C. C. Notas mastozoologicas. II. Sobre la coleccion del Instituto Miguel Lillo. Acta zool. lillo. 17 1959 [1960]: 403-419. [Spanish, English summary.]

Olsen, S. J. (1). A new beak-jawed mastodont from Florida. J. Palaeont. Soc. India 2, 1957: 131–135, 3 figs. [Recorded N.V. in 1959 Record.]

Olsen, S. J. (2). Fossil mammals of Florida. Sp. Pub. Fla. Geol. Surv. 6, 1959: 1-75, 13 figs., 14 pls.

Olsen, S. J. (3). Age and faunal relationship of *Tapiravus* remains from Florida. J. Paleont. 34, 1960: 164-167, 2 figs.

Olson, S. T. see Klein.

Olsson, B. see Augustinsson.

O'Meara, D. C., Payne, D. D. & Witter, J. F. Sarcoptes infestation of a fisher. J. Wildl. Mgmt. 24 1960: 339.

Ondrias, J. C. (1). Secondary sexual variation and body skeletal proportions in European Mustelidae. Ark. Zool. (2), 12, 1960: 577–583, 1 fig., 6 tabs.

Ondrias, J. C. (2). Variation of the greatest skull length in *Peromyscus mexicanus* and *Peromyscus boylisi* from El Salvador. Säugetierk. Mitt. 8, 1960: 148-150, I tab.

Ondrias, J. C. (3). Statut taxinomique actuel des rongeurs de Grece. Mammalia, Paris 25: 22-28.

Ondrias, J. C. (4). Comparative osteological investigations on the front limbs of European Mustelidae. Ark. Zool. 13: 311-320, 4 figs., 4 tabs.

Opoczyńska-Sembratowa, Z. & Sembrat, K. Phylogenetic resoundings in the cleavage of mammalian eggs. Przegl. zool. 4, 1960: 249-254, 4 figs., 2 pls. [Polish, English summary.]

Oppenheimer, G. J. Reference sources for marine mammalogy. Spec. sci. Rep. (Fish.) U.S. Fish Wildl. Serv. No. 361, 1960: 1-9.

Gritsland, T. Flyleting etter klappmyss på fangstfeltet i Danmarkstredet. Fauna, Oslo **13**, 1960: 153–162, map. [English summary.]

Orlov, V. N. Age variability of the skull in *Equus hemionus* Pall. Zool. Zh. **40**: 592-601, 2 figs., 2 tabs. [Russian, English summary.]

Orlova, S. A. see Segal.

Orr, R. T. An analysis of the recent land mammals. [of Baja California]. Syst. Zool. 9, 1960: 171-179.

Osadtchaja, N. P. see Tcheltsov-Bebutov.

Osborn, D. J. Two new distributional records from Thrace. J. Mammal. 42: 105-106, 1 fig., 2 tabs.

Oshima, M. Comparative studies on vocalization of monkeys and human beings by observing the process of vocal development of infants. J. Primatology 1, 1958: 161. [Summary] [In Japanese.]

Ostroumov, A. G. The use of aerial observations for the numerical estimation and the distribution of some fauna representatives in Kamchatca. Byull. Mosk. Obshch. Isp. Prir. Otd. Biol. 66, 3: 25-31, 1 tab. [Russian, English summary.]

Ostryakov, S. I. see Zubko.

Ota, K. & Jameson, E. W. Ecological relationships and economic importance of Japanese Microtinae. Ecology 41: 184–186.

ôtaishi, S. A study on the pelage of the nutria referring to the pelage-change of fur animals in general. J. Fac. Fish. Hiroshima Univ. 3, 1960: 1–183, 56 figs., 17 pls., 103 tabs. [Japanese, English summary.]

Otis, E. M. see Charles.

Ottaway, C. W. Aspects of equine and canine locomotion. Symp. zool. Soc. Lond. No. 5: 101-113, 10 figs.

Owen, R. D. Current status of mammalian immunogenetics. J. cell. comp. Physiol. 56, Suppl. 1, 1960: 73-87.

gynes, P. Tamreinen i Anxarktis. Fauna, Oslo 13, 1960: 148-153, 3 figs.

gynes, P. see Lono.

Ozaki, H. Notes on a mammoth tusk and reindeer antier from the bottom of the Bering Sea. Nat. Sci. & Mus. Tokyo 28: 69-79, 9 figs. [In Japanese.]

Ozansoy, F. (1). Résultats essentiels de l'étude de la succession faunique de la région d'Ankara (Turquie). Pub. Min. Res. Inst. Turkey 56 : 50-60.

Ozansoy, F. (2). Sur quelques Mammifères fossiles (Dinotherium, Serridentinus, Dipoides) due Tertiaire d'Anatoli Occidentale-Turquie. Pub. Min. Res. Inst. Turkey 56, : 85-93, 2 pls.

Ozhigova, A. P. Cyto- and myeloarchitectonics of the occipital region of the cerebral cortex in the different ecological groups of monkeys. Sovet. antrop. Mosk. 2, 4, 1958: 37-50, 9 figs.

Ozment, J. see Stains

Pacheco, G. & Dias, V. M. Contribution to the normal fecal flora of the hamster. *Proteus mirabilis* in normal feces of hamster. Mem. Inst. Oswaldo Cruz 53, 1955: 41-42.

Paget, O. E. & Baumgartner-Gamauf, M. Histologische Untersuchungen an einer dominant erblichen Form einer Cataract bei der Hausmaus. Zool. Anz. 166: 54-69, 8 fgs.

Paigen, K. & Noell, W. K. Two linked genes showing a similar timing of expression in mice. Nature, Lond. 190: 148-150, 1 fig., 2 tabs.

Pal, K. see Mukherjee.

Palmer, R. F. see Carlisle.

Papanjan, S. B. see Gambarjan.

Paradiso, J. L. & Manville, R. H. Taxonomic notes on the tundra vole (*Microtus oeconomus*) in Alaska. Proc. biol. Soc. Wash. 74: 77-92.

Parmalee, P. W. A recent find of jaguar bones in a Tennessee cave. J. Tenn. Acad. Sci. 36: 81-85, 1 fig.

Parmalee, P. W., Bieri, R. A. & Mohrman, R. K. Mammal remains from an Illinois cave. J. Mammal. 42: 119.

Parovshchikov, V. Ya (1). Census taking of beavers near the town of Archangelsk. Zool. Zh. 40: 466-467, 2 tabs. [Russian, English summary.]

Parovshchikov, V. Ya. (2). Foods of beavers near Archangelsk. Zool. Zh. 40: 623-624. [Russian, English summary.]

Parovshchikov, V. Ya. (3). On feeding habits of Martes martes borealis. B. Kuznetz, near Archangelsk. Zool. Zh. 40: 1112-1115, 2 tabs. [Russian, English summary.]

Parpart, A. K. see Faust.

Parrington, F. R. The evolution of the mammalian femur. Proc. zool. Soc. Lond. 137: 285-298, 9 figs.

Parsons, M. A. see Abbott,

Pascual, R. Un nuevo Cardiomyinae (Rodentia, Caviidae) de la formación Arroyo Chasicó (Pliceeno Inferior) de la Provincia de Buenos Aires. Ameghiniana 2, 4, 61–71, 1 pl. (English summary.)

Pashkevichus, I. see Baitekunas.

Patric, E. F. & Webb, W. L. An evaluation of three age determination criteria in live beavers. J. Wildl. Mgmt. 24 1960: 37-44, 1 fig., 5 tabs.

Patrick, N. D. Estimating total weights of black bears from carcass weights. J. Wildl. Mgmt. 25:93, 1 fig., 1 tab.

Patte, E. La dentition des Néanderthaliens. Ann. Paléont. 45, 1959 : 223–237, 46, 1960 : 197-288. [To be continued.]

Patterson, J. W. Effects of galactosemia. Anat. Rec. 138 1960: 395–398, 4 figs.

Paulov, S. Influence of ionisation radiation on the metabolism of serum proteins in rabbits. Biol. Pracé, Bratislava. 7 (2): 1-53, 19 figs., 11 tabs. [German, English summary.]

Paulson, G. R. The mammals of the Cudahy fauna. Pap. Mich. Acad. Sci. 46: 127-153, 8 figs.

Pavlov, A. N. (1). On feeding habits of the fox in spring and summer in Primorsk and Ilmen regions of North-West Caspian territory. Zool. Zh. 40: 624-627, 2 tabs. [Russian, English summary.]

Pavlov, A. N. (2). A new site of the occurrence of Myospalax psilurus in East Mongolia. Zool. Zh. 40: 784-785, 1 fig. [Russian, English summary.]

Payne, D. D. see O'Meara.

Payne, H. C. Our National Parks. Afr. Wild Life 15: 181-190, 4 figs., and frontis. pl.

Payne, J. M. & Payne, S. Placental grafts in rats. J. Embryol. exp. Morph. 9, 106-116, 2 pls., 1 tab.

Peacock, R. & Peacock, D. The harvest mouse in northern Virginia. J. Mammal. 42: 543-544.

Pedersen, A. Las pinturas rupestres de las Sierras de Cordoba (Republica Argentina) y sus normas convencionales de representacion. An. Parq. nac. B. Aires 8, 1969: 51-57.

Pei, W-C. (1). Introductory notes on the discovery of human and vertebrate fossils in Tzeyang District, Szechuan Province. In Pei, W-C. & Woo, J-K. Tzeyang Paleolithic man. Mem. Inst. Vert. Pal. Acad. Sinica 1, 1957: 1-12, 2 figs., 4 tabs. [Chinese and English.]

Pei, W-C. (2). Description of mammalian fossils. In Pei, W-C. [Ed.] Report on the excavation of Palaeolithic sites at Tingtsun, Hsiangfenhsien, Shansi Province, China. Mem. Inst. Vert. Pal. Acad. Sinica 2, 1958: 21-74, 30 figs., 5 pls. [Chinese, English summary.]

Pei, W-C. (3). Mammalian fossils from Tzeyang District, Szechuan Province. In Pei, W-C. & Woo, J-K. Tzeyang Paleolithic man. Mem. Inst. Vert. Pal. Acad. Sinica 1, 1959: 51-68, 1 pl., 1 tab. [Chinese & English.]

Pei, W. C. (4). The living environments of the Chinese primitive men. Paleovertebrata et Paleoanthropologia 2, (1), 1960: 9-21. [In Chinese.] [N.V.]

m

H.

ţ.,

n.

a.

in

of

7,

of

fe

in

2.

g

[Pei, W. C.] (5). [New Gigantopithecus lower jaw from Kwangsi Province.] Byull. Kom. Izuch. Chetvert. Perioda 24, 1960: 3–7, 2 figs. [In Russian.]

Pei, W-C. (6). Fossil mammals of early Pleistocene age from Yuanmo (Ma-Kai) of Yunnan. Vertebrata Palasiastica 1961: 16–31, 5 figs., 1 pl.

Pei, W-C. & Woo, J-K. Tzeyang Paleolithic man. Mem. Inst. Vert. Pal. Acad. Sinica. 1, 1957: 1-71, 2 figs., 5 pls. [Chinese & English.]

Peng, O. H. Notes on bats from Bali, Lombok and Sumba. Hemera Zoa 67, 1-2, 1960: 23-32, 2 figs., 5 tabs.

Pengelley, E. T. & Pisher, K. C. Rhythmical arousal from hibernation in the golden-mantled ground squirrel, Citellus lateralis tescorum. Canad. J. Zool. 39: 105-120, 3 figs., 4 tabs.

Pequegnat, W. E. Whales, plankton and man. Sci. Amer. 198, 1, 1958 : 84-90, figs.

Perkins, K. M. see Yocom.

Parkins, P. see Norris.

Peterson, R. L. see Foster.

Petrides, G. A. (1). Can a precious 'living museum' survive present trends? Wild Life, Nairobi 3 (2): 7-11.

Petrides, G. A. (2). Wild life preservation and national parks in Ethiopia. Wild Life, Nairobi 3 (3): 24–26.

Petrides, G. A. (3). The management of wild hoofed animals in the United States in relation to land use. Terre et la Vie 108: 181-202, 4 figs., 1 tab.

Petrov, A. K. Regularities of the individual development of the heart in elks. Zool. Zh. 40: 447-453, 8 tabs. [Russian, English summary.]

Petrovsky, Yu. T. 'Ecological peculiarities of Citellus suslicus Güld. in Byelorussia. Zool. Zh. 40: 736-748, 7 figs., 10 tabs. [Russian, English summary.]

Petrusewicz, K. Some regularities in male and female numerical dynamic in mice populations. Acta Theriologica 4 1960: 103–137, 8 figs., 11 tabs.

Petrusewicz, K. & Andrychowska, R. Further investigation of the influence of the home cage on the result of fights between male mice. Ekol. polska 8A, 1960: 325–333, 1 fig., 4 tabs. [Polish, English summary.]

Petter, F. (1). Eléments d'une révision des lievres européens et asiatiques du sous-genre Lepus. Z. Säugetierk. 26: 30-30, 2 figs. [English summary.]

Petter, F. (2). Colloque international sur "l'Evolution des mammifères inferieurs et non spécialisés. Mammalia, Paris 25: 124.

Petter, F. (3). Repartition geographique et écologie des rongeurs désertiques (du Sahara occidental à l'Iran oriental). Mammalia, Paris 25 (special no.): 1-222, 93 for

Petrsch, H. (1). "Eisengraues" Farbspiel des Hamsters (Cricetus cricetus cricetus Linné 1758). Zool. Auz. 165, 1960: 418–422.

Petzsch, H. (2). Zur Frage des "weissen Brustfleckes" als eines der Kriterien des Subspezies-Charakters der "West-Hamsters" (Cricetus cricetus canescens Nehring, 1897). Z. Säugetierk. 26: 125-126, 1 fig.

Peyre, A. Culture in vitro de gonades embryonnaires de Desman (Galemys pyrenaicus G., Mammifère-Insectivore). C.R. Acad. Sci. Paris 252: 605-607.

Peyre, A. & Herlant, M. Les modifications cytologiques de l'antéhypophyse du Desman (Galemys pyrengieus G.). C.R. Acad. Sci. Paris 252: 463-465.

Pteffer, P. L'écologie du sanglier en Asie Centrale d'apres les recherches d'A.A. Sloudsky. Terre et la Vie 108: 368-372, 3 tabs.

Phillips, D. C. see Edmundson.

Phillips, G. C. & East, K. The relative efficiency of some small mammal traps. Proc. zool. Soc. Lond. 187: 637-640, 3 tabs.

Phillips, R. J. S. "Dappled", a new allele at the mottled locus in the house mouse. Genet. Res. Camb. 2: 290-295, 9 tabs.

Phillips, R. J. S. see Carter.

Picton, H. D. (1). Migration patterns of the Sun River elk herd, Montana. J. Wildl. Mgmt. 25 1960: 279-290, 3 figs., 6 tabs.

Picton, H. D. (2). Differential hunter harvest of elk in two Montana herds. J. Wildl. Mgmt. 25: 415-421, 6

Pigott, Sir B. The New Forest Pony. In Berlin, J. et al. The New Forest. London (Gallery Press) 1960, pp. i-x, 1-201, illustr. [pp. 178-190]

Piguet, P. Capture peu banale d'une loutre sur le rivage algérois. Bull. Soc. Hist. nat. Afr. nord 51: 137-138, 1 fig.

Pilleri, G. (1). Biber. Umschau 60, 1960 : 420-424, 11 figs.

Pilleri, G. (2). Bewegungsstereotypien beim nordamerikanischen Opossum (*Didelphis marsupialis*, Marsupialia). Rev. suisse Zool. 67, 1960: 519-521.

Pilleri, G. (3). Zur Anatomie der *Dolichotis patagona*, Zimmermann 1780 (Rodentia, Caviidae, Dolichotinae). Acta anat. 43, 1960: 249-263, 12 figs. [English summary.]

Pilleri, G. (4). Beiträge zur vergleichenden Morphologie des Nagetiergehirnes. 7. Die primaren Riechzentren des Kanadischen Bibers (Castor canadensis, Kuhl)—feinere Anatomie des Bulbus olfactorius und vergleichendneurchistologische Untersuchungen. pp. 5-35, 17 figs. 8. Das Gehirn (Endocranialausguss) von Castoroides ohionensis (Foster [1838]) (Rodentia, Castoridae) und vergleichend-anatomische Beziehungen zum Gehirn des rezenten Kanadischen Bibers. pp. 36-46, 6 figs., 2 tabs. 9. Zur morphologie des Auges des Kanadischen Bibers (Castor canadensis, Kuhl). pp. 47-56, 7 figs. 10. Der Bulbus olfactorius accessorius und die sekundären Riechzentren des Kanadischen Bibers (Castor canadensis, Kuhl), pp. 57-28, 18 figs. Acta anat. 42. Suppl. (English summaries.)

Pilleri, G. (5). Über das Gehirn von Hypogeomys antimena Grandidier 1869 (Rodentia, Nesomyinae). Rev. suisse Zool. 68: 425-431, 3 figs. [English summary.]

Pilleri, G. (6). Das Gehirn der *Macrotarsomys* (Rodentia, Nesomyinae). Rev. suisse Zool. 68: 433-442, 4 figs. [English summary.]

Pilton, P. E. Reproduction in the great grey kangaroo. Nature, Lond. 189: 984-985.

Pimlott, D. H. The ecology and management of moose in North America. Terre et la Vie 108: 246-265, 1 fig., 1 pl.

Pippin, W. F. The distribution and movement of roof rats on Mona Island, West Indies. J. Mammal. 42: 344-348, 1 fig., 1 tab.

Piris, A. Cholesterol in the tapetum lucidum of the eye of the oposeum, *Didelphis virginiana*. Nature, Lond. 191: 708-709, 1 fig., 1 tab.

Piriot, P. (1). Recensements de grands mammifères dans la plainè de la Luama. Bull. agric. Congo Belge 47 1956: 341-366, 6 figs.

Pirlot, P. (2). Notes de route sur l'écologie des mammifères entre le Bas-Congo et du Kuri. Bull. agric. Congo Belge 48 1957 : 393-408, 13 figs.

Pirlot, P. (3). Les limites de la distribution de Hybomys (Thomas) dans l'Est du Congo. Rev. Zool. Bot. afr. 42 1960: 289-292, 1 fig.

Pisani, J. F. & Kerr, W. E. Lethal equivalents in domestic animals. Genetics 46: 773-786, 27 tabs.

Pivetsau, J. (1). A propos de l'homme de Néanderthal. Rev. Quest. sci. pur. appl. 131, 1960 : 153–170.

Piveteau, J. [Ed.] (2). Traité de Paléontologie. Paris (Masson et Cie). Tome VI, Vol. 1, pp. 1-1138, 970 figs., 1 pl.

Piatzer, W. (1). Über eine dritte Spirallamelle in der Cochlea und zur Anatomie aller drei Spiralblätter unter besonderer Berücksichtigung der Schnecke von *Talpa europaea*. Acta anat. 43 1960: 62–95, 11 figs. [English eummary.]

Platzer, W. (2). Das Arterien- und Venensystem. (In Rofer and others. Primatologia. Handbook of Primatology. 3 (2), 1960. Blut- und Kreislauforgane. pp. 273–387. 26 figs.)

Platzer, W. (3). Die Ossicula auditus von Talpa europaea. Anat. Anz. 109: 130-136, 6 figs.

Plotkin, V. A. Teeth structure in the embryos of Odontoceti. Zool. Zh. 40: 1901–1902, 4 figs. [Russian, English summary.]

Podlesskii, G. I. see Krilova.

Pogorzelski, J. K. The effect of cobalt on the cardiac muscle of the guinea pig. Folia Morph. Warzsawa 11 1960: 287–291, 6 figs. [Polish, English summary.]

Polder, E. see Muir.

Polder, E. see Trosky.

Politas, J. Recherches cytogiques sur la formation du pigment melanique dans les poils des souris. Prakt. Akad. Athens 35, 1960: 23-27. [Greek, French summary.]

Polyakov, G. I. (1). Some peculiarities of the structural complication of the neurons of the central nervous system of man, primates and other mammals. Sovet. antrop. Mosk. 2, 3, 1958: 35-56, 14 figs. [In Russian.]

Polyakov, G. I. (2). On some peculiarities in the complication of neuron structure of the cerebral cortex in man, apes, monkeys, and other mammals. Sovet. antrop. Mosk. 2, 4, 1968: 69-85, 13 figs. [In Russian.]

Poole, W. E. see Myers.

Popescu, A. Données anatomiques et biologiques concernant l'éspece Apodemus sylvaticus. An. Univ. C.I. Parhon, Bucureski. No. 24, 1960: 149-168, 21 figs., 1 tab. [Roumanian, French summary.]

Popescu, C. C. see Almaşan.

Popeskovic, D. see Davidović.

Popov, L. H. Materials to the general morphology of Cystophora cristata, Erxl. of Greenland Sea. Trud. Sovesh. Ichtiol. Kom. No. 12: 180-191, 6 figs., 3 tabs. [In Russian.]

Popouic, V. Endocrines in hibernation. Bull. Mus. comp. Zool. Harv. 124, 1960: 105-130, 2 figs.

Fora, E. A., Stoicovici, F. & Rosça, D. I. Les modifications du potassium, du calcium et du phosphore dans le sang des chauves-souris en hibernation et réveil provoqué. Stad. cercet. Biol. Cluj. 11, 1960: 363-367, 1 tab. [Roumanian, French summary.]

Porta, J. de (1). Nueva subespecie de toxodóntido del cuaternario de Colombia. Bol. geol. Univ. indust. Santander No. 3, 1959: 55-61, 2 figs., 3 tabs. [English summary.]

Porta, J. de (2). Los equidos fósiles de la Sabana de Bogotá. Bol. geol. Univ. indust. Santander No. 4, 1960 : 51-78, 10 figs., 2 pls., 8 tabs. [English summary.]

Porta, J. de (3). Edentata Xenarthra del pleistoceno de Colombia. Bol. geol. Univ. indust. Santander No. 6, 1961: 5-32, 9 figs., 4 pls., 6 tabs. [English summary.]

Poulik, E. see Goodman.

Pournelle, G. H. (1). The bonobo . . . a sixth genus of ape. Zoonooz 33 (12) 1960 : 3-6, 7 figs.

Pournelle, G. H. (2). Walrus . . . a delightful Arctic denizen. Zoonooz 34 (9): 3-7, 7 figs.

Pournelle, G. H. (3). Notes on reproduction of the koals. J. Mammal. 42: 396.

Pournelle, G. H. (4). Observations on captive proboscis monkeys, (*Nasalis larvatus*). Sarawak Mus. J. 9: 458-460, 1 pl.

Pourtois, M. Contribution à l'étude des bourgeons dentaires chez la souris. I. Périodes d'induction et de morphodifférenciation. Arch. Biol. Paris 72: 17-95, 11 figs. 2 pls. [English summary.]

Poyarkov, D. V. New data on the Rattus norvegicus Berk. in natural biotopes of the European part of the U.S.S.R. Zool. Zh. 40: 1552-1556, 1 fig.

Praderi, R. & Luzardo, H. Lista de mamiferos colectados en el Arroyo Tres Cruces Grande, Depto de Artigas. Bol. Soc. Taguato 1, 1, 1958: 26–28.

Prakash, I. (1). Behaviour of certain mammals towards snakes. Proc. Indian Sci. Congr. 45, 3, 1958: 380.

Prakash, I. (2). Food of the desert mammals. Proc. Indian. Sci. Congr. 45, 3, 1958 : 380.

Prakash, I. (3). Observations on certain insectivores and rodents in captivity. Proc. Indian Sci. Congr. 46, 3, 1959: 412.

Prakash, I. (4). Mammalian associations in the desert of Rajasthan. Proc. Indian Sci. Congr. 46, 3, 1959: 412– 413.

Prakash, I. (5). The time of emergence of the pipistrelle. Proc. Indian Sci. Congr. 47, 3, 1960: 488.

Prakash, I. (6). New mammal records and zougeography of mammals in the Rajasthan Desert. Proc. Indian Sci. Congr. 47, 3, 1960: 488-489.

Prakash, I. (7). Die Säugetiere der Rajasthan-Wüste in Indian. Nat. u. Volk 91: 443-448, 4 figs.

Prakash, I. see Krishna.

Prakash, R. & Prasad, J. The cranial peculiarities of Indian hedge-hog, *Erinaceus indicus*. Proc. Indian Sci. Congr. 45, 3, 1958: 379–380.

Prakash, R., Prasad, J. & Sulochna, (—). The skull of five striped squirrel, Funambulus pennanti pennanti (Wroughton). Proc. Indian Sci. Congr. 45, 3, 1958: 379.

0

b.

le

18

ic

le

18

s

t

f

li

.....

Prasad, J. (1). The cranial peculiarities of didelphs, opossum (Didelphys crassicaudata) and bandicoot (Peragale lagotis). Proc. Indian Sci. Congr. 47, 3, 1960: 489.

Prasad, J. (2). The skull of an Indian hyaena from Vaisali. Proc. Indian Sci. Congr. 47, 3, 1960: 489.

Prasad, J. see Prakash.

Prescott, J. H. see Norris.

Preuschoft, H. Oreopithecus—Mensch oder Menschaffen? Umschau 60, 1960: 522-524, 6 figs.

Priewert, F. W. Record of an extensive movement by a raccoon. J. Mammal. 42: 113.

Pringle, V. L. Game in the Bedford District. Afr. Wild Life 15: 213-216, 3 figs.

Prufer, O. H. The Abri Schmidt, an important Upper Palaeolithic site in Bavaria. Ohio J. Sci. 61: 45-59, 9 figs., 1 tab.

Pruitt, W. O. (1). A high altitude weasel. Murrelet 38, 1957: 36.

Pruitt, W. O. (2). Behavior of the barren-ground caribou. Biol. Pap. Univ. Alaska No. 3, 1960: 1-43, 7 figs., 6 tabs.

Praitt, W. O. (3). On post-natal mortality in barrenground caribou. J. Mammal. 42: 550-551, 2 tabs.

Prusaile, Y. A. (1). [Biology of Vulpes vulpes crucigera in Lithuania.] Trud. Akad. Lith. S.S.R. Ser. B. No. 3, (23), 1960: 191–210, 1 fig., 8 tabs. [Lithuanian, Russian summary.]

[Prusaite, Y. A.] (2). [Morphological characteristics and distribution of wolves in Lithuania.] Trud. Akad. Nauk Lith. SSR. ser. B. No. 1 (24): 161-176, 7 tabs. [Lithuanian, Russian summary.]

[Prusaite, Y. A.] (3). [Food and reproduction of wolves in Lithuania.] Trud. Akad. Nauk Lith. SSR. ser. B. No. 1 (24): 177-191, 5 tabs. [Lithuanian, Russian summary.]

Psarianos, P. Neue Rhinocerotidenfunde aus dem Tertiär und Quartär von Mazedonien (Griechenland). Prakt. Akad. Athens 33, 1959: 303–312, 3 figs.

Psenner, H. Das Verhalten der Murmeltiere (Marmota m. marmota), insbesondere von Mutter und Jungen, im Bau. Säugetierk. Mitt. 8, 1960: 144-148, 3 figs.

Pucek, Z. (1). Wormian bones (ossicula wormiana) in the skull of some mammals. Przegl. zool. 5: 211–217, 5 figs., 2 tabs. [Polish, English summary.]

Pucek, Z. (2). Dentition in the genus Sorex Linnaeus. Przegl. zool. 5: 288–289, 1 tab. [În Polish.]

Pye, J. D. (1). Perception of distance in animal echolocation. Nature, Lond. 190: 362-363.

Pye, J. D. (2). Echolocation by bats. Endeavour 20: 101-111, 11 figs.

Quay, W. B. (1). Neural and hypophyseal colloid deposition in the collared lemming. Science 131, 1960: 42-43. 1 fig.

Quay, W. B. (2). The pancreatic islets of desert rodents. Amer. midl. Nat. 64, 1960: 342-348, 2 figs., 1 tab.

Quenum, A. Les types cellulaires pituitares et leurs localisations chez Cricetomys gambianus. C.R. Soc. Biol. Paris 155: 396-398, 1 fig.

Quenum, A. see Camain.

Quilliam, T. A. see Armstrong.

Quiring, H. Primatenentwicklung. Z. dtsch. geol. Ges. 111, 1960: 712-720, 2 tabs.

Racey, K. Notes relative to the fluctuation in numbers of *Microtus richardsoni richardsoni* about Alta Lake and Pemberton Valley, B.C. Murrelet 41 (1) 1960: 13-14.

Raczyński, J. see Buchalczyk.

Radev, T. Inheritance of hypocatalasaemia in guineapigs. J. Genet. 57: 169-172, 4 tabs.

Radovich, J. Relationships of some marine organisms of the northeast Pacific to water temperatures particularly during 1957 through 1959. Fish Bull. Sacramento No. 112: 1-02, 13 figs.

Radulescu, C. & Samson, P. Contribution à la connaissance de la dentition lactéale d'Ursus spelaeus. Eiszeit u. Gegenwart 10, 1959: 205-216, 17 figs. [English summary.]

Rafalovich, I. A. see Sokolov.

Rahm, U. (1). L'Anomalurus jacksoni De Winton. (Repartition, biologie et observations en captivité). Bull. Soc. roy. Zool. Antwerp (Bull. Soc. Zool. Anvers) No. 18, 1960: 1-13, 4 pls., map.

Rahm, U. (2). Territoriumsmarkierung mit der Voraugendrüse beim Maxwell-Duiker (*Philautomba* maxwelli). Säugetierk. Mitt. 8, 1960: 140-142, 3 figs.

Rahm, U. (3). Beobachtungen an der ersten in Gefangenschaft gehaltenen *Mesopolamogale ruwenzorii* (Mammalia-Insectivora). Rev. suisse Zool. **68**: 73-90, 14 figs. [English summary.]

Rahm, U. (4). Das Verhalten der Erdferkel (Tubulidentata). In Kukenthal, W. & Krumbach, T. Handbuch der Zoologie 8 Bd., 10 Teil, 23 Beitr. (27 Lief.): 1-8, 13 figs.

Rahm, U. (5). Esquisses mammalogiques de basse Côte d'Ivoire. Bull. Inst. franç. Afr. noire 23A: 1229– 1265, 24 figs.

Rahm, U. & Verheyen, W. N. Description d'une nouvelle sous-espèce congolaise de *Deomys ferrugineus*. Rev. Zool. bot. afr. 42 1960 : 343-346.

Rahm, U. see Krieg.

Rahman bin Omar, I. A. see Lim.

Ramsay-Fairfax, V. F. D. The badger. Rep. Eton Coll. nat. Hist. Soc. No. 15, 1960: 13-17, 1 pl.

Randelia, H. P. & Sanghvi, L. D. "Bare", a new hairless mutant in the mouse-genetics and histology. Genet. Res. Camb. 2: 283–289, 1 pl., 2 tabs.

Ranney, D. A. & Basmajian, J. V. Electromyography in the rabbit fetus. J. exp. Zool. 144 1960: 179–186, 6 figs., 2 tabs.

Rasmusen, B. A., Stormont, C. & Suzuki, Y. Blood groups in sheep. III. The A, C, D and M systems. Genetics 45, 1960: 1595-1603, 8 tabs.

Rasmussen, B. Om klappmyssbestanden i detet Nordlige Atlanterhav. [On the stock of hooded seals in the northern Atlantic.] Fisken og Havet No. 1, 1960: 1–23, 9 figs, 1 tab. [In Norwegian.]

Rateliffe, F. N. Flying foxes drinking sea water. J. Mammal. 42: 252-253.

Ratcliffe, F. N. see Calaby.

Raths, P. Über das Verhalten des Blutzuckers in Winterschlaf und Hypothermie beim Hamster (Cricetus ericetus L.). Z. Biol. München 112, 1960: 282–299, 5 figs. [English summary.]

Raun, G. G. (1). Terrestrial and aquatic vertebrates of a moist, relict area in Central Texas. Texas J. Sci. 11, 1959: 158-171, 3 tabs.

Raun, G. G. (2). A mass die-off of the Mexican brown bat, Myotis velifer, in Texas. Southwest Nat. 5, (2), 1960: 104.

Raun, G. G. (3). Barn owl pellets and small mammal populations near Mathis, Texas, in 1956 and 1959. Southwest. Nat. 5, (4), 1960: 194–200, 2 tabs.

Raun, G. G. (4). The big free-tailed bat in southern Texas. J. Mammal. 42: 253.

Raun, G. G. & Wilks, B. J. Noteworthy records of the hog-nosed skunk (*Conepatus*) from Texas. Texas J. Sci. 18: 204-205.

Rausch, R. A. & Ritesy, R. W. Narcosis of moose with nicotine. J. Wildl. Mgmt. 25: 326-328, 2 tabs.

Rausch, R. L. Notes on the black bear, Ureus americanus Pallas, in Alaska, with particular reference to dentition and growth. Z. Säugetierk. 26: 77-107, 12 figs., 7 tabs.

Ray, C. (1). A question in whale behavior. Nat. Hist-N.Y. 70, 6: 46-53, illustr.

Ray, C. (2). White whales for the aquarium. Anim-Kingd. 64: 162-170.

Ray, C. Background for a baby walrus. Anim. Kingd. 63, 1960: 110-114, 6 figs. [wrongly attributed to Ray, C. E. in 1960 Record.]

Ray, C. E. see Waters.

Ray, C. E. The monk seal in Florida. J. Mammal. 42: 113.

Raynaud, J. Controle hormonal de la glande sousmaxillaire de la souris. Bull. biol. 94:1960:399-523, 18 pls., tabs.

Reed, C. A. (1). The origin of a familial character: a study in the evolutionary anatomy of moles. Anat. Rec. 118, 1954: 343 [Abstr.].

Reed, C. A. (2). Evolution of a functional anatomical system: burrowing mechanisms in the Talpidae. Anat. Rec. 132, 1958: 491-492 [Abstr.].

Reed, C. A. (3). A review of the archeological evidence on animal domestication in the prehistoric Near East. In Braidwood, R. J. & Howe, B. Prehistoric Investigations in Iraqui Kurdistan. Oriental Inst. Univ. Chicago. Studies in ancient Oriental Civilisation, No. 31, 1960: 119-145, 1 fig.

Reed, C. A. see Turnbull.

Reed, K. M. The Proscalopinae, a new subfamily of talpid insectivores. Bull. Mus. comp. Zool., Harv. 125: 473-494, 2 figs., 2 pls.

Reeder, W. G. (1). A new rodent genus (Family Heteromyidae) from the Tick Canyon formation of California. Bull. S. Calif. Acad. Sci. 59, 1960: 121– 132, 3 pls., 1 tab.

Reeder, W. G. (2). Two new rodent genera from the Oligocene White River Formation. Fieldiana Geol. 10, 1960: 511-524, 7 figs., 2 tabs.

Regehr, E. see Sowls.

Reiffenstuhl, G. Das Lymphgefässystem. (In Hofer & others Primatologia. Handbook of Primatology, 3, (2), 1960. Blut- und Kreislauforgone. pp. 388-422, 8 figs.).

Reig, O. A. (1). Un mustelido del genero Galictie del Eccuartario de la Provincia de Buenos Aires. Ameghiniana 1, 1-2, 1957: 33-47, 4 figs., 1 fig., 3 pls. [English summary.] [Recorded N.V. 1957.]

Reig, O. A. (2). Nota previa sobre los Marsupiales de la Formación Chasicó. Ameghiniana 1, 3, 1957 : 27– 31, figs.

Reinwaldt, E. Über einen weiteren Fall von Fraktur des Baculums beim Fischotter (*Lutra l. lutra L.*) und die Art ihrer Entstehung. Ark. Zool. (2) 13 nr 14, 1960: 307-310, 1 fig.

Remane, A. (1). Zähne und Gebiss. (In Hoter & others Primatologia. Handbook of Primatology. 3, (2), 1960: Gebiss. pp. 637–846, 143 figs.).

Remane, A. (2). Probleme der Systematik der Primaten. Z. wiss. Zool. 165: 1-34, 6 figs.

Rempe, U. Einige Beobachtungen an Bonobos Pan paniscus Schwarz 1929. Z. wiss. Zool. 165: 81-87, 3 figs.

Rendel, J. Relationships between blood groups and the fat percentage of the milk in cattle. Nature, Lond. 189: 408-409, 1 tab.

Rendel, J. see Gahne.

Rensch, B. Malversuche mit Affen. Z. Tierpsychol. 18: 347-364, 17 figs. [English summary.]

Renzoni, A. Sul polmone del delfino (Delphinus delphis). Arch. zool. (ital.) Napoli 45, 1960 [1961]: 343-365. 3 pls.

Reuther, R. T. Breeding notes on mammals in captivity. J. Mammal. 42: 427-428.

Ribaut, J-P. Un nouveau moyen pour étudier la prédation dans les nichées: L'oeuf postiche. Rev. suisse Zool. 68: 238-241, 2 figs.

Rice, D. W. (1). Sei whales with rudimentary baleen. Norsk Hvalfangsttid. 50: 189–193, 1 fig.

Rice, D. W. (2). Census of the California gray whale, 1959/60. Norsk Hvalfangsttid. 50: 219-225, 4 figs.

Rice, D. W. see Kenyon.

Richard, B. Le castor du Rhône. Statut actuel et mesures de protection. Terre et la Vie 1959 Suppl. 55-57.

Richard, L. R. Comparaison entre les têtes osseuses du lièvre (*Lepus europaeus* Pallas) et du lapin (*Oryctolagus cuniculus* Linné). Rev. Soc. Sav. Haute Norm. No. 21: 51-52.

Richardson, L. & Sandford, K. S. Great Chessells Gravel Pit near Bourton-on-the-water, Glos., and the occurrence of mammalian remains. Proc. Geol. Ass. Lond. 71, 1960: 40-46, 1 pl.

Richter, H. Bestimmen von Mus—und Sylvaemus— Schädelresten aus Eulengewöllen nach dem Stirnbein (Frontale). Säugetierk. Mitt. 9: 166-167, 1 fig.

Ride, W. D. L. The cheek-teeth of Hypsiprymnodon moschatus Ramsay 1876 (Macropodidae: Marsupialia). J. roy. Soc. W. Aust. 44: 53-60, 2 figs., 1 pl., 1 tab.

Rieck, W. Grundlagen der jaglichen Behandlung des Rehwildes. [Principles of roe deer management.] Meded. Inst. Toeg. biol. No. 50, 1960: 178-187, 1 fig., 3 tabs. [English summary.]

Riedesel, M. L. The internal environment during hibernation. Bull. Mus. comp. Zool. Harv. 124, 1960: 421-435, 3 figs., 3 tabs.

le

n

ı.

n

Rife, D. C. & Buranamaras, P. Inheritance of white coat color in the water buffalo of Thailand. J. Hered. 50, 1960: 269-272, 2 figs.

Riggs, A. Bohr effect in the haemoglobins of marine mammals. Nature, Lond. 190: 94-95, 1 tab.

Rindani, T. H. see Charegaonker.

Riney, T. A field technique for assessing physical condition of some ungulates. J. Wildl. Mgmt. 24, 1960: 92-94, 1 fig.

Riney, T. & Austen, B. Poaching control in Wankie National Park. Wild Life, Nairobi 3 (2): 16-21.

Ringuelet, A. B. de. Estudio del genero Chasicotherium Cabrera y Kraglievich 1931 (Notoungulata-Homalodotheriidae). Ameghiniana 1, 1–2, 1957: 7–14, 2 pls. [English summary.]

Rioux, J. A. see Golvan.

Ritcey, R. W. see Miller.

Ritcey, R. W. see Rausch.

Robel, R. J. (1). Determining elk movements through periodic aerial counts. J. Wildl. Mgmt. 24 1960: 103-104.

Robel, R. J. (2). Detection of elk migration through hunter interviews. J. Wildl. Mgmt. 24 1960: 337-338, 3 tabs.

Roberts, R. C. (1). The effects on litter size of crossing lines of mice inbred without selection. Genet. Res. Camb. 1, 1960: 239–252, 3 figs., 4 tabs.

Roberts, R. C. (2). The lifetime growth and reproduction of selected strains of mice. Heredity 16: 369–381, 3 figs., 4 tabs.

Roberts, R. C. see Falconer.

Robinette, W. L., Gashwiler, J. S. & Morris, O. W. Notes on cougar productivity and life history. J. Mammal. 42: 204-217, 3 figs., 5 tabs.

Robinette, W. L. see Gashwiler.

Robinette, W. L. see Julander.

Robins, J. P. see Stump.

Robins, M. W. A mutation causing congenital clubfoot in the house mouse. J. Hered. 50, 1959: 188–192, 2 figs., 5 tabs.

Robinson, J. T. (1). Hominid nomenclature. Man 59, 1959: 125.

Robinson, J. T. (2). The australopithecines and their bearing on the origin of man and of stone tool-making. S. Afr. J. Sci. 57: 3-13, 6 figs.

Robinson, R. (1). Light undercolor in the Syrian hamster. J. Hered. 51, 1960: 111-115, 1 fig.

Robinson, R. (2). A review of independent and linked segregation in the Norway rat. J. Genet. 57: 173-192, 2 figs., 5 tabs.

Robinson, W. B. Population changes of carnivores in some coyote-control areas. J. Mammal. 42:510-515, 1 tab.

Robinson, W. L. Test of shelter requirements of penned white-tailed deer. J. Wildl. Mgmt. 24, 1960: 364-371, 2 figs., 1 tab.

Rodek, H. G. Another spotted bat from New Mexico. J. Mammal. 42: 401.

Rodrigues, M. O. Los australopitecidos son los más primitivos hacedores de utillaje? Los australopitecidos y el problema del origen del *Homo sapiens*. An. Univ. Chile 118, 117, 1960: 78-92. Roer, H. Vorläufige Ergebnisse der Fledermaus-Beringung und Literaturübersicht. Bonn. zool. Beitr. 11 Sonderheft: 234–263, 7 figs.

Roest, A. I. Partially albino badger from California. J. Mammal. 42: 275-276, 1 pl.

Rogers, T. A. The metabolism of ruminants. Sci. Amer. 198, 2, 1958: 34-38, figs.

Roginsky, J. J. Several modification regularities and correlations in man and mammals. Vopros. antrop. Mosk. No. 7: 9-13. [In Russian.]

Rohe, D. L. Melanistic Norway rats in southern California. J. Mammal. 42: 268.

Röhrs, M. (1). Allometrie und Systematik. Z. Säugetierk. 26: 130–137, 9 figs.

Röhrs, M. (2). Allometrieforschung und biologische Formanalyse. Z. morph. anthrop. 51: 289–321, 31 figs., 3 tabs. [English summary.]

Roig, C. E. Le cycle vaginal du hamster doré. C.R. Soc. Biol. Paris 155: 167-168.

Roman, L. see Strong.

Romankowowa, A. (1). The sesamoid bones of the autopodia of bats. Acta Theriologica 5:125-140, 4 figs., 2 tabs.

Romankowowa, A. (2). The sesamoid bones of the autopodia of Insectivora and Rodentia. Zool. Polon. 10 1959–1960 [1961]: 225–526, 7 pls.

Romer, J. D. Cetaceans recorded from within or near Hong Kong Territorial Waters. Hong Kong Univ. Fish. J. No. 2, 1958: 127-129, 1 pl.

Roosen-Runge, E. C. Rudimental "genital canals" of the gonad in rat embryos. Acta anat. 44:1-11, 12 figs.

Rosati, P. & Cecio, A. Prime osservajioni sul circolo renale dei roditori. Monit. zool. Ital. 68 suppl. 1960: 500-503, 4 figs.

Rosca, D. I. see Pora.

Rose, L. Le hérisson—Erinaceus europaeus (L.). Rev. verviet. Hist. nat. 18: 37-38.

Rosen, M. N. & Holden, F. F. Multiple purulent abscess (Corynebacterium pyogenes) of deer. Calif. Fish Game 47: 293-300, 1 fig.

Roskoss, T. & Empel, W. The size of the head and the height of spinous processes in the region of the withes of the European bison, *Bison bonasus* (Linnaeus 1758). Acta Theriologica 5: 63-71, 1 fig., 2 pls., 2 tabs.

Ross, A. Notes on food habits of bats. J. Mammal. 42:66-71, 1 tab.

Ross, G. S. see Weitzman.

Ross, S., Sawin, P. B., Denenberg, V. H. & Zarrow, M. X. Maternal behaviour in the rabbit: yearly and seasonal variation in nest building. Behaviour 18: 154-160, 2 figs., 4 tabs.

Rotblat, J. see Lindop.

Roth, E. E., Adams, W. V., Sanford, G. E., Greer, B., & Mayeux, P. Leptospirosis in wildlife and domestic animals in the United States. Trans. N. Amer. Wildl. Conf. No. 26: 211-219.

Rothausen, K. Über *Microcetus*, einen kleinen Squalodontiden aus dem Oberoligozän. Neues Jb. Geol. Paläont. Abh. 112: 106–118, 1 pl.

Rothschild, M. Increase of hares at Ashton Wold. Proc. zool. Soc. Lond. 137: 634-635. Rotschild, E. V. Peculiarities of the geographical distribution of Rhombomys opimus Licht. settlements and of elementary plague in Pri-Aral Karakums. Zool. Zh. 40: 749-762, 3 figs., 2 tabs. [Russian, English summary.]

Rotschild, E. V. see Marin.

Roux, M. see Legait.

Rowe, F. P. Ectoparasites found on harvest-mice. (Micromys minutus Hermann). Proc. zool. Soc. Lond; 137: 627.

Rowe, F. P. see Crowcroft.

Rowell, T. E. (1). Maternal behaviour in non-maternal golden hamsters (Mesocricetus auratus). Anim. Behav. 9: 11-15.

Rowell, T. E. (2). The family group in golden hamsters: its formation and break-up. Behaviour 17:81-94, 2 figs.

Rowland, S. J. see Aschaffenburg.

Rowlands, I. W. see Fullager.

Rowley, I. (1). The sense of smell and food-finding in the rabbit. A study of lures for rabbit-poisoning. C.S.I.R.O. Wildl. Res. Melb. Melb. 5, 1960: 116-125, 2 figs., 1 pl., 1 tab.

Rowley, I. (2). The effect of concentration on the ingestion of "1080"-poisoned baits by the rabbit. C.S.I.R.O. Wildl. Res. 5, 1960: 126-133, 4 figs., 1 tab.

Roy, G. Le baguage d'ete de chauves-souris. Sous le Plancher No. 5-6, 1956 : 11-16.

Royo y Gomez, J. El yacimento de vertebrados pleistocenos de Muaco, Estado Falcon, Venezuela, con industria litica humana. Rep. 21st Internat. Geol. Cong. 4, 1960: 154–157. [English summary.]

Bozmus, T. Les observations sur la conquête de la proie par le Sorex araneus Linnaeus 1758. Acta Theriologica 4: 274-276.

Rubadeau, D. & Young, F. A. Sexual behavior of Macaca nemestrina monkeys. Proc. Mont. Acad. Sci. 20: 77.

Rudney, F. F. Dispersal of the otter (Lutra lutra L.) in the basin of the river Bystraya Sosna. Zool. Zh. 40: 468. [Russian, English summary.]

Ruffer, D. G. Effect of flooding on a population of mice. J. Mammal. 42: 494-502, 2 figs., 2 tabs.

Rühmekort, E. Was ist über die forstwirtschaftliche Bedautung der Spitzmäuse bekannt?. Waldhygiene 1, 1955: 33-37.

Rühmekorf, E. & Tenius, K. Beobachtungen au Fledermäusen im Weserbergland und Westharz. Bonn. zool. Beitr. 11 Sonderheft: 215–221.

Rullán, J. B. Nuevas contribuciones al conocimiento de la Paleontologia de Mallorca. Bol. Soc. esp. Hist. nat. Secc. Geol. 59: 89-95, 2 figs.

Runner, M. N. Linkage of brachypodism. J. Hered. 50, 1959: 81-84, 2 figs., 2 tabs.

Russell, D. A. A review of the Oligocene insectivore Micropternodus borealis. J. Paleont. 34, 1960: 940-949, 2 figs.

Russell, D. E. L'anatomie cranienne de deux créodontes du Paléocène de France. Bull. Soc. géol. Fr. (7), 2, 1960: 195–199, 2 figs., 1 pl.

Russell, D. E. see Simons.

Russell, E. S. & Lawson, F. A. Selection and inbreeding for longevity of a lethal type. J. Hered. 50, 1959: 19-25, 1 fig., 4 tabs.

Russell, L. B. & Bangham, J. W. Variegated-type position effects in the mouse. Genetics 46:509-525, 4 figs., 5 tabs.

Russell, L. B. & Russell, W. L. Genetic analysis of induced deletions and of spontaneous nondisjunction involving chromosome 2 of the mouse. J. cell. comp. Physiol. 56 Suppl. 1, 1960: 169-188, 2 figs., 9 tabs.

Russell, R. J. & Anderson, S. Small mammals from Silver Bow County, Montana. Murrelet 37, 1956: 2-3.

Rutte, E. Beobachtungen in der Fundstelle altpleistozäner Säugetiere von Randersacker bei Würzburg. Abh. naturw. Ver. Würzburg No. 2, 1959: 30-36, 2 figs.

Ruttledge, R. F. Leisler's bat, Nyctalus leisleri in Co. Kildare. Irish Nat. J. 13: 276.

Ryel, L. A., Fay, L. D. & van Etten, R. C. Validity of age determination in Michigan deer. Pap. Mich. Acad. Sci. 46: 289-316, 13 figs., 7 tabs.

Ryle, M. & Morris, L. R. Some quantitative studies on tissues of lambs dwarfed by high temperatures during gestation. Aust. J. exp. Biol. med. Sci. 39: 79-92, 1 fig., 8 tabs.

Rymar, J. K. Experimental studies on qualitative and quantitative blood composition of the lesser blood circulation in rabbits. Folia morph. Warszawa 11 1960: 147-162, 1 fig., 6 tabs.

Saban, R. Morphologie particulière du sterno-cleidomastoīden chez *Cheirogale*. (Lémurien de Madagascar). Mém. Inst. sci. Madagascar 13A, 1960: 139–178, 4 figs., 3 nls.

[Sablina, T. B.] [Feeding and ecological and morphological characteristic of the digestive tract of reindeer in Karelia] Trud. Inst. Morf. Zhiv. 32 1960: 215–258, 9 figs, 10 tabs. [In Russian]

Sacher, G. A. Relation of lifespan to brain weight and body weight in mammals. In Wolstenholme, G. E. W. & O'Connor, M., Ciba Foundation colloquia on ageing, 5, The lifespan of animals. London (J. & A. Churchill, Ltd.), 1959: 115-141, 7 figs.

Sade, J. see Kelemen.

Sadhu, D. P. see Chowdhury.

Sadykov, Zh. Morphology of the mammalian spinal cord. Zool. Zh. 40: 900-904, 1 fig. [Russian, English summary.]

Sagreiya, K. P. Kanha National Park of Madhya Pradesh. Souvenir Vol., 1st. All-India Congr. Zool. 1959: 6-14.

Sahlin, B. Vildmink. Svenskfisk. Tidskr. 70: 181-182. 2 illust.

Sahni, M. R. & Tripathi, C. A new classification of the Indian deinotheres and description of *D. orlovii* sp. nov. Palaeont. indica N.S. 33, 4, 1957: 1-33, 3 pls.

Saint Girons, M. C. (1). Symposium international sur les méthodes d'étude des mammifères, Brno (Tchéchoslovaquie) 26 août-5 septembre, 1960. Mammalia, Paris 25: 122–123.

Saint Girons, M. C. (2). Le rythme nycthéméral d'activité du campagnol roux Clethrionomys glareolus (Schreber) 1780. Mammalia, Paris 25: 342-357, 9 figs. [English summarv.]

Saito, K. see Tokita.

Salces, F. Diferencias craneanas en las distintas razas de perros. Rev. Fac. Cienc. Córdoba Ser. Cienc. nat. 20, 1953, (1-4): 1-35, 16 figs., 7 tabs.

Salez, M. Statut actuel du cerf de Barbarie. Terre et la Vie 1959 Suppl. 64-65.

Salzer, G. M. see Zenker.

Samson, P. see Rădulescu.

Sanderson, G. C. (1). The lens as an indicator of age in the raccoon. Amer. midl. Nat. 65: 481-485, 1 fig., 1 tab.

Sanderson, G. C. (2). Techniques for determining age of raccoons. Biol. Notes, Urbana No. 45: 1-16, 8 figs., 5 tabs.

Sanderson, G. C. Estimating opossum populations by marking young. J. Wildl. Mgmt. 25: 20-27, 2 figs., 4 tabs.

Sanderson, G. C. & Thomas, R. M. Incidence of lead in livers of Illinois raceoons. J. Wildl. Mgmt. 25: 160– 168, 1 fig., 5 tabs.

Sandford, K. S. Tooth of mammoth from Grimley near Worcester. Trans. Wore. Nat. Cl. 11: 135-136.

Sandford, K. S. see Richardson.

Sanford, G. E. see Roth.

Sanghri, L. D. see Randelia.

Santapau, H. & Abdulali, H. (1). Scalp of the abominable snowman. J. Bomb. nat. Hist. Soc. 58: 261-263, 3 figs.

Santapau, A. & Abdulali, H. (2). [Eds.] What do large predators in the forest live on. J. Bomb. nat. Higt. Soc. 58: 511-512.

Santiago Genovés, T. Primate taxonomy and Oreopithecus. Science 133: 760

Santonja, J. T. & Crusafont Pairo, M. Consideraciones sobre la edad del yacimento de vertebrados de Tarrega. Notas Inst. geol. Esp. 61: 99-108. [English summary.]

Sapazhkov, S. F. see Beranshtein.

Sapozhenkov, Yu. F. (1) Distribution of Felis caracal Schr. in Turkmenia. Zool. Zh. 40: 295–297. [Russian, English summary.]

Sapozhenkov, Yu. F. (2). On the distribution and ecology of Felis margarita in East Turkmenia. Zool. Zh. 40: 1086-1089, 4 tabs. [Russian, English summary.]

Sapozhenkov, Yu. F. (3). On the ecology of Felislybica Forst, in eastern Kara-Kumy. Zool. Zh. 40: 1585–1586, 1 tab. [Russian, English summary.]

Sarajas, H. S. S. On the cardiac response in hibernation and induced hypothermia. Bull. Mus. comp. Zool. Harv. 124, 1960: 337–351.

Sarkar, S. S. The simian crease. Z. Morph. Anthrop. 51: 212-219, 12 figs.

Sartorius, O. see Szederjei.

Satmoko, R. K. P. Udjong-Kulon Nature Park, Java. Nature Conservation in Western Malaysia, 1961. Malay. Nat. J. 21st Anniv. Spec. Issue: 107–124, 1 fig., 2 pls.

Sauerzopf, F. (1). Ein Beitrag zur Kenntnis der Höhle von St. Margarethen im Burgenlande. Burgenland. HeimatBl. 22, 1960: 8-14, 2 figs., 1 tab.

Sauerzopf, F. (2). Ein neuer Fossilfund aus dem südlichen Burgenlande. Burgenland. HeimatBl. 22, 1960: 38-39, 1 fig. Sauerzopt, F. (3). Das Auftreten von Chalicotherium im südlichen Burgenlande. Burgenland. Heimat Bl. 22, 1960: 147-149, 1 fig.

Saunders, D. R. Some preliminary field work on the Skomer vole and field mouse. Nature in Wales 7: 7-10.

Saunders, R. L. de C. H. & James, R. X-ray microscopy of arterio-venous anastomoses. Acta anat. 43, 1960: 249-263, 2 figs.

Savage, D. E. A survey of various late Cenozoic vertebrate faunas of the Panhandle of Texas. Part III. Felidae. Pub. Dep. Geol. Univ. Calif. 36, 1960: 317-344, 7 figs., 5 tabs.

Savidge, J. The introduction of white rhinoceros into the Murchison Falls National Park, Uganda. Oryx 6: 184-189.

Sawa, H. Cubical anatomy of several ducts and vessels by injection method of acrylic resin. X. Arterial distribution of the palate in some mammals. Okajimas Folia Anat. Jap. 37: 49–92, 8 pls.

Sawaya, P. see Grinkraut.

Sawin, P. B. see Crary.

Sawin, P. B. see Ross.

Scarlatescu, G. see Almasan.

Scatterday, J. E. see Jennings.

Schaefer, H. Der Mensch in Raum und Zeit mit besonderer Berücksichtigung des *Oreopithecus*—Problems. Veröff. naturh. Mus. Basel No. 1, 1960: 1–24, 17 figs.

Schäfer, M. Die Veröffentlichungen Ruy d'Andrades. Säugetierk. Mitt. 9: 125-127.

Schaible, R. & Gowen, J. W. A new dwarf mouse. Genetics 46: 896. [Abstr.]

Schaller, G. B. The orang-utan in Sarawak. Zoologica, N.Y. 46: 73-82, 1 fig., 4 tabs.

Schäuffelen, O. (1). Zu "Hapaliden als Fleisch fresser". Säugetierk. Mitt. 9: 129.

Schäuffelen, O. (2). Zur Biologie des Igels (Erinaceus europaeus) am Neusiedler See. Säugetierk. Mitt. 9: 164.

Scheffer, V. B. A dolphin Stenella from Washington State. Murrelet 41 1960: 23, 1 fig.

[Scherstjukov, N. M.] [Description of the remains of a fossil elephant from Groznensk Province.] Trud. Estest. Istori. Mus. G. Zardabi, Akad. Nauk Azerb. SSR No. 8, 1964: 227–261, 10 figs.

Scheuer, J. L. see Bowden.

Schevill, W. E. see Backus.

Scheving, L. E. & Pauly, J. E. Daily mitotic fluctuations in the epidermis of the rat and their relation to variations in spontaneous activity and rectal temperature. Acta anat. 43 1960: 337–345, 1 fig., 1 tab.

Schindler, U. Auftreten und Bekämpfung der Rötelmaus (Clethrionomys glarecolus Schreber) im Dürrejahr 1969 in Nordwestdeutschland. Z. angew. Zool. 47, 1960: 431–447, 5 figs., 4 tabs. [English summary.]

Schloeth, R. (1). Einige Verhaltensweisen im Hirschrudel. Rev. suisse Zool. 68: 241-247.

Schloeth, R. (2). Markierung und erste Beobachtungen von Markiertem Rotwild im Schweizerischen Nationalpark und Dessen Umgebung. Ergeb. wiss. Untersuch. schweiz. Nationparks 7, 197–227, 19 figs., 3 tabs. [English summary.]

of ion np.

]

50,

-3. elle irzis9: Co.

ad.

and cu-47-

ig.,

ho-

W.

inal lish nya ool.

the

sur holia,

ctioer) lish Schloeth, R. & Burckhardt, D. Die Wanderungen des Rotwildes Cerous elaphus L. in Gebiet des Schweizerischen Nationalparkes. Rev. suiss. Zool. 68: 145–156, 1 fig., 2 tabs.

Schloeth, R. see Burckhardt.

Schmalts, L. J. Occurrence of vertebrate remains in Nebraskan till of north-central Missouri. J. Paleont. 34, 1960: 762.

Schmaus, M. Fledermausberingung im Hunsrück. Bonn. Zool. Beitr. 11 Sonderheft: 198–203, 1 fig. 4 tabs.

Schmid, F. C. see Clark.

Schmidt-Nielsen, B., Murdaugh, H. V., O'Dell, R., & Bacsanyi, J. Urea excretion and diving in the seal (*Phoca vitulina* L.). J. cell. comp. Physiol. 53, 1959: 393-411, 5 figs., 3 tabs.

Schmook, A. Der Fuchs. Wie er lebt, jagt, und gejagt wird. München (Ott Verlag Thun) 1960. pp. 1-206, frontis. (col.), 12 pls.

Schnapp, B. & Helwing, S. (1). New methods in the ecological investigations of small mammals. Natura, Bucaresti 12, 1960: 80-82. [In Roumanian.]

Schnapp, B. & Hellwing, S. (2). Cunoasterea dinamicii populalatiilor de mamifere mici cu ajutorul metodei ingluviilor. (Date preliminare de la Valul lui Traian în anii 1968-1950.) Naturn. Bucaresti, Ser. Biol. 13: 43-52, 4 figs., 4 tabs. [Roumanian, English summary.]

Schneider, H. Die Ohrmuskulatur von Asellia tridens Geoffr. (Hipposideridae) und Myotis myotis Borkh. (Vespertilionidae) (Chiroptera). Zool. Jb. (Anat.) 79: 93-122, 16 figs.

Schneider, N. J. see Jennings.

Schneider, R. see Starck.

Schnetter, W. Beringungsergebnisse an der Langflügelsledermaus (Miniopterus schreibersi Kuhl) im Kaiserstuhl. Bonn. zool. Beitr. 11 Sonderheft: 150–165, 1 fig., 6 tabs.

Schober, W. (1). Zur Cytoarchitektonik und Cytologie der Medulla oblongata der Mausohr-Fledermäus, *Myotis myotis* (Borkhausen). Wiss. Z. K-Marx Univ. Leipzig: Math.-Nat. R. 9, 1960: 745-771, 50 figs.

Schober, W. (2). Zur Kenntnis mitteldeutscher Fledermäuse. Bonn. zool. Beitr. 11 Sonderheft 105-111, 1 fig., 2 tabs.

Schofield, R. D. (1). Determining hunting season waste of deer by following fox trails. J. Wildl. Mgmt. 24 1960: 342-344.

Schofield, R. D.(2). A thousand miles of fox trails in Michigan's ruffed grouse range. J. Wildl. Mgmt. 24 1960: 432-434, 3 tabs.

Schomber, H. W. & Kock, D. Wild life protection and hunting in Tunisia. Afr. Wild Life 15: 137-150, 6 figs.

Schomber, H. W. see Kock.

Schramm, P. Copulation and gestation in the pocket gopher. J. Mammal. 42: 167-170.

Schuller, L. (1). Lidmissbildung bei Hauskatzen. Sängetierk. Mitt. 8, 1960: 161.

Schuller, L. (2). Kampfspiel zwischen einem Grevyzebra—3 und einem Watussirind 3. Säugetierk. Mitt. 9: 10-12, 5 figs.

Schultz, A. H. Vertebral column and thorax. In Hofer, H., Schultz, A. H. & Starck, D. [Eds.] Primatologia [Bd.] IV, Leif 5 [i-vi], 1-66, 28 figs., 17 tabs.

Schultz, A. H. see Hofer.

Schulz, K. C. A. Ulcerating wound behind the shoulder of the black rhinoceros (*Diceros bicornia*) in the Hluhluwe & Mkuzi Game Reserves of Zululand. Afr. Wild Life 15: 55-59, 3 figs.

Schulz, O. A contribution to the comparison of the anatomy of the masseter M. of some domestic animals and some wild animals. Wiss. Z. Humboldt-Univ. Berlin, Math.-Nat. R. 9, 1959-60: 595-611, 28 figs., 7 tabs. [German, English summary.]

Schumann, H. Die Entstehung der Scheckung bei Mäusen mit weisser Blesse. Developmental Biol. 2, 1959: 501–515, 9 figs. [English summary.]

Schwarz, E. The taxonomic position of Rattus pesticulus Thomas 1921. Ann. Mag. nat. Hist. 13 Ser. 4: 415.

Schwarzacher, H. G. Untersuchungen über die skeletmuskel-schnenverbindung. III. Die Form der Muskelfaserenden, pp. 144–157, 22 figs., II. Histochemische Lokalisation der Acetycholinesterase und Untersuchungen über ihre mögliche Funktion an der Muskelfaser—Schnenverbindung, pp. 318–332, 15 figs., Acta Anat. 43, 1960. [English summaries.]

Schwarze, E., Michel, G. & Apitzsch, E. Die Blutgefässe der Brusthöhle des syr. Goldhamsters (Mesocricetus auratus W.). Anat. Anz. 109: 426-435, 2 figs.

Schwarzenbach, F. H. [Ed.]. Capra ibex L. 1961, Nos. 1, 2, 3. [Schweizerische Stiftung fuer Alpine Forschungen, Zurich, Arbeitsgemeinschaft zur Erforschung des Steinwildes.]

ścibor, J. Die Entwicklung der Wisentzucht im Urwald von Bialowicza. Acta Theriologica 5:57-61, 3 tabs.

Scott, A. A bottle-nosed dolphin, Tursiops truncatus, on Co. Antrim ahore. Irish Nat. J. 13, 1960: 183-184.

Sealander, J. A. Hematological values in deer mice in relation to botfly infection. J. Mammal. 42:57-60, 1 tab.

Searle, H. G. Tipsy, a new mutant in linkage group VII of the mouse. Genet. Res. Camb. 2:122-126, 2 tabs.

Searle, A. G. see Deol.

Seeliger, H. Quantitative Untersuchungen an Albinomäusen (Erbreiner Stamm "Agnes-Bluhm"). Anat. Anz. 109, 1960: 51-73, 1 fig., 3 tabs.

Segal, A. N. & Orlova, S. A. Appearance of beavers in Karelia. Zool. Zh. 40: 1580-1583, 3 figs. (Russian, English summary.)

Segre, A. G. Geologia. [In Biogeografia delle Isole Pelagie.] R.C. Accad. Naz. XL (4) 11, 1960: 115-162, 10 figs., 17 pls., map.

Seidel, D. R. Homing in the eastern chipmunk. J. Mammal. 42: 256-257.

Selsor, C. J. see Stott.

Sembrat, K. see Opoczyńska-Sembratowa.

Semenov, M. Ya. On the peculiarities of embryo distribution in some species of mouse-like rodents. Zool. Zh. 40: 1743-1745, 2 tabs. [Russian, English summary.]

Semenov, L. P. see Korenberg.

Senior, M. see Tong.

Serwatka, S. see Wegrzyn.

Setzer, H. W. (1). Two new mammals from Egypt. J. Egypt. Pub. Hith. Ass. 33, 1960: 1-5.

Setzer, H. W. (2). The jirds (Mammalia: Rodentia) of Egypt. J. Egypt. Pub. Health Assoc. 36: 81-91.

Setzer, H. W. (3). The canids (Mammalia) of Egypt. J. Egypt. Pub. Health Assoc. 36: 113-118.

Sficlea, V. Contributçie la studiul depozitelor loessoide din Jurul Galatilor. An. Sti. Univ. Iasi N.S. (2) 6, 1960: 225.

Shafei, M. M. see Badreldin.

Shanahan, R. P. see Manville.

Sharma, D. R. The tabular bone of certain insectivores and its significance. Proc. Indian Sci. Congr. 45, 3, 1958: 379.

Sharma, D. R. & Verma, K. K. Laryngeal skeleton and musculature of Hemiechinus Hemiechinus auritus. Proc. Indian Sci. Congr. 47, 3, 1960: 490.

Sharma, H. L. see Gupta.

Sharman, G. B. (1). The mitotic chromosomes of marsupials and their bearing on taxonomy and phylogeny. Aust. J. Zool. 9: 38-60, 7 figs., 2 tabs.

Sharman, G. B. (2). The embryonic membranes and placentation in five genera of diprotodont marsupials. Proc. zool. Soc. Lond. 137: 197-220, 4 figs., 4 pls.

Shea, N. J. see King.

Shebbeare, E. O. The hispid hare, Caprolagus hispidus (Pearson). J. Bomb. nat. Hist. Soc. 58: 266-267.

[Shekhanov, M. B.] [Index to Soviet literacure on rodents 1954-1956]. Mater. Poznan. Faun-Acr. SSSR, N.S. (Zool.) 138 1960: 231-279. [In Russian.]

Shellhammer, H. S. Variation in brain acetylcholinesterase in the wild mice *Mus musculus* and *Reithrodontomys* megalotis. Physiol. Zool. 34: 312-318, 2 figs., 2 tabs.

Shelton, D. J. Wild life in the Zambezi Valley. Afr. Wild Life 15: 75-78, 2 figs.

Sheppard, P. M. The wild sheep of St. Kilda. New Scient. 11: 419.

Sheppe, W. A. (1). Notes on the distribution and habitats of mammals in the Pacific Northwest. Murrelet 40, 1959: 1-4.

Sheppe, W. A. (2). Systematic and ecological relations of *Peromyscus oreas* and *P. maniculatus*. Proc. Amer. phil. Soc. 105: 421-446, 9 figs., 1 tab., 1 map.

Shevchenko, Y. G. Development of phylogenetic new areas of the brain in primates. Sovet. antrop. Mosk. 3, 2, 1959: 73-92, 10 figs., 1 tab. [In Russian.]

Shevkunova, E. A. & Zasukhin, D. N. On the sensitivity of some species of wild animals to *Toxoplasma gondii*. Zool. Zh. 40: 1611-1618, 3 tabs. [Russian, English summary.]

Shield, J. W. & Woolley, P. Age determination by measurement of pouch young of the quokka (Setonix brachyurus). Aust. J. Zool. 9: 14-23, 8 figs., 1 tab.

Shields, P. W. Movement patterns of brush rabbits in north-western California. J. Wildl. Mgmt. 24, 1960: 381-386, 2 figs., 3 tabs.

Shilov, M. N. see Krilova.

Shilova, E. S. see Krilova.

Shimai, K. see Takahashi.

Shimisu, M. Studies on the distribution of the magnitude of the variation on the animal bodies. I. On the voles. Zool. Mag., Tokyo 70: 235-241, 2 figs. [Japanese, English summary.]

Shimma, Y. & Taguchi, H. A survey of fur seal liver oil and its vitamin A content. Bull. Tokai Fish. Res. Lab. No. 30:117-131, 8 figs., 1 pl., 6 tabs. [Japanese, English summary.]

Shinagawa, C. Morphological and cytochemical studies on erythrocytes of vertebrates. J. Sci. Hiroshima Univ. Ser. B. Div. 1 (Zool.) 19, 1960: 57-116, 21 figs., 2 tabs.

Shirkova, G. I. & Verevkina, G. L. Conditional motor chain reflexes in monkeys. Dokl. Akad. Nauk. SSSR (Transl.) Biol. Sci. 133: 621-624, 2 figs. [Russian original 1960, p. 730.]

[Shmidt, G. A.] (1). [Ecological and morphogenetic principles in the development of the skeleton muscles]. Trud. Inst. Morf. Zhiv. 29 1960: 3-13. [In Russian.]

[Shmidt, G. A.] (2). [The early embryogenesis of the cow]. Trud. Inst. Morf. Zhiv. 30 1960: 5-100, 21 figs. [In Russian.]

Shochatovitz, A. see Barasa.

Shore, V. C., see Edmundson.

Short, H. L. (1). Fall breeding activity of a young shrew. J. Mammal. 42:95.

Short, H. L. (2). Food habits of a captive least weasel. J. Mammal. 42: 273-274.

Short, H. L. (3). Age at sexual maturity of Mexican free-tailed bats. J. Mammal. 42: 533-536, 2 tabs.

Shotwell, J. A. Late Tertiary biogeography of borses in the northern Great Basin. J. Paleont. 35: 203-217,

Shrader, C. A. see Halloran.

Shreffler, D. C. see Cohen.

Shrivastava, R. K. The deltoid musculature of the Rodentia. Okajimas Folia Anat. Jap. 37: 371-379, 3 figs.

Shubin, I. G. Contribution to the ecology of *Ellobius talpinus* in Central Kazakhstan. Zool. Zh. 40: 1543-1551, 2 figs., 5 tabs. [Russian, English summary.]

[Shumkina, O. B.] [Embryonic period of development in Persian lamb]. Trud. Inst. Morf. Zhiv. 30 1960: 192–245, 18 figs. [In Russian.]

Shura-Bura, B. L. & Kharlamov, V. P. Autoradiography as a method to reveal labelled rodents and their ectoparasites when studying migration problems. Zool. Zh. 40: 258–263, 2 figs., 5 tabs. [Russian, English summary.]

Siddiqi, M. S. U. Notes on the status of bats of the genus Scotophilus from southern Asia with key to the recognised forms. Ann. Mag. nat. Hist. (13) 3, 1960 (1961): 449-454, 5 tabs.

Sidorowicz, J. (1). Problems of the morphology and zoogography of representatives of the genus *Lemmus* 1960:195 from the Palaearctic. Acta Theriologica. 4, 1960:53-80, 1 fig., 4 tabs.

Sidorowicz, J. (2). Influence of the weather on capture of micromammalia I. Rodents (Rodentia). Acta. Theriologica 4 1960: 139-158, 9 tabs.

Siegfried, P. (1). Der Schädel eines Parelephas trogontherii von Gelsenkirchen. Paläont. Z. 30, 1956: 171–179, 2 figs., 2 pls. Siegfried, P. (2). Der Fund eines Wisentakeletts (Bison bonasus L.) in Gladbeck-Westfalen. Neues Jb. Geol. Paläont. Abb. 112: 83-105, 1 fig., 4 pls., 1 tab.

Sieiro, S. see Frade.

Signoret, J., Busnel, R. G. & Buisson, M. de. Rôle d'un signal sonore du verrat sur le comportement de la truie en oestrus. Bull. Soc. 2001. Fr. 85, 1960: 200-201.

Sigogneau, D. Étude d'un cervidé Pléistocène de Corse. Ann. Paléont. 46, 1960 : 47-77, 8 figs., 3 pls., 3 tabs.

Silas, E. G. Occurrence of the sea cow, Halicore dugong (Erxl.), off the Saurashtra coast. J. Bomb. nat. Hist. Soc. 58: 263-266.

Silva G., F. see Capurro S.

Silver, H. Deer milk compared with substitute milk for fawns. J. Wildl. Mgmt. 25: 66-70, 1 fig., 3 tabs.

Silverstein, E. Effect of hybridization on the primary polydipsic trait of a inbred strain of mice. Nature, Lond. 191. 523, 1 tab.

Simic, V. & Jankovic, Z. Prominentiae osseae transitoriae mandibulares et maxillares equorum. Acta anat. 44: 226-235, 10 figs.

Simms, H. S., Berg, B. N. & Davies, D. F. Onset of disease and the longevity of rat and man. In Wolstenholme, G. E. W. & O'Connor, M. Ciba Foundation colloquia on ageing, 5, The lifespan of animals. London (J. & A. Churchill, Ltd.) 1959: 72–89, 8 figs.

Simonetta, A. (1). Spedizione biologica in Somalia dell'Università di Firenze Estate 1959. Risultati zoologici. I? Contributo: parte narrative. Monit. zool. ital. 68, 1960: 1-6, 1 fig. [English summary.]

Simonetta, A. M. (2). Osservazioni sul cranio dei Chirotteri e sulle loro affinità sistematiche. Monit. zool. ital. 68, 1960: 45-57, 6 figs. [English summary.]

Simonetta, A. M. see Funaioli.

Simons, E. L. (1). Notes on Eocene tarsioids and a revision of some Necrolemurinae. Bull. Brit. Mus. (Nat. Hist.) Geol. 5: 43-69, 3 figs., 3 pls.

Simons, E. L. (2). An anthropoid mandible from the Oligocene Fayum Beds of Egypt. Amer. Mus. Novit. No. 2051: 1-5, 1 fig., 2 tabs.

Simons, E. L. & Russell, D. E. Notes on the cranial anatomy of *Necrolemur*. Breviora No. 127, 1960: 1-14, 3 figs.

Singer, R. The new fossil sites at Langebaanweg (South Africa). Curr. anthrop. 2: 385-387, 1 fig.

Singer, R. see Hooijer.

Singleton, W. R. see Castle.

Sjögren, B. Naturvärd i Sovjet. Sveriges Nat. 51, 1960: 174-177, 4 figs.

Skatte, H. A contribution to the preservation of the Sumatran rhinoceros. Acta Trop. Basel 18,1961: 168–176. 6 figs.

St. Croix, O. H. de. The white rhino of Hluhuwe. J. Bomb. nat. Hist. Soc. 58: 321-331, 2 pls.

Skalonge, V. N. The tasks of hunting management to the XXII Congress of the Communist Party of the Soviet Union. Zool. Zh. 40: 1291-1298. [Russian, English summary.]

Skillen, S. see Carlisle.

Skoczeń, S. On food storage of the mole, Talpa europaea Linnaeus 1758. Acta Theriologica 5: 23-43, 2 figs., 2 pls., 4 tabs.

Skorkowski, E. (1). The Przewalski horse. Przegl. zool. 4, 1960: 287–291, 2 figs., 2 tabs. [Polish, English summary.]

Skorkowski, E. (2). The tarpans. Przegl. zool. 5: 33-35, 1 fig. [Polish, English summary.]

Skorkowski, E. (3). Metody statystyzene w zootechnic. Medycyny Weterynaryjnej 17: 105-110, 3 figs., 2 tabs.

Skvortsov, B. P. Ecological-faunistical survey of rodents in some regions of Central Asia and the North-West of the RSFSR in relation to natural nidality of transmissive diseases. Zool. Zh. 40: 247-433, 2 figs., 3 tabs. [Russian, English summary.]

Slaughter, B. H. (1). A new species of Smilodon from a late Pleistocene alluvial terrace deposit of the Trinity River. J. Paleont. 34, 1960: 486-492, 1 pl., 1 fig., 1 tab.

Slaughter, B. H. (2). A new coyote in the late Pleistocene of Texas. J. Mammal. 42: 503-509, 3 figs., 1 pl.

Sliper, E. J. (1). Aus dem Leben der Wale. Verh. naturf. Basel 71, 1960: 140-148, 5 figs.

Slipper, E. J. (2). The still unexplained mystery of the whales. Norsk Hvalfangsttid. 50: 41-54, 9 figs.

Slijper, E. J. (3). Locomotion and locomotory organs in whales and dolphins (Cetacea). Symp. zool. Soc. Lond. No. 5: 77-94, 10 figs.

Slizynski, B. M. Sexual dimorphism in mouse gametogenesis. Genet. Res. Camb. 1, 1960: 477-486, 3 figs., 1 pl., 3 tabs.

Sloan, R. E. see Sowls.

Slosson, J. R. see Hiehle.

Sluiter, J. W. (1). Sexual maturity in males of the bat Myotis myotis. Proc. ned. Akad. Wet. Amst. 64C: 243-249, 1 fig., 2 pls., 2 tabs.

Sluiter, J. W. (2). Abrasion of teeth in connection with age in the bat *Myotis myotis*. Proc. ned. Akad. Wet. Amst. **640**: 424-434, 3 figs., 3 tabs.

Sluiter, J. W. & Heerdt, P. F. von. Observations écologiques sur quelques colonies estivales de chauves-souris, des grottes en France. Ann. Spéléol. 13, 1958: 111-120, 4 figs., 4 pls., 1 tab.

Sluiter, J. W. see Heerdt.

Smart, P. J. G. see Backhouse.

Smirin, U. M. On the influence of the laboratory maintenance of Clethrionomys glareolus Schreb. upon the animals chemical thermoregulation. Byull. Mosk. Obshch. Isp. Prir. Otd. Biol. 66 (3): 20-24, 4 figs. [Russian, English summary.]

Smit, B. The elusive Okapi. Afr. Wild Life 15: 225-230, 3 figs.

Smith, D. E. The effects of ionizing radiation in hibernation. Bull. Mus. comp. Zool. Harv. 124, 1960: 493–506, 2 figs., 3 tabs.

Smith, N. S. see Taber.

Smith, R. H. see Mackerras.

Smith, V. R. see Sowls.

Snigirevskaya, E. M. Observations on the root-vole on islands of the middle course of the Volga. Trud. zool. Inst. Akad. Nauk. SSSR 29:137-165, 2 figs. [In Russian.]

Snyder, D. P. see Dodge.

Snyder, R. L. & Christian, J. J.
and litter size of the woodchuck.

Ecology 41, 1960:
647-656, 2 figs., 6 tabs.

4

n

Snyder, R. L., Davis, D. E. & Christian, J. J. Seasonal changes in the weights of woodchucks. J. Mammal. 42: 297–312, 3 figs., 1 pl., 8 tabs.

Sokolov, I. I. Fossil antelopes of the genus Spirocerus Boule et Teilhard de Chardin. Trud. zool. Inst. Akad. Nauk SSSR 29: 156-182, 8 figs., 5 tabs. [In Russian.]

Sokolov, I. I. & Ratalovich, I. A. On the bison in Moldavia. Byull. Mosk. Obshch. Isp. Prir. Otd. Biol. 66 (3): 144–146, 1 fig. [In Russian.]

Sokolov, V. E. (1). Structure and causes of the rise of dermal excrescences in whales Eubalaena glacialis sieboldis Gray. Zool. Zh. 40: 1427-1429, 3 figs. [Russian English summary.]

Sokolov, V. E. (2). Determination of the studies of mature cycle in females of *Lagenorhynchus acutus* Gray by method of vaginal smear. Trud. Sovesh. Ichtiol. Kom. No. 12: 68-71, 1 fig. [In Russian.]

Sokolov, W. The skin structure in Pinnipedia of the U.S.S.R. fauna. J. Morph. 107 1960: 285-296, 6 figs., 1 tab.

Sokolova, Z. A. Eye structure in *Ellobius talpinus* Pallas, 1770. Zool. Zh. 40: 269-274, 5 figs., 2 tabs. [Russian, English summary.]

Soletaky, G. K. Specific composition and numerousness of rodents in Western Ustyurt. Zool. Zh. 40: 782-784. [Russian, English summary.]

Soot-Ryen, T. On a Bryde's whale stranded on Curacao. Norsk Hvalfangsttid. 50: 323–332, 2 figs., 3 pls.

Soukup, J. Materiales para el catalogo de los mamíferos Pernanos. Biota, Lima 3 22 1960: ?-88 [N.V.] 3 24 1960: 133-161 3 26: 240-276. [Continued from 3 21 1960: 31-44, listed in 1960 Record.] [To be continued.]

Sousa, A. T. de. Sur l'identification des deux types de cellules gonadotrophes dans l'hypophyse du chat. Anat. Anz. 109: 397-399 1 pl.

South, F. E. Some metabolic specializations in tissues of hibernating mammals. Bull. Mus. comp. Zool. Harv. 124 1960: 475-492 8 figs.

Sowls, L. K. (1). Gestation period of the collared peccary. J. Mammal. 42: 425-426 1 tab.

Sowls, L. K. (2). Hunter-checking stations for collecting data on the collared peccary (*Pecari tajacu*). Trans. N. Amer. Wildl. Conf. No. 26: 496-505 1 fig. 1 tab.

Sowls, L. K., Smith, V. R., Jenness, R., Sloan, R. E. & Reghr, E. Chemical composition and physical properties of the milk of the collared peccary. J. Mammal. 42: 245-251 3 figs. 1 pl. 1 tab.

Spalding, J. F., Strang, V. G., & Le Stourgeon, W. L. Heritability of radiation damage in mice. Genetics 46: 129-133 1 fig. 1 tab.

[Spasski, P. I.] [Whale remains from the Sarmatian deposits in the neighbourhood of the town of Derbenta.] Trud. Estest.-Istori. Mus. G. Zardabi, Akad. Nauk Azerb. SSR. No. 8 1954: 188-226 13 figs. 5 tabs. [In Russian.]

Spatz, H. & Stephan, H. Adaptive Konvergenz von Schädel und Gehirn bei "Kopfwühlern". Zool. Anz. 166: 402-423 8 figs. [English summary.] [Consequent discussion by others, see Starck & others, pp. 423-446.]

Spearman, R. I. The skin abnormality of 'ichthyosis', a mutant of the house mouse. J. Embryol. exp. Morph. 8 1960: 387–395 2 figs. 1 ρ l. 1 tab.

Spinage, C. A. An unusual threat display of the African elephant. J. E. Afr. nat. Hist. Soc. 23 1960: 243.

Spirina, V. P. Blood group factors in a lower catarrhine monkey (*Macacus rhesus*). Vopros. antrop. Mosk. No. 4 1960: 121-125. [In Russian.]

Spittel, R. L. A sanctuary for dugongs. Loris 8 1960: 304-305.

Sprague, J. M., Chambers, W. W. & Stellar, E. Attentive, affective and adaptive behavior in the cat. Science 133: 165-173 6 figs.

Sprankel, H. Über Verhaltensweisen und Zucht von Tupaia glis (Diard 1820) in Gefangenschaft. Z. wiss. Zool. 165: 186-22 16 figs.

Stach, W. Morphologische Beziehungen zwischen Mastzellen und vegetativer Endformation. Z. mikranat. Forsch. 67: 257-280 5 figs.

Stafford, R. see Handley.

Stains, H. J., Ozment, J. & Lippoldt, A. An electric fence enclosure for small mammals. J. Mammal. 42: 391-395 1 fig. 1 pl.

Stains, H. J. see Cochran.

Stamp, J. T. The pathology of tuberculosis in farm animals. Symp. zool. Soc. Lond. No. 4: 1-10 8 figs.

Starck, D. Die Milz. 1. Die äussere Form der Primatenmilz. (In Hofer & others. Primatologis. Handbook of Primatology 3 (2) 1960. Blut- und Kreislauforgane pp. 61–70 9 figs. 2 tabs.)

Starck, D. & Schneider, R. Larynx. (In Hofer & others. Primatologia. Handbook of Primatology 3 (2) 1960. Respirationsorgane pp. 423-587 75 figs.)

Starck, D. & others. Bemerkungen über Grabanpassungen bei Säugetieren und über die äussere Form des Gehirns von Notoryctes typhlops Stirling 1889 (Marsupialia, Notoryctidæ). Zool. Anz. 166: 423-446 1 fig. I tab.

Starck, D. see Hofer.

Stearns, E. I. see Van Deusen.

Stecher, R. M. Numerical variation in the vertebrae of the Prievalsky horse. Mammalia, Paris 25: 192-194,

Stein, G. H. W. (1). Zum Haarwechsel der Feldmaus. Microtus arvalis (Pallas, 1779) und weiterer Muroidea Acta Theriologica 4 1960: 27–44 1 fig. 12 tabs.

Stein, G. H. W. (2). Bezeihungen zwischen Bestandsdichte und Vermehrung bei der Waldspitzmaus, Sorez araneus, und weiteren Ratzahnspitzmäusen. Z. Saugetierk. 26: 13–28 2 fgs. 5 tabs. [English summary.]

Steinbacher, G. Luchs-Gewichte. Säugetierk. Mitt. 9: 129.

Steinberg, H. Using drugs to study animal behaviour. A review. Anim. Behav. 9: 109-110.

Steiner, H. see Bauer.

Steklenev, E. P. see Treus.

Stellar, E. see Sprague.

Stephan, H. Vergleichend-Anatomische. Untersuchungen an Insektivorengehirnen V. Die quantitative zusammenstzung der Oberflachen des Allocortex. Acta anat. 44: 12-59 8 figs. [English summary.]

Stephan, H. see Bauchot.

Stephan, H. see Spatz.

Stephens, J. J. Stratigraphy and paleontology of a late Pleistocene basin, Harper County, Oklahoma. Bull. geol. Soc. Amer. 71 1960: 1675-1702 9 figs. 1 pl.

Stevens, L. C., Mackensen, J. A. & Bernstein, S. E. A mutation causing neonatal jaundice in the house mouse. J. Hered. 50 1959: 35-39 4 tabs.

Stevenson, J. H. F. Mink in Britain. Exeter. (Pitt's Bookshop.) 1959 (3rd ed.) pp. 1-144 illustr.

Stewart, M. M. Biology of the Allegany Indian Reservation and vicinity. Part 3. The amphibians, reptiles and mammals. Bull. N.Y. St. Mus. No. 383: 63-98 4 tabs.

Stewart, P. A. & Negus, N. C. Recent record of wolf in Ohio. J. Mammal 42: 420-421.

Stillström, J. see Fichtelius.

Stirton, R. A. A marine carnivore from the Clallam Miocene formation, Washington. Its correlation with non-marine faunas. Pub. Dep. Geol. Univ. Calif. 36 1960: 345-368 4 figs. 1 tab.

Stirton, R. A., Tedford, R. H. & Miller, A. H. Cenozoic stratigraphy and vertebrate paleontology of the Tirari Desert, South Australia. Rec. Aust. Mus. 14: 19-61 4 figs. 1 tab.

Stirton, R. A. see Burt.

Stockstad, D. S. see Craighead.

Stohl, G. Über die Eigentümlichkeiten des Stoffwechsels der Primaten. Z. wiss. Zool. 15:123-132 tabs.

Stoicovici, F. see Pora.

Stokes, A. W. see Balph.

Stokes, W. L. & Condie, K. C. Pleistocene bighorn sheep from the Great Basin. J. Paleont. 35: 598-609 7 figs. 4 tabs.

stoll, N. R. [Chairman, Editorial Committee]. International Code of Zoological Nomenclature adopted by the XV International Congress of Zoology. London (International Trust for Zoological Nomenclature) pp. i-xviii 1-176.

Stormont, C., Miller, W. J. & Suzuki, Y. (1). Blood groups and the taxonomic status of American buffalo and domestic cattle. Evolution 15: 196-208 4 tabs.

Stormont, C., Miller, W. J. & Suzuki, Y. (2). The S system of bovine blood groups. Genetics 46: 541-551 11 tabs.

Storr, G. M. Microscopic analysis of faces, a technique for ascertaining the diet of herbivorous mammals. Aust. J. biol. Sci. 14: 157-164 1 pl. 1 tab.

Stott, K. & Selsor, C. J. (1). Color variation in Bornean gray gibbons. J. Mammal. 42:99.

Stott, K. & Selsor, C. J. (2). The orang-utan in North Borneo. Oryx 6: 39-42.

Stott, K. & Selsor, C. J. (3). Observations of the nuaroon leaf monkey in North Borneo. Mammalia, Paris 25: 184-189.

Strandberg, B. E. see Edmundson.

Strang, V. G. see Spalding.

Straus, W. L. Primate taxonomy and Oreopithecus. Science 133: 760-761.

Strazielle, L. see Nouvel.

Street, P. Mammals in the British Isles. London (Robert Hale, Ltd.) 1961: pp. 1-185 32 illustr.

Stretch, R. G. A., Leytham, G. W. H. & Kershaw, W. E. The effect of acute schistosomiasis upon learning in rats under different levels of motivation. Ann. trop. Med. Parasit. 54 1960: 487–492 3 figs.

Stretch, S. J. E., Stretch, R. G. A., Leytham, G. W. H. & Kershaw, W. E. Discrimination learning and schistosomiasis in the rat: a low-grade infection of several months' duration. Ann. trop. Med. Parasit. 54 1960: 483-486 3 figs.

Strickland, J. H. & Calhonn, M. L. The microscopic anatomy of the external ear of *Felis domesticus*. Amer. J. vet. Res. 21 1960: 845–850, 9 figs.

Stroeva, O. G. Experimental analysis of the eye morphogenesis in mammals. J. Embryol. exp. Morph. 8 1960: 349–368 1 fig. 4 pls. 3 tabs.

Stroganova, A. S. & Chu Tsing. The systematic position of the relic ground-squirrel (Citellus relictus Kaschk.) and some data of its ecology in the Kuuluk-Tau mountains (Tian Shan). Trud. zool. Inst. Akad. Nauk SSSR 29: 81-100 6 figs. [In Russian.]

Strong, L. C. & Roman, L. Tufted—a non-genetic morphological variant in mice, J. Hered. 50 1960: 227-229 1 fig.

Strong, L. H. The first appearance of vessels within the spinal cord of the mammal: their developing patterns as far as partial formation of the dorsal septum. Acta anat. 44: 80-108 15 figs.

Struhsaker, T. T. Morphological factors regulating flight in bats. J. Mammal. 42: 152-159 2 tabs.

Strumwasser, F. Some physiological principles governing hibernation in *Citellus beecheyi*. Bull. Mus. comp. Zool. Harv. 124 1960: 285-320 17 figs.

Stump, C. W., Robins, J. P. & Garde, M. L. The development of the embryo and membranes of the humpback whale, *Megaptera nodosa* (Bonnaterre). Aust. J. mar. freshw. Res. 11 1960: 365–386 15 pls.

Stumpf, W. A. see Yocom.

Sulimski, A. Hystrix primigenia (Wagner) in the Pliocene fauna from Weze. Acta palaeont. polon. 5 1960: 319-336 5 figs. 2 pls. 1 tab.

Sulochna, (-) see Prakash.

Sulzmann, R. Zur Morphologie des Ependyms im Zentralkanal des Hundes. Anat. Anz. 109: 351–357 11 figs.

Suomalainen, P. Stress and neurosecretion in the hibernating hedgehog. Bull. Mus. comp. Zool. Harv. 124 1960: 271-283 7 figs. 6 tabs.

Surdacki, S. Untersuchungen über die Nahrung des perlziesels Citellus suslicus (Guldenstaedt 1770). Acta Theriologica 4: 288-291 1 tab.

Surkov, S. S. History and nowadays tasks of the studying of marine mammals in the North. Trud. Sovesh. Ikhtiol. Kom. No. 12: 18-22. [In Russian.]

Susheela, A. K. see George.

Suzuki, Y. see Stormont.

Sviridenko, P. A. Comparative evaluation of the attractiveness of tree and shrub seeds for mouse-like rodents. Zool. Zh. 40: 763-767 1 tab. [Russian, English summary.]

Svistun, V. I. Investigation of the mammoth fauna in Jaburischehe, Kirovograd region. Dopov. Akad. Nauk Ukr. R.S.R. No. 8 1960: 1111-1114 2 figs. 2 tabs.

7::-

Svistun, V. I. see Danilova.

Svolba, F. Vom Murmeltier-Fett. Säugetierk. Mitt. 9: 151-156 1 fig.

Sweeney, R. C. H. A preliminary annotated check iist of the mammals of Nyasaland. Blantyre (Nyasaland Society) 1959: pp. 1-71 map.

świecimski, J. Studies on the mole, Talpa europaea europaea L. (Insectivora) in the Polish Tatra Mts. Acta zool. cracov. 5: 1-43 14 figs. 8 pls.

Swift, R. W. see Long.

Sýkora, I. (1). Die Möglichkeit das ungefähre Altes der Feldmäuse (Microtus arvalis Pall.) nach der Kopflänge zu bestimmen. Acta Mus. Regin. Hrad. 1A 1960: 105-1111 fig. 3 tabs. [Czechoslovak, German summary.]

Sýkora, I. (2). Die Entwicklung des Feltes und Jugendhaarwechsel bei den Feldmäusen (*Microtus arvalis* Pall.). Acta Mus. Regin. Hrad. **2A**: 257–268 3 figs. [Czechoslovak, German summary.]

Szederjei, A. & Sartorius, O. Die Goldmedaillen-Hirsche Ungarns. Budapest (Terra) 1980: pp. 1-459 text illustr.

Székessy, V. Beitrag zur Kenntnis der Biologie der Bisamratte (Ondatra zibethica L.). Zool. Anz. 166: 91-95 2 figs.

Szostakiewicz-Sawicka, H. Skin musculature of thorax in apes. Folia morph., Warszawa 11 1960: 1–11 6 figs. I tab. [Polish, English summary.]

Szunyoghy, J. (1). Bemerkungen zu dem Augsatze von E. Nagy. "Berichtigung zu Szunyoghys: Systematische Revision des ungarländischen Schakals, gleichzeitig eine Bemerkung über das Rohrwolf-Problem". Säugetierk. Mitt. 9: 4-6.

Szunyoghy, J. (2). Kritische Bemerkungen zur Beschreibung des Ovis musimon sinesella Turček 1949. Săugetierk. Mitt. 9:6-8.

Taber, R. D. The black-tailed deer: a review of ecology and management. Terre et la Vie 108: 221-245 1 fig. 4 tabs.

Taber, R. D., White, K. L. & Smith, N. S. The annual cycle of condition in the Rattlesnake, Montana, male deer. Proc. Montana Acad. Sci. 19 1960: 72-79 5 tabe.

Taber, R. D. see Hoffman.

Tagawa, M. see Takagi.

Taibel, A. M. Considerazioni sistematico-genetiche sulle famiglie *Equidae* e *Ursidae*. Boll. Zool. **26** 1959 : 483–504. [English summary.]

Takagi, S. & Tagawa, M. Dry and soft feces of the rabbit and their relation to the anal gland secretion and to the cecal contents. Zool. Mag., Tokyo 70: 248-252 4 figs. [Japanese, English summary.]

Takahashi, O. & Shimai, K. (1). On the occurrence of the vacuoles in the solar ganglion cells of the rat. Okajimas Folia Anat. Jap. 36 1960: 207-213 1 pl.

Takahashi, O. & Shimai, K. (2). Study on the ganglion cervicalis uteri of the aged rats. Okajimas Folia Anat. Jap. 36: 455–463 l pl.

Takai, F. A subfossil Cuon from Ang Thong, Thailand. Trans. paleont. Soc. Japan N.S. 41:13-14 1 fig.

Takai, F. see Hanzawa.

Talbot, L. M. & Lamprey, H. F. Immobilization of free-ranging east African ungulates with succinylcholine chloride. J. Wildl. Mgmt. 25: 303-310 2 tabs.

Talbot, L. M. & Talbot, M. H. How much does it weigh. Wild Life, Nairobi 3 (1): 47-48 2 figs. 1 tab.

Talbot, L. M. see Zaphiro.

Tamar, H. Taste reception in the opossum and the bat. Physiol. 200l. 34: 86-91 2 figs. 3 tabs.

Tamsitt, J. R. (1). Mating behaviour of the Peromyscus truei species group of white-footed mice. Amer. midl. Nat. 65: 501-507 1 tab.

Tamsitt, J. R. (2). The chromosomes of the *Peromyscus truei* group of white-footed mice. Texas J. Sci. 12: 152-157 1 tab.

Tamsitt, J. R. (3). Morphological comparison of P¹ and F¹ generations of three species of the *Peromyscus* truei species group of mice. Texas J. Sci. 13: 206-218 7 figs. 1 tab.

Tanaka, R. On the arteries of the foot in *Macacus* cyclopis. Okajimas Folia Anat. Jap. 37: 1-17 4 figs. 4 tabs.

Tansley, K., Copenhaver, R. M. & Gunkel, R. D. Some aspects of the electroretinographic response of the American red squirrel, *Tamiosciurus hudsonicus loquaz*. J. cell. comp. Physiol. 57: 11-19 8 figs.

Tatarinov, K. A. On the digging activity of Arvicola terrestris scherman Shaw on subalpian madows of the Carpathian Mountains. Zool. Zh. 40: 786-789 1 fig. [Russian, English summary.]

Taworski, T. & Woliński, Z. Interspecific hybrids in the Płock Zoo. Przegl. zool. 4 1960: 322–332 6 figs. 1 tab. [Polish, English summary.]

Taxi, J. Sur l'innervation des fibres musculaires lisses de l'intestin de Souris. C.R. Acad. Sci. Paris 252 : 331-333 4 pls.

Taylor, A. see Hamerton.

Taylor, D. Notes on a recent collection of a black-footed ferret. Trans. Kansas Acad. Sci. 64: 41.

Taylor, E. J. see Bentley.

Taylor, J. M. Reproductive biology of the Australian bush rat *Rattus assimilis*. Univ. Calif. Publ. Zool. **60**: 1-66 17 figs. 6 pls. 7 tabs.

Taylor, W. P. The white-tailed deer of North America. Terre et la Vie 108: 203-220 1 fig.

Taylor Page, F. J. [Ed.], Bagnall-Oakley, R. P. & Ellis, E. A. Norfolk mammal report, 1960. Trans. Norfolk Norw. Nat. Soc. 19 1960: 250-264 2 pls.

Tcheltsov-Bebutov, A. M. & Osadtchaja, N. P. The numeral account, catching and labelling of jerbos. Mater. Poznan. Faun. Flor. SSSR, N.S. (Zool.) 38 1960: 155-164 4 tabs. [Russian, English summary].

Tchernine, O. The snowman and company. London (Robert Hale, Ltd.) 1961: pp. 1-174 text illustr.

Teagle, W. G. see Hayward.

Tedford, R. H. Clarendonian Insectivora from the Ricardo Formation, Kern County, California. Bull. S. Calif. Acad. Sci. 60: 57-76 4 figs. 2 tabs.

Tedford, R. H. see Stirton.

Tegper, H. (1). The scrapes and pawing places of roe deer. Gamekeeper 64: 253-254.

Tegner, H. (2). Horn growth in infant roe deer. Proc. 200l. Soc. Lond. 137: 635-637.

Tembrock, G. (1). Spezifische Lautfermen beim Rotfuchs (Vulpes vulpes) und ihre Beziehungen zum Verhalten. Säugetierk. Mitt. 8 1960: 150-154 5 figs.

Tembrock, G. (2). Lautforschung an *Vulpes* und anderen Caniden. Verh. dtsch. zool. Ges. 1960 (1961): 482–487 8 figs.

Tenius, K. see Rühmekorf.

Terio, B. Osservazioni e considerazioni intorno al plesso di Auerbach in embrionì, giovani ed adulti, di topo albino. Boll. Zool. 27 1960: 67–82 7 figs.

Tester, J. R. & Marshall, W. H. A study of certain plant and animal interrelations on a native prairie in northwestern Minnesota. Occ. Pap. Minn. Mus. nat. Hist. No. 8: 1-51 17 figs. 1 pl.

Thaeler, C. S. Variation in some salt-marsh populations of *Microtus californicus*. Univ. Calif. Publ. Zool. **60**: 67-94 21 figs. 3 tabs.

Thenius, E. & Hofer, H. Stammesgeschichte der Sängetiere. Eine Übersicht über Tatsachen und Probleme der Evolution der Sängetiere. Berlin, &c. (Springer-Verlag) 1960: pp. i-vi 1-322 text illustr.

Thenius, E. see Lüttig.

Thomas, D. K. The Gombe Stream Game Reserve, Tanganyika Notes & Records No. 56: 34-39 1 pl. map.

Thomas, R. M. see Sanderson.

Thompson, D. R. see Lemke.

Thompson, J. W. The nerve supply to the nictitating membrane of the cat. J. Anat., Lond. 95: 371-385 7 figs. 2 pls.

Thompson, S. Y. see Aschaffenburg.

Tichowa, W. A. Die Innervation des Ziliarmuskels. Z. mikr. anat. Forsch. 67: 452–468 5 figs. [English summary.]

Tien, D. van (1). Notes sur une collection de micromammiferes de la région de Hon-Gay. Zool. Anz. 166: 290-298 2 figs.

Tien, D. van (2). Recherches zoologiques dans la région de Thai-Nguêyn (Nord-Vietnam). Zool. Anz. 166: 298–308.

Tihen, J. A. see Charles.

Tikhomirov, E. A. Distribution and migrations of the seals in the Far East waters. Trud. Sovesh. Ichtiol. Kom. No. 12: 199-210 3 figs. [In Russian.]

Tilgner, D. J. Richtlinien zur Qualitätsbewertung von Wildtieren. [Directives for the quality-valuation of game species.] Meded. Inst. Toeg. biol. No. 50 1960 122-127 1 fig. [English summary.]

Tischendorf, F. Eine arterio-venöse Anastomose im Hilusgebiet der Kaninchenmilz. Anat. Anz. 109 1960: 41-50 4 figs.

Thachenko, A. A. Marmota bobac Müller, its trade and agricultural significance. Zool. Zh. 40: 1715-1724 7 tabs. [Russian, English summary.]

Tobias, P. V. (1). New evidence and new views on the evolution of man in Africa. S. Afr. J. Sci. 57: 25-38 3 figs.

Tobias, P. V. (2). The work of the gorilla research unit in Uganda. S. Afr. J. Sci. 57: 297-298.

Tobien, H. (1). Säugetierreste aus dem älteren Miozän von Ravolzhausen (Kreis Hanau, Hessen). Notzbl. hess. Landesamt. Bodenforsch 88 1960: 7–19 2 pls. Tobien, H. (2). Zur Geschicte der pferdeartigen. Un paar hufer im Tertiär Europas. Z. dtsch. geol. Ges. 112 1960: 580-581.

Toerien, M. J. The length and inclination of the primate cervical spinous processes. Trans. roy. Soc. S. Afr. 36: 95-105 6 tabs.

Tokita, K., Ito, R., Nishimuta, S., Kawasaki, Y., Nakamura, N., Saito, K., Isogai, S. & Ogawa, Y. Electrocardiographical studies on bottle-nosed dolphin (Tursiops truncatus). Sci. Rep. Whales Res. Inst. 15 1960: 159-165 5 figs.

Toll, J. E. see Conaway.

Toll, J. E. see Holten.

Tomasch, J. Dietary factors and nerve fibre myelination. J. Anat. Lond. 95: 180-190 6 figs.

Tomilin, A. G. Some contemporary problems of the studying [of] whale biology. Trud. Sovesh. Ichtiol Kom. No. 12: 40-49 4 figs. [In Russian.]

Tomlinson, A. R. see Calaby.

Tondeur, M. Recherches sur la nature des granulations imprégnables par l'osmium dans les ocfs de petits mammifères. Arch. Biol. Paris 72: 331-411 14 figs. 3 pls. 3 tabs. [English summary.]

Tong, E. H., Senior, M. & Halnan, C. R. E. An outbreak of malignant catarrh among the Père David deer. Proc. zool. Soc. Lond. 136: 477–483.

Torii, H. S. The Hûrendô caves of Kyûshû, Japan. Cave Notes 3: 17-20 3 figs.

Toschi, A. Mammalia. [In Biogeographia della Isole Pelagie.] R.C. Accad. Naz. XL (4) 11 1960 : 283–285.

Tratz, E. P. Neue Nachweise für das ehemalige Vorkommen des Steinwildes (Capra ibex ibex) in Salzburg. Säugetierk. Mitt. 9:163.

Trefogli, C. A. & Garbini, J. D. Nueva aportación para la microglia periférica (Polak). La microglia periférica en los corpusculos de Vater-Pacini. Rev. Fac. Agro. Vet. Buenos Aires 14 1959: 3-12 [pagination of separate] 7 figs. [Spanish, English summary.]

Trense, W. Note sur quelques mammifères menacés du Proche-Orient. Terre et la Vie 1959 Suppl.: 81-85.

Treus, V. D. Exceptional case of twins of *Taurotragus* oryx Pall. Dopov. Akad. Nauk. Ukr. R.S.R. No. 6: 822-824 2 figs. 1 tab. [Russian, English summary.]

Treus, V. D. & Steklenev, E. P. (1). Bison-yak hybrids. Dopov. Akad. Nauk, Ukr. R.S.R. No. 5: 691-694 l fig. l tab. [Russian, English summary]

Treus, V. D. & Steklenev, E. P. (2). On the so-called "Leporids". Zool. Zh. 40: 945-947 4 figs. 1 tab. [Russian, English summary.]

Trevor, J. C. Is "The Abominable Coalman" in the human family. New Scient. 9:816-818 3 figs.

[Trotimov, B.A. [The insectivore genus Palaeoscaptor from the Oligocene of Asia.] Trav. Inst. Paleont. Akad. Sci. USSR 77 1960; 35–40 3 figs. [In Russian.]

Trosky, J. M. & Polder, E. Some mammal remains from a Jackson County cave. Proc. Iowa Acad. Sci. 67 1960: 607-609.

Troyer, J. R. (1). Histochemical and biochemical studies of liver glycogen in a hibernator, Myotic lucifugus lucifugus. J. cell. comp. Physiol. 54 1959: 11-27 2 figs. 2 pls.

Troyer, W. A. (2). The Roosevelt elk on Afognak Island, Alaska. J. Wildl. Mgmt. 24 1960: 15-21 1 fig. 6 tabs.

Troyer, W. A. (3). The brown bear harvest in relation to management on the Kodisk Islands. Trans. N. Amer. Wildl. Conf. No. 26: 460–468 3 figs. 3 tabs.

Trumler, E. (1). Bemerkungen zur vorstehenden von I. Krumbiegel. Säugetierk. Mitt. 9:3-4.

Trumler, E. (2). Entwurf einer Systematik der rezenten Equiden und ihrer fossilen Verwandten. Säugetierk. Mitt. 9: 109–125.

Truslove, G. M. see Deol.

Truslove, G. M. see Grüneberg.

Tsubina, M. G. The biological characteristics of nine inbred lines of mice. Byull. Mosk. Obshch. Isp. Prir. Otd. Biol. 66 (3): 114–133 8 figs. 12 tabs. [Russian, English summary.]

Tsuboi, M. see Kubota.

Tsubouchi, R. On the subcutaneous veins of the chest and abdomen of *Macacus cyclopis*. Okajimas Folia Anat. Jap. 37: 161-168 1 fig.

Tung, Y-S. see Chiu.

Turček, F. J. (1). Über Rötelmausschäden in den slowakischen Wäldern im Jahre 1959. Z. angew. Zool. 47 1960: 449–456 5 figs.

Turček, F. J. (2). Eichengallen als "Ersatznahrung" der Mäuse. Z. angew. Zool. 48:215-220 4 figs. [English summary.]

Turek, A. see Dobroruka.

Turnbull, W. D. A Lance didelphid molar. With comments on the problems of the Lance therians. Fieldiana Geol. 10 1960: 525-537 2 figs.

Turnbull, W. D. & Reed, C. A. Arctoryctes and some other Chaldronian vertebrate microfossils from Nebraska Fieldiana Geol. Chicago 14 1960: 41-57 6 figs.

Turner, H. N. & Koch, J. H. Studies on the sodium-potassium balance in erythrocytes of Australian Merino sheep. II. Observations on three Merino strains. Aust. J. biol. Sci. 14: 260-273 l fig. 7 tabs.

Turner, H. N. see Koch.

Tuzova, L. S. see Fateyev.

Twente, J. W. Environmental problems involving the hibernation of bats in Utah. Proc. Utah Acad. 37 1960: 67-71.

Twichell, J. B. see Buettner-Janusch.

Ueck, M. Abstammung und Rassebildung der vorkolumbianischen Haushunde in Südamerika. Z. Säugetierk. 26: 157–176 4 figs. 3 tabs. [English summary.]

Ulfstrand, S. On the vertebrate fauna of the Azores. Bol. Mus. Funchal 14: 75-86.

Ulmer, F. A. (1). Gestation period of the lion marmoset. J. Mammal. 42:253-254.

Ulmer, F. A. (2). The monkey in jungle, zoo and laboratory. America's First Zoo 13: 11-14 3 figs.

Uloth, W. (1). Zur Rindennahrung der Rötelmaus (Clethrionomys glareolus). Säugetierk. Mitt. 9:70.

Uloth, W. (2). Zur Ernährung des Fuchses (*Vulpes*)— Nutzen und Schaden. Säugetierk. Mitt. 9: 127–129 I tab. Uloth, W. (3). Erfolgreiche Kreuzung des Mufflons (Ovis ammon musimon) mit verwilderten Hausschafen (O. a. aries) des Mauna-Kea-Gebietes auf Hawaii. Sängetierk. Mitt. 9: 162-163 1 fig.

Umidon, M. Ricerche sulla morfologia e topografia delle anastomosi artero-venose del testicolo. Monit. zool. Ital. Suppl. 68 1960: 527-531 4 figs.

Uryson, M. I. New finds of Gigantopithecus osseous remains in China. Sovet. antrop. Mosk. 2 2 1958: 135-139 1 fig. [In Russian.]

Uspensky, S. I. Typical norms of cranial structure in man and monkeys as related to anthropogenesis. Vopros. antrop. Mosk. No. 4 1960: 34-61 10 figs. 6 tabs. [In Russian.]

Utrecht, W. van. Einige Notizen über Gewicht und Länge von Schweinswalen (*Phocaena phocaena*) aus der Nord- und Ostsee. Säugetierk. Mitt. 8 1960: 142–144 1 fig. 1 tab.

Uys, J. M. C. see Mitchell.

Vacek, Z., Hahn, P. & Koldovský, O. The effect of rearing infant rats at three environmental temperatures on the structure of some of their organs. J. Anat. Lond. 95: 210-219 4 pls.

[Vaitekunas, P. & Pashkevichus, I.] [Discovery of mammoth remains at Vilnius.] Byull. Kom. Izuch. Chetvert. Perioda 24 1960: 95-99 3 figs. [In Russian.]

Valdez, V. Echo sounder records of ultrasonic sounds made by killer whales and dolphins. Deep-Sea Res. 7: 289–290 4 figs.

Valentincie, S. Komparative Studie einiger Reproduktionserscheinungen beim Rotwild des Alpen- und Au-Gebietes. [Comparison of reproduction phenomena of red deer.] Meded. Inst. Toeg. biol. No. 50 1960: 188–197 10 tabs.

Vallois, H.-V. Que savons-nous vraiment du Yéti? Nature, Paris No. 3320 : 505-514 8 figs.

Valverde, J. A. (1). Aves del Sahara español (estudio ecologico del desierto). Segunda parte, cap. III. Mamíferos. Madrid (Instituto de Estudios Africanos) 1957, pp. 354–406 figs. 89–106 (also pp. 466–468).

Valverde, J. A. (2). Description du jeune bouquetin d'Espagne (Capra pyrenaica). Mammalia, Paris 25: 112-116 5 figs.

van Bruggen, A. C. More Cape lions discovered. Afr. Wild Life 15: 156.

van der Walt, K. see Barnard.

Van Deusen, H. M. (1). Yellow bat collected over South Atlantic. J. Mammal. 42: 530-531.

Van Deusen, H. M. (2). New Guinea record of the tube-nosed insectivorous bat, *Murina*. J. Mammal. 42: 531-533.

Van Deusen, H. M. & Stearns, E. I. Source of color in the fur of the green ring-tailed possum. J. Mammal. 42: 149-152 2 pls.

van Etten, R. C. see Ryel.

Van Gelder, R. G. & McLaughlin, C. A. An unusual incisor in *Mephitis mephitis*. J. Mammal. 42: 422-423, 1 pl.

Van Gelder, R. G. & Wingate, D. B. The taxonomy and status of bats in Bermuda. Amer. Mus. Novit. No. 2029: 1-9 4 figs. 1 tab.

van Valen, L. A functional index of hypeodonty. Evolution 14 1960: 531-532. Van Wagenen, G. see Hurme.

Varsharsky, S. N. see Krilova.

Vasiliu, G. D. Verzeichnis der Säugetiere Rumäniens. Säugetierk. Mitt. 9:56-68.

Vaughan, D. A. see Hannon.

Vaughan, T. A. (1). Vertebrates inhabiting pocket gopher burrows in Colorado. J. Mammal. 42:171-174.

Vaughan, T. A. (2). Cranial asymmetry in the pocket gopher. J. Mammal. 42: 412-413,

Vaughan, T. A. & Hansen, R. M. Activity rhythm of the plains pocket gopher. J. Mammal. 42: 541-543 1 fig. 1 tab.

Veggetti, A. The morphological development of the lachrymal ducts in foctuses of *Bos taurus*. Riv. Biol. **52** 1960: 293-322 32 figs. [Italian, English summary.]

[Vekna, A. K.] (1). [A hippopotamus from the Lower Pleistocene of Georgia.] Soob, Akad. Nauk Gruzinskoi SSR 23 1959: 561-566. [N.V.]

Vekua, A. K. (2). Early Quaternary Mammals from Akhalkalki (Southern Georgia). C.R. Acad. Sci. URSS (Earth Sciences) 127 1959: 408-410. [In Russian.] See also Translation 127 1-6 1960: 661-662.

Vekua, A. K. (3). A new species of fossil Horse from the Pleistocene of Akhalkalaki (South of Georgia). C.R. Acad. Sci. URSS (Earth Sciences) 132 6 1960: 1417-1420 3 figs. 2 tabs. [In Russian.] See also Translation 132 1-6 1961: 617-619 3 figs. 2 tabs.

Velich, R. Notes on mammals from Nebraska and southwestern Iowa. J. Mammal. 42: 92-94.

Venzo, S. Rilevamento geologico dell'Anfiteatro Morenico del Garda. Parte II : Tratto orientale Garda-Adige & Anfiteatro Atesino di Rivoli Veronese. Mem. Soc. ital. Sci. nat. 13 1 : 1-64 25 figs. 9 pls. map.

[Vereschagin, N. K.] (1). [Remains of Argali sheep Ovis cf. ammon Pall. in the bituminous deposits of the Apsheronsk Peninsula]. In [Location of Quaternary Fauna and Flora at Binagadinsk. 3.] Trud. Estest.-Istori. Mus. G. Zardabi, Akad. Nauk. Azerb. SSR No. 6 1953: 302–309 2 figs. 4 tabs. [In Russian.]

Vereshchagin, N. K. (2). A gigantic perissodactyl from the Miocene of the northern Caucasus. Palæont. Zh. No. 1 1960: 107-112 3 figs. [In Russian.]

[Vereshchagin, N. K.] (3). [Prevalence of dental decay in the Yakutian mammoth.] Byull. Kom. Izuch. Chetvert. Perioda 24 1960: 109-111 2 figs. [In Russian.]

[Vereshchagin, N. K.] (4). [International symposium on the methods of studying mammals.] Vestn. Akad. Nauk. USSR No. 12 1960: 88–89. [In Russian.]

Vereshchagin, N. K. (5). Outlook of breeding ondatra and nutria in nature in the Danube delta. Zool. Zh. 40: 1411-1414. [Russian, English summary.]

Verevkina, G. L. see Shirkova.

Verheyen, R. Sur la morphogenese et le remplacement des molaires chez l'élephant d'Afrique (*Loxodonta*). Bull Inst. roy. Sci. nat. Belg. 36 (49) 1960 : 1–18 5 figs. 6 g. a

Verheyen, W. N. Recherches anatomiques sur Micropolamogale ruvenzorii. 1. La morphologie externe, les viscères et l'organe génital mâle. pp. 3-16 6 figs. 2. La myologie de la tête, du cou et de la patte antérieure. pp. 1-27 11 figs. Bull. Soc. roy. Zool. Anvers No. 21.

Verheyen, W. N. see Rahm.

Verme, L. J. Late breeding in northern Michigan deer. J. Mammal. 42: 426-427.

Verts, B. J. (1). A device for anesthetizing skunks. J. Wildl. Mgmt. 24 1960: 335-336 3 figs.

Verts, B. J. (2). A convenient method of carrying and dispensing baits. J. Mammal. 42: 283.

Verts, B. J. & Barr, T. R. B. Apparent absence of rabies in Illinois shrews. J. Wildl. Mgmt. 24 1960: 438.

Vesey-Fitzgerald, D. F. Drought—how do wild animals survive. Wild Life, Nairobi 2 (4) 1960: 36–38 2 figs.

Vidal, N. Um Toxodon no Pleistoceno de Pernambuco. Bol. Mus. nac. Rio de J. Geol. 30 1959: 1-17 7 figs. [English summary.]

Vietinghoff-Riesch, A. Frhr. von. Der Siebenschläfer (Glis glis L.). Monogr. Wildsäugetiere 14 1960: i-vii 1-196 51 figs. 26 tabs.

Villa, B. The Mexican blood drinkers. Nat. Hist. N.Y. 70 7:62-63, illustr.

Villa R., B. (1). Combate contra los coyotes y los lobos en el norte de Mexico. An. Inst. Biol. Univ. Mex. 31: 463-499 14 figs.

Villa B., B. (2). Dr. Angel Cabrera. An. Inst. Biol. Univ. Mex. 31: 511-512.

Villa R., B. & Jimenez G., A. Acerca de la posicion taxonomica de *Mormoops megalophylla senicula* Rehn, y la presencia de virus rabico en estos murcielagos insectivoros. An. Inst. Biol. Univ. Mex. 31:501-509, 1 fig. 3 tabs.

Vilyamovskaya, M. I. Comparative characteristic of the volar and planter dermatoglyphics of the man, apes and monkeys. Sovet. antrop. Mosk. 2 2 1958: 123-133 3 figs. [In Russian.]

Vinson, J. W. see Jellison.

Viret, J. Catalogue critique de la faune des mammifères Miocènes de la Grive Saint-Alban (Isère). Nouv. Arch. Mus. Hist. nat. Lyon. No. 6 : 53–81 l pl.

Viret, J. & Battetta, J. Sur un crâne de Tetralophodon grandincisivus de Turquie. Nouv. Arch. Mus. Hist. nat. Lyon No. 6: 7–13 2 pls.

Virveldyr, A. Norske dyrenavn med tilhørende latinske navn. Fauna, Oslo 14 Bilag: 1–57. [Mammals pp. 42–46.]

Vlastovsky, W. G. (1). Some regularities of the variability of the long bones in the human and animal skeleton. Sovet. antrop. Mosk. 2 1 1958: 3-16 3 figs. 4 tabs. [In Russian.]

Vlastovsky, W. G. (2). Comparative analysis of correlations based on the long bones of man and animals. Sovet. antrop. Mosk. 2 2 1958: 3–19 1 fig. 7 tabs. [In Russian.]

Vlček, A. see Cook.

Vogel, C. (1). Zur systematischen Untergliederung der Gattung Gorilla anhand von Untersuchungen der Mandibel. Z. Säugetierk. 26:65-76 8 figs. 5 tabs. [English summary.]

Vogel, C. (2). Über den phylogenetischen Wert von Mandibelmerkmalen bei höheren Primaten. Z. morph. anthrop. 51: 275–288 7 figs. (5 on pl.) 2 tabs. [English summary.]

Vogl, R. J. see Beals.

Vokúč, Z. Paracrystalline hæmoglobin as a species difference between *Rattus norvegicus* and *Rattus rattus*. Nature, Lond. 190: 641-642 2 figs.

Voino, M. S. A comparison of the form of human and ape brains by measurement and contour drawing. Sovet. antrop. Mosk. 2 4 1958: 51-63 4 figs. [In Russian.]

Volt, J. [Ed.]. Pedigree book of the Przewalski horse. Prague. [Published by Prague Zoological Garden.] Unpaginated 14 photos.

Voronov, A. G. & Kozhevnikova, R. K. On the study of Ochotona pusilla nutrition. Byull. Mosk. Obshch. Isp. Prir. Otd. Biol. 66 (2): 26-32 5 tabs. [Russian, English summary.]

Vorontsov, N. N. (1). Species of Palæarctic hamsters (Cricetime, Rodentia) in status nascendi. Dokl. Akad. Nauk. SSSR (Trans.) Biol. Sci. 132 1960: 491-493 4 figs. 1 tab. [Russian original pp. 1448-1451.]

Vorontsov, N. N. (2). Tempo of evolution in hamsters (Cricetinæ) and some factors determining its rate. Dokl. Akad. Nauk. SSSR (Transl.) Biol. Sci. 133: 639-642 1 fig. 1 tab. [Russian original 1960 p. 980.]

Vorontsov, N. N. (3). Ecological and some morphological peculiarities of red-backed voles (*Clethrionomys* Tilesius) of the European North East. Trud. zool. Inst. Akad. Nauk. SSSR **29**: 101-136 25 figs. 13 tabs. [In Russian.]

Vorren, Ø. The reindeer industry. Tromsø Mus. Skr. 8 1960: 172-190 6 figs.

Wada, J. A. Modification of cortically induced responses in brain stem by shift of attention in monkeys. Science 133: 40-42 1 fig.

Wada, K. Studies on the changes in some characters of Japanese macaque during post-natal development.

1-II. Changes in cranial characters. Zool. Mag. Tokyo 69 1960: 299–308 13 figs. [Japanese, English summary.]

Waite, C. B. & Hawley, R. G. [Distribution of badger setts on the south side of Sheffield.] In Linton, D. L. [Ed.]. Sheffield and its region 1956: 320 (Appendix pt. 4).

Wakefield, N. (1). Recent mammal bones in the Buchan district. Vict. Nat. Melb. 77 1960: 227-240 4 figs. 1 tab.

Wakefield, N. (2). Victoria's rock-wallabies. Vict. Nat. Melb. 77: 322-332 7 figs. 1 pl.

Wakefield, N. see George.

Walker, B. E. The association of mucopoly-saccharides with morphogenesis of the palate and other structures in mouse embryos. J. Embryol. exp. Morph. 9: 22-31 4 pls. 2 tabs.

Wallace, M. E. Affinity: evidence from crossing inbred lines of mice. Heredity 16: 1-23 8 tabs.

Wallin, L. Territorialism on the hunting ground of Myotis daubentoni. Säugetierk. Mitt. 9:156-159 1 fig.

Walther, F. Zum Kampfverhalten des Gerenuk (Litocranius walleri). Nat. u. Volk 91: 313-321 7 figs.

Walvius, M. R. A discussion of the size of recent red deer (Cervus elaphus L.) compared with prehistoric specimens. Beaufortia, Amsterdam 9:75-82.

Wang, T. The occurrence of Stegodon and Merck's rhinoceros near Taiyuan, Shansi. Vertebrata Palasiatica 1961: 160-163 l pl. [In Chinese.]

Ward, A. L. Mountain pocket gopher food habits in Colorado. J. Wildl. Mgmt. 24 1960: 89-92 3 figs.

Warner, L. & Brown, M. C. Techniques for studying microcirculation in the eye. Anat. Rec. 138 1960: 399-415 3 pls.

Wasilewski, W. (1). Angaben zur Biologie und Morphologie der Kurzohrmaus, *Pitymys subterraneus* (de Sélys Longchamps 1835). Acta Theriologica. 4 1960: 185–247 10 figs. 14 tabs.

Wasilewski, W. (2). Relicts of a woolly rhinoceros Coelodonta antiquitatis (Blum.) in the Pleistocene deposits of Bychawa near Lublin. Kwart. Geol. 4: 539-544 2 figs. 1 pl. [Polish, English summary.]

Wassif, K. (1). Further observations on Gerbillus simoni Lataste from the Egyptian Province (U.A.R.), Bull. Zool. Soc. Egypt. 15 1960: 29-31 1 fig.

Wassif, K. (2). Studies on the osteology of Egyptian jerboas. Bull. Zool. Soc. Egypt 15 1960: 71–92 15 figs. 2 pls.

Waters, J. H. Clethrionomys and Peromyscus in southeastern Massachusetts. J. Mammal. 42: 263–265 1 fig. 1 tab.

Waters, J. H. & Ray, C. E. Former range of the sea mink. J. Mammal. 42: 380-383 1 fig.

Watson, G. E. Behavioral and ecological notes on Spalax leucodon. J. Mammal. 42: 359-365.

Watson, H. C. see Edmundson.

Watson, J. S. Feral rabbit populations on Pacific Islands. Pacif. Sci. 15: 591-593.

Wauer, R. H. Peculiar actions of coyote and kit fox. J. Mammal. 42:109.

Wayne, W. J. (1). The Darrow mastodon. Proc. Ind. Acad. Sci. 69 1960: 182.

Wayne, W. J. (2). Range extension of the Allegheny woodrat (*Neotoma magister*) in Indiana. Proc. Ind. Acad. Sci. 69 1960: 311.

Weaver, L. A. & Michels, K. M. Methodical factors affecting the formation of learning sets by rats. Anim. Behav. 9:4-7 2 figs. 1 pl. 2 tabs.

Webb, S. D. The first American record of Lantanotherium Filhol. J. Paleont. 35: 1085-1087 1 fig.

Webb, W. I. Forest wildlife management in Germany. J. Wildlife Mgmt. 24 1960: 147–161.

Webster, C. G. see Llewellyn.

Węgrzyn, M. & Serwatka, S. Ligamentum sacrotuberale latum bei *Bison bonasus* (Linnæus 1758) und *Bos taurus* (Linnæus 1758). Acta Theriologica 5: 73-97 6 figs.

Weidenbacher, G. H. see Wilber.

Weigel, I. Das Fellmuster der wildlebenden Katzenarten und der Hauskatze in vergleichender und stammesgeschichtlicher Hinsicht. Säugetierk. Mitt. 9, Sonderheft: 1–120 27 figs.

Weill, J. D., Mandel, P. & Kayser, C. Etude quantitative des acides nucléiques de qualques tissus chez la marmotte au cours du sommeil hibernal et durant l'état de veille de l-été. Bull. Soc. Chim. biol. 39 1967: 1395—1407. [English summary.]

Wiener, A. S. & Gordon, E. B. (1). The blood groups of chimpanzees: the Rh-Hr (CDE'cde) blood types. Amer. J. phys. anthrop. 19: 35-43 3 tabs.

f

Wiener, A. S. & Gordon, E. B. (2). The blood groups of chimpanzees. A-B-O groups and M-N types. Amer. J. phys. anthrop. 18 1960: 301-311 4 tabs.

Weiner, J. S. The East African fossil men. New Scient. 9: 534-536 5 figs.

Weir, J. A. Sex ratio related to sperm source in mice. J. Hered. 49 1960: 223-227 1 fig.

Weiskrants, L. & Cowey, A. A device for measuring food motivation in the monkey. Anim. Behav. 9: 1-3 2 figs.

Weiskrantz, L. see Lovell.

Weitzman, E. D., Ross, G. S., Hodos, W. & Galambos, R. Behavioral method for study of pain in the monkey. Science 133: 37-38 1 fig.

Welch, R. M., Hanly, E. W. & Guest, W. The deoxyribonucleic acid (DNA) deviations in the semen spermatozoa of bulls of unknown fertility under two years of age and its relationship to motility, count and morphology. J. Morph. 108: 145-163 3 tabs.

Wells, L. H. (1). "Human", "Hominine" "Hominid". Man 59 1959: 30-31.

Wells, L. H. (2). Mammalian remains from late Stone Age sites in the George-Knysna area. S. Afr. J. Sci. 56 1960; 306.

Wells, W. W. see Krutzsch.

Wendt, H. Auf Noahs Spuren. Hamm, Westfalia (G. Grote) 1956, pp. i-viii, 1-574, 63 pls. text illustr.

Wernert, P. see Bouchud.

Whalen, R. E. Strain differences in sexual behaviour of the male rat. Behaviour 18: 199-204 1 tab.

Wheat, J. D. Harelip in shorthorn cattle. J. Hered. 51 1960: 99-101 3 figs.

White, J. A. & Downs, T. A new Geomys from the Vallecito Creek Pleistocene of California. Contr. Sci. Los Angeles No. 42: 1-34 17 figs. 8 tabs.

White, K. L. Notes on use of Clover one-shot deer marker. J. Wildl. Mgmt. 24 1960: 102.

White, K. L. see Taber.

White, R. W. Some foods of the white-tailed deer in southern Arizona. J. Wildl. Mgmt. 25: 404-409, 4 tabs.

Whitehead, G. K. Saving the steinbock from extinction. Meded. Inst. Toeg. biol. No. 50 1960: 198–200 1 fig.

Whitmore, F. C. Fossil mammals from Ishigaki-Shima, Ryūkyū-Rettō. Prof. Pap. US geol. Surv. 400B 1960: B372-B374.

Wick, W. Q. & Penttila, H. E. Beaver litter of seven from Skagit County, Washington. Murrelet 38 1957: 7.

Wieckowska, W. & Kruszewski, St. Pancreatography in dog. Folia Morph. Warszawa 11 1960: 323-329 6 figs. [Polish, English summary.]

Wiegert, R. G. Nest construction and oxygen consumption of Condylura. J. Mammal. 42: 528-529.

Wight, H. M. & Conaway, C. H. Weather influences on the onset of breeding in Missouri cottontails. J. Wildl. Mgmt. 25: 87-89 2 figs.

Wight, M. Talking of Welsh wolves. Gamekeeper 64: 282 1 fig.

Wijngaarden, A. van (1). The population dynamics of four confined populations of the Continental vole Microtus arvalis (Pallas). R.I.V.O.N. Meded No. 84 [also Versl. Landbouwkundige Onderzoekingen No. 66 22] 1960: 1-28 8 figs. 4 tabs.

Wijngaarden, A. van (2). De Nederlandse knaagdieren (Rodentia). Wet. Meded. ned. Naturh. Ver. No. 40: 1-31 figs. [English summary.]

Wijngaarden, A. van (3). A wild raccoon, Procyon lotor (L.), trapped in the Netherlands. Natuur. Maandbl. 50 5-6: 54-55 [also R.I.V.O.N. Meded. No. 96]. [Dutch, English summary.]

Witngaarden, A. van & Lensink, B. M. De verspreiding van der zoogdieren in de Zuidelijke Ijsselmeerpolders in 1957. Versl. en Meded. Plantenz. k. Dienst, No. 134, 1959: 162–169 2 figs. 1 map 2 tabs. [English summary.]

Wilber, C. G. & Weidenbacher, G. H. Swimming capacity of some wild mammals. J. Mammal. 42: 428-429 1 tab.

Wilde, J. de & Nieuwenhoven, P. J. van. Waarnemingen betreffende de winterslaap van vleermuizen. Pub. naturh. Genootsch. Limburg No. 7 1955: 51-82 31 figs. 3 tabs. [English summary.]

Wilke, F. Fat content of fur-seal milk. Murrelet 39 1958: 40.

Wilke, F. & Fiscus, C. H. Gray whale observations. J. Mammal. 42: 108-109.

Wilkinson, H. E. The rediscovery of Leadbeater's possum, Gymnobelideus leadbeateri McCoy. Vict. Nat. Melb. 78: 97-102 3 figs.

Wilks, B. J. & Laughlin, H. E. Roadrunner preys on a bat. J. Mammal. 42:98.

Wilks, B. J. see Raun.

[Willan, R. G. M.] Ufiti—Nyasaland's 'mystery' animal—is an ordinary chimp. Wild Life Nairobi 3 (3): 21-23 2 figs.

Williams, E. H. Ajai's Island. Wild Life & Sport 2 (2): 33-37.

Williamson, G. R. (1). Two kinds of minke whale in the Antarctic. Norsk Hvalfangsttid. 50: 133-1414 figs. 3 tabs.

Williamson, G. R. (2). Winter sighting of a humpback suckling its calf on the Grand Bank of Newfoundland. Norsk Hvalfangsttid. 50: 335–341 2 figs.

Wilson, E. J. Ultra-violet lamps and rodent control. Parasitica 16 1960: 119-125 2 tabs.

Wilson, J. A. Miocene carnivores, Texas coastal plain. J. Paleont. 34 1960: 983-1000 9 figs. 3 tabs.

Wilson, R. W. Early Miocene rodents and insectivores from northeastern Colorado. Paleont. Contr. Univ. Kansas Vert. 7 1960: 1-92 131 figs. tabs.

Wilsson, L. [Beavers on the River Faxalven and its tributaries.] Zool. Revy 22 (2) 1960: 2-16 6 figs.

Wimsatt, W. A. Some problems of reproduction in relation to hibernation in bats. Bull. Mus. comp. Zool. Harv. 124 1960: 249–269 2 figs. 1 pl. 1 tab.

Wimsatt, W. A. & Guerriere, A. Care and maintenance of the common vampire in captivity. J. Mammal. 42: 449-455 1 fig. 1 pl.

Wingate, D. B. see Van Gelder.

Winston, H. see Lindzey.

Witter, J. F. see O'Meara.

Wodzieki, K. Ecology and management of introduced ungulates in New Zealand. Terre et la Vie 108: 130-157 8 figs. 1 tab.

Wójcik, Z. Observations on the fluctuations in body weight and on the course of the sexual cycle in three successive generations of mouse females. Zool. Polon. 10 1959-1969 [1961]: 309-324 4 figs.

Wolfe, C. W. see Long.

Wolfe, H. G. (1). Blood-pH differences in two inbred strains of mice. J. Hered. 50 1959: 155-158 2 tabs.

Wolfe, H. G. (2). Selection for blood p-H in the house mouse. Genetics 46: 55-75 4 figs. 7 tabs.

Woliński, Z. see Kowalska.

Woliński, Z. see Taworski.

Wolodiko, N. Zur Innervation des Ductus thoracicus der Katze. Anat. Anz. 109: 201-216 15 figs.

Won, P-O. & Woo, H-C. On the roof-rat of Dagelet Island. J. appl. Zool., Seoul 3 1960: 49-52 5 tabs. [Japanese, English summary.]

Wong, B. Y-S. see Buettner-Janusch.

Woo, H-C. see Won.

Woo, J-K. (1). Fossil human skull from Tzeyang District, Szechuan Province. In Pei, W. C. & Woo, J-K. Tzeyang Paleolithic man. Mem. Inst. Vert. Pal. Acad. Sinica 1 1957: 13-49 1 fig. 4 pls. 6 tabs. [Chinese & English.]

Woo, J-K. (2). Summary. In Pei, W-C. & Woo, J-K. Tzeyang Paleolithic man. Mem. Inst. Vert. Pal. Acad. Sinica 1 1957: 69-71. [Chinese & English.]

Woo, J.K. see Pei.

Wood, A. E. see Burt.

Wood, A. J., Nordan, H. C. & Cowan, I. McT. The care and management of wild ungulates for experimental purposes. J. Wildl. Mgmt. 25: 295-302 8 figs. 2 tabs.

Wood, A. J. see Miller.

Wood, H. E. Planiceps Scott & Osborn, 1887 (Hyracodon): proposed suppression under the Plenary Powers as a nomen dubium (Mammalia). Bull. zool. Nomencl. 18: 208.

Woodburne, M. O. Upper Pliocene geology and vertebrate paleontology of part of the Meade Basin, Kansas. Pap. Mich. Acad. Sci. 46: 61-94 4 figs. 4 pls. 5 tabs.

Woodgerd, W. see Craighead.

Woods, J. T. The genera Propleopus and Hypsiprymnodon and their position in the Macropodidse. Mem. Qd. Mus. 13 1960: 199-212 4 figs. 2 tabs.

Woolley, P. see Shield.

Wright, B. S. (1). Predation on big game in East Africa. J. Wildl. Mgmt. 24 1960: 1-15 7 tabs.

Wright, B. S. (2). The latest specimen of the eastern puma. J. Mammal. 42: 278-279 1 pl.

Weight R. V. S. Hominid nomendature. Man 59

Wright, R. V. S. Hominid nomenclature. Man 59 1959: 217.

Wright, S. The genetics of vital characters of the guinea pig. J. cell. comp. Physiol. 56 Suppl. 1 1960: 123-151 7 figs. 12 tabs.

Wu, X.Z. The discovery of Zinjanthropus in Africa. Vertebrata Palasiatica 1961: 168-171 1 fig. [Chinese, English summary.]

Wunder, C. C. Altered growth of animals after continual centrifugation. Proc. Iowa Acad. Sci. 67 1960: 488-494 6 figs.

Wunder, C. C. see Briney.

Wüstehube, C. Beiträge zur Kenntnis besonders des Spiel-und Beuteverhaltens einheimischer Musteliden. Z. Tierpsychol. 17 1960: 578–613 28 figs. 9 tabs. [English summary.]

Yablokov, A. V. Some features of the urogenital system in cetaceans. Byull. Mosk. Obshch. Isp. Prir. Otd. Biol. 66 (2): 33-38 4 figs. [Russian, English summary.]

Yablokov, A. V. see Jablokov.

Yakimov, V. P. The discovery of the bone remains of a new representative of the Australopithecine in East Africa. Vopros, antrop. Mosk. No. 4 1960: 151-153 3 figs. [In Russian.]

Yamada, H. see Lillie.

Yamada, K. Histochemical studies on epithelical lipid in the gallbladder of the mouse. Okajimas Folia Anat. Jap. 36 1960: 233-241 l fig. l pl.

Yang, H-C. see Nishiwaki.

Yasuda, K., Aoki, T. & Montagna, W. The skin of primates. IV. The skin of the lesser bushbaby (Galago senegalensis). Amer. J. phys. anthrop. 19: 23-33 3 pls.

Yasuda, K. see Montagna.

Yazan, Yu P. Action of air temperature on the activity of elks during their autumnal-winter migration. Zool. Zh. 40: 469-471 3 figs. 1 tab. [Russian, English summary.]

Yen, Y. see Lin.

Yoakum, J. Recent chinchilla release in Oregon. Murrelet 40 1959: 19-20.

Yocom, C. F., Stumpf, W. A. & Perkins, K. M. Status of beaver formerly introduced into the Mad River and river otter in northwestern California. Murrelet 37 1956: 18-19.

Yoon, C. H. (1). Waddler, a new mutation, and its interaction with quivering. J. Hered. 50 1960: 238-244 4 figs.

Yoon, C. H. (2). Genetic and non-genetic factors affecting the quivering condition in mice. Amer. Nat. 94 1960; 435-440 3 figs.

Youatt, W. G. see Erickson.

Young, F. A. see Rubadeau.

Young, R. W. see Moss.

Young, S. Big game exclosures in wildlife management in Utah. Proc. Utah Acad. Sci. 32 1955: 65-69.

Zabinski, J. A propos du bison d'Europe. Terre et la Vie 108: 113-115.

Zalkin, V. I. The mammals of the Oka river basin and of the Upper Volga at the beginning of the present era. Biull. Mosk. Obshch. Isp. Prir. Otd. Biol. 66 1: 23-29 4 figs. 9 tabs. [Russian, English summary.]

Zapte, H. Ein Primatenfund aus der miozänen Molasse von Oberösterreich. Z. Morph. Anthrop. 51: 247-267 4 figs. 2 tabs. [English summary.]

Zaphiro, D. R. P. & Talbot, L. M. The use of light aircraft in East African wild life research and game management. Oryx 6: 190-199.

Zarrow, M. X. see Ross.

Zarzycki, J. & Czechowicz, K. Histogenesis of os priapi in dog. Folia morph. Warsz. 20: 19-25 4 pls. [Polish, English summary.]

Zasukhin, D. N. see Shevkunova.

P R fo bi A K

m Si Si C re prole B

(2

Zawistowski, S. see Lojda.

Zei, M. M. see Erasmo.

Zeller, F. "Schnurzel", ein Reisenotter. Kosmos, Stuttgart 57: 457-461 3 figs.

Zemsky, V. A. About life duration of finwhales and the periodics of their fecundity. Trud. Sovesh. Ichtiol. Kom. No. 12: 60-67 4 tabs. [In Russian.]

Zenker, W. & Salzer, G. M. Die Histologie des chievitz'schen Organs. Acta anat. 44: 286–321 18 figs. [English summary.]

Zenkovitch, B. A. Observations of the marine mammals and some other animals in Arctica expedition of the USSR Academy of Sciences (1957–1958). Trud. Sovesh. Ikhtiol. Kom. No. 12: 23–24. [In Russian.]

Zhou, H. X. Geomorphology and Quaternary Geology in the vicinity of the Gigantopithecus-cave of Kwangsi. Paleovertebrata et Paleoanthropologia 2 (1) 1960: 69-73. [In Chinese] [N.V.]

Ziegler, A. C. Occurrence of os clitoridis in *Microtus*. J. Mammal. 42: 101-103 1 fig.

Zimina, R. P. & Merkova, M. A. The ecology of Sicista tianschanica Salen. in the northern Tian Shan. Mater. Poznan Faun. Flor. SSSR, N.S. (Zool.) 38 1960: 183-207 1 fig. 11 tabs. [Russian, English summary.]

Zimmermann, K. see Matthey.

Zimmermann, W. Untersuchungen am Hauskaninchen III. Die Wasserstoffionenkonzentration im weiblichen Genitaltrakt und in der Keimblase vor, während und nach der Nidation. Verh. dtsch. zool. Ges. 1960 (1961): 143-149 4 figs.

Zimny, M. L. Phosphates as related to intermediary metabolism in hibernators. Bull. Mus. comp. Zool. Harv. 124 1960: 457-473 3 figs.

Zimny, M. L. & Bourgeois, C. Histochemical localization of some enzymes in the kidney of a hibernator. J. cell. comp. Physiol. 56 1960: 93–101 2 figs. 2 pls.

Živančevic, V. Abstammung und Rolle der Jagdtrophaen. Pos. Izd. Mus. Hist. nat. Belgr. No. 26 1959: 1-58 22 figs. [Slav, German summary.]

[Zolinkov, V. G.] [A new skeleton of Mammonteus primigenius (Bl.) from Megino-Kangalassk, Yakut ASSR.] Byull. Kom. Tzuch. Chetvert. Perioda 24 1960: 104-109 2 figs. 2 tabs. [In Russian.]

Zubko, Ya. P. & Ostryakov, S. I. On the reproduction of Ellobius talpinus Pallas in the south of the Ukraine. Zool. Zh. 40: 1577-1579 2 tabs. [Russian, English summary.]

Zukowsky, L. Der Geweihabwurf von Cervus (Dama) mesopotamicus in der Hagenbeckschen Trophäensammlung. Säugetierk. Mitt. 9:69.

II.—SUBJECT INDEX

GENERAL LITERATURE AND HISTORY

Text Books and General Works.—Account of mammal history and myths, Wendt; Evolution of mammals, Thenius & Hofer; Textbook of palaeontology, Piveteau (2); Physiology of hibernation, Kayser (3); Mammalian egg, Austin (2); Handbook of primatology, Hofer & ethers;

Study of Manis, Mohr (2); Detailed study of rat and mouse as laboratory animals, Hagemann & Schmidt; Detailed monograph of Russian † Hipparion, Gabuniya (1); History of horse, Koch; Supplement to Dictionary of Livestock Breeds, Mason, I. L.; Ungulates of the U.S.S.R., Heptner & others; Fossil oxen of the Old World, Burchak-Abramovich (7).

Faunal Works and Zoogeography.—Faunal relations between Europe and N. America discussed, Kowalski (6); General account of British native and introduced mammals, Street; Guide to British Caenozoic fossils, Anon (4); Mammals of New Forest, Hook (1); Account of Netherlands rodents, Wijngaarden (2); Characters, diagnoses of C. European mammals, Gaffrey (3); Small mammals of Bohemia, Hanák & Figala; Notes on Austrian mammals, Niethammer; Faunal list, distributions for Roumania, Vasiliu; List of Norwegian mammals, Virveldyr; Zoogeographical map of U.S.S.R., Anon (9); Fauna of U.S.S.R., Bobrinskii; Zoogeography Kazakhstan, Afanaslev; Caenozoic fauna of Kazakhstan, Nikiforova; Coloured illustrations of mammals of Japan, with descriptive text, Imaizumi; Post Pleistocene faunal succession in W. Australian caves, Lundelius; Cenozoic fauna of S. Australia, Stirton and others; Status, distribution of central Australian mammals, Finlayson (2); Mammals of Morocco, Brosset (1); Mammals of Sahara, Valverde (1); Mammals of Niokolo-Koba Park, French West Africa, Dekeyser (1); Introduction to small mammals of West Africa, Booth; Mammals of Ivory Coast, Rahm (5); Checklist of Nyasaland mammals, Sweeney; Detailed account of Rhodesian mammals, Astley Maberley; Pleistocene microfauna of Transvaal, Graff (1); Supplementary checklist for Kruger National Park, de V. Pienaar (2); Checklist of Bredaskorp and Swellendam districts, Cape Province, Bateman, J. A.; Mammals of Canada, Cameron; Mammals of Kluane Game Sanctuary, Yukon Territory, Banfeld (2); Mammals of Ungava Peningula, Harper; Eocene fauna of northwest Colorado, McKenna; Guide to Texas fossils, Matthews; Guide to Florida fossil fauna, Olsen (2); Fauna of Baja California analysed, Orr; Marine fauna of Baja California coast, Hubbs; Faunal effect of new Mexican volcanos, Burt (2); List, descriptions, keys to mammals of Netherlands Antilles, Husson; Mammals of El Salvador, Burt & Stirton; Catalogue of Peruvian mammals, Soukup; Key to families of Peruvian bats, Bendezú; Biographical regions of Chile, Mann, F. (1); Key to German and Austrian bats, Eisentraut (1); Bats of Trinidad and Tobago checklisted, Greenhall; Bats of Trinidad and Tobago, Goodwin & Greenhall; Game animals of Roumania, Almasan & others.

History.—Story of †Australopithecus, Dart & Craig; Taxidea in pioneer Missouri, McKinley (1); History of whaling, Johnsen; History of discovery of okapi, Smit; Wapiti in pioneer Missouri, McKinley (2); William Harvey on the mating of red deer, Egerton.

Mythology.—Remarks on unknown and mythical mammals, Dekeyser & Derivot (1); Account of mammal legends and myths, Wendt; African animal superstitions, Ochara.

Obituaries.—Edouard Bourdelle, Frechkop (2); Angel Cabrera, Villa R. (2); G. O. Hendrickson, Madson & Kozicky; L. M. Llewellyn, Lindzey; K. Toldt, Kahler; A. S. Vernay, Mjorrisj, R. C.; B. S. Vinogradov, Novikov; Vivienne Goschen-von Wattenwyl, Kuenzi.

Bibliography.—Bibliography of fossil vertebrates, 1949-1953, Camp & Allison; Bibliography of Philippine animal industry, Mensalves; Supplementary note to Moebes, W. K. G., Bibliographie des kaninchens, Moebes;

Publications of B. S. Vinogradov, Novikov; Index to Russian rodent literature, Shekhanov; Reference sources for marine mammalogy, Oppenheimer; Summary of bat banding literature, Roer; Bibliography of Ruy d' Andrades, Schäfer; Bibliography of B. Dybowski, Kowalska & Miklaszewska-Mroczkowska.

Taxonomy and Classification.—Classification of primates, Remane (2); Remarks on primate taxonomy, Santiago Genovés; Remarks on primate taxonomy, Straus; Classification of hominids, Robinson, J. T. (2); Classification of Ursidae and Equidae, Taibel; Detailed review of Felidae, Weigel; Systematic problems of pinniped classification, Chapsky (1); Classification of recent and fossil horses, Trumler (2); Typical and lectotypical specimens of Canadian mammals in the British Museum (Natural History), Banfield; Allometric methods and mammalian systematics, Frick (2); Value of allometric studies in rodent systematics, Huckinghaus (2); Allometric methods and mammalian systematics, Rochrs (1).

Nomenclature.—International Code of Zoological Nomenclature, Stoll; Nomenclature of eartain whales, Hershkovitz (2); Proposed suppression of Hydracodon planiceps Scott and Osborn, 1887, Wood.

Museums and Collections.—Historical and type specimens of Canadian mammals in the British Museum (Natural History), Banfield (1); Catalogue of type and figured specimens in Commonwealth Palaeontological Collection, Canberra, Crespin; Catalogue of type specimens of fossils in Japan, Hanzawa & others: Known specimens of Przewalski horse, Volf; Animal anatomy department, Central School of Agriculture, Warsaw, Krysiak.

Zoological Gardens.—Early origins of zoological gardens, Hill, C. A. (1); List of mammals in Anvers Zoo, 1843–1960, Gijzen (1); Pedigree book of Przewalski horse, Volf.

Congresses and Symposia.—Brussels international colloquium on evolution of lower mammals, Petter (2); Brno symposium on mammal study, Saint Girons (1); Polish Congress of International Union for Nature Conservation, Dorst (2).

Vernacular Names,—Vernacular names for European mammals in all European languages, Mohr (1); Aboriginal names for Australian mammals, Lindgren; Aboriginal and vernacular names for central Australian mammals, Finlayson (2); Vernacular names of Nyasaland mammals, Sweeney; Local names for Brazilian mammals, Carvalho (1).

STRUCTURE

General.—Paleohistology of Pleistocene relics from Czechoslovakia, Jerman; External morphology of Micropotomogale, Verheyen, W. N.; Laryngeal structure of Hemiechinus, Sharma & Verma; Morphological factors regulating bat flight, Strusaker; Structure of lemurid hand, Jouffroy & Lessertisseur; Position of thoracic organs in macaque, Naruse; Functional anatomy of Arvicola, Heráü; Anatomy of Apodemus, Popescu; Morphological comparison of Peromyscus species, Tamsitt (3); Non-genetic morphological variant in mouse, Strong & Roman; Morphohistological changes in mice from a coal mine, Baran-Kubik (2); Anatomy of Gis, Vietinghoff-Riesch; Forelimb of seals, Backhouse; Morphology of Cystophora, Popov; Caudal appendages in Cervus, Hofmann.

Integumentary and Epidermal Structures.—Incorporation of cystine into wool, Downes; Hair pigments in green ring-tailed possum, Van Deusen & Stearns; External morphology of primate, Gladkova Vilyamovskaya; Skin of Nychicebus, Montagna & others (1); Skin of Lemur, Montagna & others (2); Skin of Galago, Yasuda & others; Notes on simian hand crease, Sarkar; Hair morphology of "wuzzy" mutation in rabbit, Crary & Sawin; Epidermal-dermal junction in mouse, Okazoe & Amemiya (1); Pigment formation in mouse pelage, Otiashi; Dermal excrescences in Eubalaena, Sokolov, V. E. (1); Skin of sheep, Lyne.

Osteology, General.—Morphology and position of mandibular condyles, Barbosa Sueiro & Gomes-Ferreira; Long bones of Pleistocene mammals of Azerbaidjan, Burchak-Abramovich (3); Injuries to bones of Pleistocene predators of Azerbaidjan, Burchak-Abramovich (4); Temporal bone in mammals, Delattre & Fenart; Skeletal key to U.S.S.R. mammals, Gromova (5); Laminated bone structure in marine mammals, Laws (5); Classification of vertebral shape-variants, Martin (1) Sesamoid bones of autopodia of insectivores and rodents. Romankowowa (2): Shoulder girdle of multituberculates, McKenna; Vertebral adaptations for rolling in Paraechinus, Gupta; Sesamoid bones in certain Microchiroptera, Romankowowa (1); Osteology of Miniopterus, Barbu; Split-lines on primate skeletal bones, Belova & Khrisanfora (2); Structure of primate hand, Napier; Vertebral column and thorax of primates, Schultz; Length and inclination of primate cervical spinous processes, Toerien; Angle of pelvic torsion in primates, Chopra; Humerus of Lemur, Jouffroy (1); Osteology of lemurid hand, Jouffrey & Lessertisseur; Histological properties of stressed Cercopithecus bones, Dreyer; Limb bones of † Dolichopithecus, Gabis; Skeleton Dreyer; Limb Dones of \(\frac{1}{Doiscnoptinecus}\), wabil; Skeleton of adolescent mountain gorilla, Hall-Craggs; Skeleton of \(\frac{7}{Planops}\), Hoffstetter; Pelvic asymmetry in Polish Lepus, Bujaiska; Osteology of \(\frac{7}{M}\) logaulus, Fagan; Entepicondylar foramen in Peromyscus, Manville (1); Occurrence of os clitoridis in Microtus, Ziegler; Shrinkage of Ondatra skulls during and after cleaning, Alexander; Osteology of Apodemus, Popeson; Osteology of Jaculus, Allactaga, Wassif (2); Limb osteology in carnivores, Ginsburg (3); Skeletal proportions in European mustelids, Ondrias (1); Osteology of front limbs of European mustelids, Ondrias (4); Osteology of Monachus schauinslandi, King & Harrison; Skull of Cystophora, Popov; Notes on odobenid and otariid humeri, Mitchell, E. D. Lumbar skeleton of Equus przewalskii, Frechkop (1); Numerical variation in Przewalski horse vertebrae, Stetcher; Rangifer antler pedicals as age guide, Banfield (3); Amount of bone marrow in reindeer, Korzhuev & Nikol'skaya; Height of thoracic vertebral processes in Bison bonasus, Roskosz & Empel.

Osteology: Skull.—Structure and form of mammal skull, Hofer; Functional approach to craniology, Moss & Young; Cranial analogies between mammals and birds, Muller; Incidence, variability of Wormian bones, Pucek (1); Bony prominences on equid mandible and maxilla and their relation to dentition, Simic & Jankovic; Cranial peculiarities of Didelphys, Macrotis, Prassd (1); Tabular bone of insectivores, Sharma; Craniometry of Polish Sorex, Neomys, Buchalczyk & Raczynski; Cranial peculiarities of Erinaceus, Prakash & Prassd; Craniology of Polish mole, Swiecimski; Cranial structure of Epomophorus, Tadarida, Simonetta (2); Diagnostic characters of mandibles of recent and fossil primates evaluated, Vogel (2); Skull split-lines of primates, Belova &

Khrisantova (1); Cranial anatomy of †Necrolemur, Simons & Russell; Cranial changes during macaque post-natal development, Wada, K.; Frontal sinus of gorilla, Cave (2); Mandible of Gorilla, Vogel (1); Brain size in †Pithecanthropus, Krants; Craniology of fossil hominids, Frassets; Temporal region of recent and fossil edentates, Guth; Lepus, Oryctolagus skulls compared, Richard, L. R.; Skull of Funambulus, Prakash & others; Cranial asymmetry in Geomys, Vaughan (2); Age variation in Lemmus skull, Koshkina & Khalansky; Frontal of Apodemus, Sylvaemus, Mus, Richter; Undershot and overshot lower jaws in carnivores, Mohr (3); Cranium of Arctocyon, Arctocyonides, Russell, D. E.; Cranial differences between dog breeds, Salces; Jaws of Lobodon, King, J. E. (2); Skull of †Elephas, Erasmo & Zei; Mechanical interpretation of shape and cyrtocephaly in Elephas skull, Badoux; Variation of Equus hemiomus skull with age, Orlov.

Dentition.—Cheek-teeth of Hypsiprymnodon, Ride; Tooth development in soricids, Kindahl (1); Dentition of Sorex, Pucek (2); Tooth development in Erinaceus, Kindahl (2); Premolar interpretation in Ericulus, Indris, Friant (3); Tooth structure in primates, Bargmann; Dentition and teeth of primates, Remane (1); Cutting of baboon deciduous teeth, Kuksova (1); Molars of fossil hominids, Jonge; Dentition of Australopithecus, Paranthropus compared, disc., Kustaloglu; Dentition of Neanderthal man, Patte; Cheek teeth of European Castoridae, Friant (2); Molar variation in European Pitymys, Grummt; Apical pits on lower cheek teeth of mouse, Gaunt (2); Tooth structure in Balaenoptera, Megaptera, Plotkin; Rudimentary baleen in adult sei whales, Rice (1); Dentition of Panthera, Kabitzsch; Dental variation in canids, Beaumont, G. de; Milk dentition of †Ursus Spelaeus, Radulescu & Samson; Dentition of black bear, Rausch; Dentition of Lobodon, King, J. E. (2); Calcification of Callorhinus teeth, Kubota & others (2); Dentition of Cystophora, Popov; Length, breadth relation in Equus cheek teeth, Liu.

Myology.—Morphology of skeletal muscles, Braude; Masseter in domestic and wild mammals, Schuls, O.; Muscle fibre ends, Schwarzacher; Sboulder musculature in insectivores and tupaiids, Jouffroy (3); Myology of Micropotamogale, Verheyen, W. N.; Myology of Pteropus, Mori; Ear myology of Asellia, Myotis, Schneider; Skin musculature in primates, Esostakiewicz-Sawicka; Muscles of Lemur upper arm, Jouffroy (1); Pectoral musculature of Propithecus, Lemur and Daubentonia, Jouffroy (2); Mastoid musculature of Cheirogale, Saban; Femoral muscle in primates, Kiesselbach & Steiner; Atlanto-scapular muscles in primates, Levin & Aleksejeva; Deltoid muscles of certain rodents, Shrivastava; Muscle spindle types in cat, Barker & Ip; Limb myology of Eumetopias, Phoca, Enhydra, Gambarian & Karapetjan; Myology of tapir, Bressou; Jaw muscles of pig, Heinze; Retractor clitoridis and retractor penis muscles in sheep, Bassett; Sacrotuberal ligament in Bison bonasus, Bos laurus, Wegrzyn & Serwatka.

Heart and Circulation.—Vertebral venous plexus, Cooper; Vascularization of bone, Currey; Sinusoids of carotid body tissue, de Kock (1); Mammalian palatal arteries, Sawa; Vascularisation of testicle, Umidon; Heart of shrew, Bhatnager; Intracardial structures in certain primates, Talpa, Martini; Fine structure of heart in certain primates, Chiodi & Bartolami; Heart of primates, Prick (1); Vascularization of primate brain, Mergner; Circulatory system in primates, Plater (2); Vascular specializations in cebids, Hill, W. C. O. (1); Foot arteries in macaque, Tanaka; Subcutaneous veins of macaque chest and abdomen, Tsubouchi; Coronary artery of

gorilla, Candaele; Arterio-venous anastomes in skin of rabbit ear, Saunders & James; Vascularisation of rabbit spleen, Tischendorf; Renal circulation in rodents, Rosati & Cecio; Thoracic vascularisation in hamster, Schwarze & others; Vascularisation of rat eye, Browman; Hypophysical vascular system of mouse, Enemar (1); Vascular supply relation to root formation in mouse cheek teeth, Gaunt (1); Vascularisation of cat brain, Lierse (2); Vascular system of Monachus schauinslandi, King & Harrison; Vascularisation of Capreolus shoulder and forelimb, Franzke & Heinze.

Lymph and its Organs.—Lymph organs of tunica submucosa in domestic mammals, Hebel; Histology of primate lymph nodes, Eberl-Rothe (3); Lymph system in primates, Reiffenstuhl; Lymphatic endothelium of horse, Kozhar.

Haematology.-Fructose in mammalian blood, Huggett & Nixon; Serum proteins of some N. American mammals, Johnson & others; Bohr effect in haemoglobins of marine mammals, Riggs; Study of erythrocytes, Shinagawa; Haematology of koala, Bolliger & Backhouse; Haematology of hibernating Erinaceus, Suomalainen; Serology of hibernating Nyctalus, Pora & others; Blood cells of primates, Eberl-Rothe (1); Blood source organs in primates, Eberl-Rothe (2); Blood groups and factors in primates, Kramp; Spleen in primates, Starck; Haemoglobins, transferrins in macaque sibship, Buettner-Janusch & others; Speciation effect on macaque serum proteins, Goodman & Poulik; Peripheral blood cells of macaque, Inoue; Postembryonic changes in macaque and baboon blood composition, Kuksova (2); Blood group factors in macaque, Spirina; Transferrin differences in chimpanzee sera, Buettner-Janusch; Blood groups of chimpanzee, Wiener & Gordon (1); Blood composition in rabbit heart, Rymar; Permeability of Marmota red blood cells, Faust & Parpart; Serum proteins of Dipodomys, Marchette; Haemoglobin types in Sigmodon, Foreman; Haemotology of Peromyscus infected with botfly, Cuterebra, Sealander; Serum proteins in Cricetomys, Masseyeff & others; Blood sugar of hibernating Cricetus, Raths; Serum proteins of developing rat, Heim; Haemoglobin differences between Norway and black rats, Vokáč; Globulin polymorphism in mice, Ashton & Braden; Haemoglobins of foetal mice, Barrowman & Craig; Blood-pH differences in inbred mouse strains, Wolfe (1); Serology of N. Pacific whales, Fujino Haematology of Callorhinus, Citellus, Marmota, Blumberg & others; Blood electrophoresis of Vicugna, Lana, Capurro S. & Silva G., Haematology of reindeer, Gahne & Rendel; \(\beta\)-globulin types in red deer, sera, Lowe & McDougall Sheep erythrocyte potassium and haemoglobin, Evans; Blood changes in foetal and postnatal sheep, Evans & Blunt (1); Variation of potassium and haemoglobin gene frequencies in sheep, Evans & Blunt (2); Sodium-potassium balance in sheep erythrocytes, Koch & Turner; Blood groups in sheep, Rasmusen & others; Sodium-potassium balance in sheep erythrocytes, Turner & Koch; Blood potassium and sodium of cattle and sheep breeds, Howes & others. Blood groups and taxonomic status of Bison, Bos in N. America, Stormont & others; (1); Bovine blood groups, Stormont & others (2).

Nervous System: General.—Efferent innervation of muscle spindles, Barker & Chin; Innervation of eutherian larynx, Bowden & Scheuer; Innervation of heart, Chabarova; Innervation of rectum and anal canal, Holmes, A. M.; Innervation of larynx, Lashkow; Ultrastructure of oligodendroglia, Luse; Innervation of ciliary muscles, Tichowa; Somaesthetic pathways in Trichosurus, Dennis & Kerr; Innervation of mole snout,

Armstrong & Quilliam; Muscle innervation of bat intestine, Taxi; Fine structure of rat brain, Löfgren (2), Ageing phenomena in rat uterine ganglion, Takahashi & Shimai (2); Vacuoles in rat solar ganglion cells, Takahashi & Shimai (1); Intestinal innervation in mouse, Terio; Spinal cord of guinea pig, Krbek; Innervation of guinea pig pancreas, Lever & Esterhuizen; Carotid body of fortal Balaenoptera, de Kock (2); Neurons of cat spinal cord, Aitken & Bridger; Myenteric plexus of cat, Leaming & Cauna; Innervation of cat nictitating membrane, Thompson; Innervation of cat thoracic duet, Wolodiko; Innervation of Capreolus shoulder and forelimb, Franske & Heinze; Spinal cord in Capreolus, Goller; Innervation of pig aorta, Abrahám; Innervation of pig rectum, Mustelkaite.

Nervous System: Brain.-Pigment occurrence in mammalian nucleus substantiae nigrae, Marsden; Neurons of central nervous system, Polyakov (1); Neuron structure of cerebral cortex, Polyakov (2); Morphology of spinal cord, Sadykov; Brain of monotremes and marsupials, Friant (1); Brain of Notoryctes, Starck & others; Volume of hypophysis in insectivores and lemurs, Bauchot; Commissural structures of insectivore brain, Bauchot & Stephan (2); Biometry of cortical surface in insectivores and lower primates, Stephan; Brain of Setifer, Bauchot & Stephan (1); Medulla oblongata of Myotis, Schober (1); Brain and brain stem of Desmodus, Mann, F. (2); Brain cortex in primates, Belova (1); Cerebral isocortex in primates, Bonin & Bailey; Cerebral cortex in certain primates, Ozhigova; Brain in primates, Shevchenko; Comparison of primate brains, Voino; Brain cortex in macaques, Belova (2); Melanin pigments in nerve cells of macaque brain, Lillie & Yamada; Cerebral cortex of baboon, Belova (3); Brain reconstruction for fossil hominids, Kochetkova (1); Brain variability in fossil hominids, Kochetkova (2); Olfactory bull of rodents, Pilleri (4); Brain of † Castoroides, Pilleri (4); Olfactory bulb of beaver, Pilleri (4); Brain of Hypogeomys, Pilleri (5); Brain of Macrotarsomys, Pilleri (6); Fine structure of rat cerebellum, Gray, E. G. Dorsal tegmental nucleus in rat, rabbit, Morest; Brain of guinea pig, Borri & Macchi; Ependyms of dog central nervous system, Sulzmann; Membranes of spinal cord in sheep, Köhn & Oberröder.

Respiratory System.—Ovaries of Indian bats, Gopalkrishna & Moghe; Lungs and pleura of primates, Hayek; Larynx of primates, Starck & Schneider; Vocal organ of Alouatta, Kelemen & Sade; Rat diaphragm, George & Susheela; Respiratory system of odontocetes, Jablakov (1); Lungs of Delphinus, Renzoni.

Sense Organs.—Ultrastructure of photoreceptors, de Robertis; Tapetum lucidum of opossum eye, Pirle; Spiral lamella of Talpa cochlea, Platzer (1); Auditory bones of Talpa, Platzer (3); Medial lobules of ears of Plecotus, Hayward & Teagle; Eye membrane in rabbit, Lierse (1); Eye of beaver, Pilleri (4); Eye structure in Ellobius, Sokolova; Echolocation in porpoise, Kellogg; Lens as age guide in raccoon, Sanderson (1); Microscopic anatomy of cat ear, Strickland & Calhoun.

Alimentary System.—Visceral anatomy of Micropotamogale, Verheyen, W. N.; Intestine of Ondatra, Lupps; Stomach of Cricetomys, Camain & others; Visceral anatomy of Dolichotis, Pilleri (3); Pacinian corpuscle of cat mesentery, Kruger; Digestive tract of reindeer, Sablina; Digestive tract of Antilope cervicapra, Gill & Korda; Comparison of digestive tract of Ovis and Ammotragus, Gill (2).

Excretory Organs.—Kidney glomerulus in Mesocricetus, Franke; Urinogenital system of cetaceans, Yablokov.

Reproductive System.—Penis of Micropotamogale, Verhayen, W. N.; Ovaries of macaque, Botsharov; Ovarian follicles of macaque, Burkl; Fibrinoi despeule of rat placenta, Bulmer & Dickson; Leydig tissue of mouse testis, Baillie; Glans penis in caviomorph rodents, Hooper (2).

Endocrine glands.—Hypothalumus-anterior pituitary linkage, Lofgren (1); Islets of Langerhans in bats, Azzali (1); Seasonal changes in morphology of male Sciurus thyroid, Hoffman & Kirkpatrick; Pituitary of Cricctomys, Quenum; Adrenal glands of ferret, Holmes, R. L.; Hypophysis of cat, Corte; Suprarenal of pig, Arvy (4); Pineal gland in Bos, Ovis, Sus, Arvy (5).

Other glands.—Glands of bile and pancreatic ducts, McMinn & Kugler; Secretary granules of pancreatic cells, Grzycki; Sweat glands of ape, Byon; Anal glands of rabbit, Takagi & Tagawa; Pancreatic islets of desert rodents, Quay (2); Mouse submaxillary gland, Raynaud; Pancreatic ducts of dog, Wieckowska & Kruszewski; Pharyngeal and retrolingual glands of elephant, Cave (1); Accessory suprarenal gland of horse, Berg (3); Pedal gland of Cephalophus, Ansell (1); Rhinarial gland of sheep, Arvy (3); Histochemistry of circumanal apocrine sweat glands in cattle Ato (2); Sweat glands of Indian cattle, Nair & Benjamin (1); Sweat glands of Indian water buffalo, Nair & Benjamin (2).

Teratology and Abnormalities.-Variations in venae cavae craniales in domestic mammals, Myczkowski; Dental abnormality in Sorex, Long (4); Anomalous dentition in Talpa, Lehmann (3); Unusual tail formation in Cercopithecue, Ansell (3); Dental anomaly in Neomys Buchalczyk, T.; Visceral inversion in mice, Hummel &, Chapman; Deformed upper jaw in dolphin, Jakobsen, K. E.; Anomalous tail in Pseudorca, Nishiwaki & Young; Rudimentary baleen in adult sei whales, Rice (1); Abnormal pelage in Martes, Libby; Bifid incisor in Mephitis, incisor number variation, Van Gelder & McLaughlin; Urinogenital anomaly in cat, Berg (2); Eyelid anomalies in cat, Schuller (1); Abnormal lower third molar in Odocoileus, Guilday (3); Hyperostosed deer antler, Lin & Yen; Aberrant pelage in Sylvilagus, Manville (3); Cranial abnormalities in Thomson's gazelle, Brooks, A. C.; Peculiarities of stripe colour and pattern in Grant's zebra, Krumbiegel; Note of zebra specimens exhibiting peculiarities of stripe colour and pattern, Trumler (1).

Histology and Cytology.—Histology of Chievitz' organ, Zenker & Salzer; Pachytene chromosome mapping: somatic chromosome identification, Griffen; Golgi zone and its enzymes, Lojda & Zawistowski; Histology of small mammal ova, Tondeur; Eye of beaver, Pilleri (4); Histological changes during Citellus hibernating cycle, Mayer; Chromosomes of Microtus middendorff Matthey & Zimmermann; Chromosomes of Peromyscus species, Tamsitt (2); Chromosomes of Reithrodontomys, Hypogeomys and Neofiber, Matthey (3); Sex differences in rat embryonic tissue, Feiner; Mast cells in rat peripheral nerve trunks, Gamble & Goldby; Histochemistry of rat Harderian gland, Kanwar; Isopycnotic behaviour of XX-bivalent in Rattus oocytes, Ohno & others (4); Mitotic fluctuations in rat epidermis, Scheving & Pauly Mast cell formation in rat, Stach; Endoreduplication in mouse cell, Levan & Hsu; Unbalanced sex chromosome constitutions in mouse, McLaren; Hepatic nucleoli of mice, Mortreuil & Langlois; End-to-end association of Mus X and Y chromosomes, Ohno & others (1); Nonoccurrence of XY- and O-sperm in Mus, Ohno & others (2); Histology of mouse tongue, Okazoe & Amemiya (2); Sexual dimorphism in mouse gametogenesis, Slizynski; Chromosomes of marsupials, Sharman (1); Nuclear sex difference in Didelphis somatic cells, Ohno & others (3); Chromosomes of Sorex, Matthey & Meylan; Cytology of hedgehog diaphragm, Alsterburg; Cytology of desman hypophysis, Peyre & Herlant; Islets of Langerhans in bats, Assali (1); Histology of primate spleen, Eberl-Rothe (4); Chromosomes of chimpanzee, Bilewics; Chromosomes of orang-utan, Chiarelli; Somatic chromosomes of gorilla, Hamerton & others; Stria vascularis of guinea pig ear, Chou; Chromosomes of murids, Matthey (2); Sex chromosomes of Allocriculus, Cricetulus, Phodopus, Matthey (1); Chromosomes of Calomyscus, Matthey (1); Chromosome number in mink, Rumphrey & Spencer; Hypophsis of cat, Corte; Gonadotrophic cell types in cat hypophsis, Sousa; Pancreas and mesentery of cat, Trefolgi & Garbini; Cardiac nerve of Elephas, Barasa & Shochatovitz; Intra-epithelial granular cell in ruminant uterine epithelium during pregnancy cycle, Kellas; Histology of seep wool follicle, Badreldin & others; Tissues of lambs dwarfed by high temperatures during pregnancy, Ryle & Morris; Meiosis in bull, Knudsen.

Biochemistry.-Adrenal cortical steroids in blood of hibernating and non-hibernating mammals, Denyes & Horwood; Biochemistry of animal venoms, Kaiser & Michl; Testis lipid cycle in Talpa, Lotts; Cholinesterase in bat digestion, Azzali (2); Urinary amino-acids of primates, Fooden; Composition of fat of marmot, svolba; Nucleic acids of marmot tissues, Weill & others; Histochemistry of Citellus kidney, Zimny & Bourgeois; Effect of social stress on liver glycogen and blood glucose in rat, Barnett, Eaton & McCallum; Ion action on uterine mechanics of rat, Grinkraut & Sawaya; Brain acetylcholinesterase in Mus, Reithrodontomys, Shellhammer; Mucopolysaccharides and mouse morphogenesis, Walker; Epithelial lipid in gall bladder of mouse, Yamada; Bile salts of Thryonomys, Haslewood & Ogan; Amino-acids of sperm-whale myoglobin, Edmundson & others; Studies on crystalline whale pepsin, Ishihara; Histochemistry of the sebaceous gland in cat external ear, Amemiya & Okazoe; Survey of Callorhinus liver oil, Shimma & Taguchi; Bile salts of Hydrurga, Haslewood; Lipids in intestinal epithelium of pig embryo, Konopacka; Histochemistry of Capreolus interdigital gland, Arvy & Bommelaer; Histochemistry of sudoriparian glands in Ovis, Arvy (1); Histochemistry of sheep suprarenal, Arvy (2); Histochemistry of cattle sweat glands, Ato (1); Deoxyribonucleic acid deviation in bull spermatozoa, Welch & others.

Techniques.—Thin preparations of hemopoietic tissues, Engelbert; Staining technique for vaginal smears, Fujii; Skull decalcification technique, Ghosh & Behurs; Freeze-drying technique, Godlewski; Qualitative comparative serology, Jennings & Kaplan; Technique for study of eye microcirculation, Warner & Brown; Culture of embryonic desman gonads in vitro, Peyre.

PHYSIOLOGY

General.—Gaseous environment of Trichosurus pouch, Bailey & Dunnet; Stress syndrome in rabbit, Griffiths & others; Stress effect on Citellus, Noble; Neural and hypophyseal colloid deposition in collared lemming, Quay (1); Functional anatomy of Arvicola, Heráñ; Seasonal variations in physiology of black bear, Erickson & Youatt; Physiology of diving in Phoca, Harrison, R. J.; Diving in Phoca, Schmidt-Nielsen & others; Annual condition cycle in mule deer, Taber & others.

Integument.—Colour source in fur of green ring-tailed possum, Van Deusen & Stearns; Location effect on hair pigmentation in rodents, Cleffmann; Hair growth in Microtus, Sykora (2); Seasonal pelage variation in Microtus, Clethrionomys and Apodemus, Stein (1); Readiountographic study of wool growth in sheep, Downes & Lyne.

Nutrition and Metobolism.—Cobalt effect on blood pressure, Beranshtein & Sapazhkov; Steppe rodent resistance to water deficiency, Hermann; Tissue metabolism of hibernators, South; Phosphate metabolism in hibernators, Zimny; Oxygen consumption of Condylura, Wiegert; Phosphate metabolism in hibernation of hedgehog, Kristoffersson; Liver glycogen in Myotis, Troyer (1); Metabolism of primates, Stohl; Gastric contents in Ateles, Brooks, F. P.; Cobalt effect on body weight and protein of rabbit, Kitchina; Protein synthesis in rabbit mesenteric lymph nodes, Meneghelli; Water metabolism of desert rodents, Chew; Tissue respiration of Citellus, Hannon & others; Cellulose digestion in beaver, Currier & others; Tissue metabolism of hibernating hamster, Denyes & Hassett; Rate of passage of food through nutria digestive tract, Gill & Bieguszewski; Laboratory conditions effect on Clethrionomys thermoregulation, Smirin; Starvation tolerance in young rats, Barie (2); Brain tissue respiration in rat, Charegaonkey & Rindani; Intestinal solubles in rat, Cole, A. S.; Cold adaptation effect on rat respiratory metabolism, Lustinec (2); Effect of feeding bamboo flowers to laboratory rats and mice, Mahadevan & others; Effects of galactosemia in rat, Patterson; Diet and nerve fibre myelination in rat, Tomasch; Thermoregulation in Delphinapterus, Belkovich; Urea excretion in Phoca, Schmidt-Nielsen & others; Water metabolism of dromedary, Charnot; Ruminant metabolism, Rogers; Magnesium absorption in sheep, Evered; Rumination and feeding frequency relation in sheep, Gordon, J. G.

Heart, Circulation and Blood.—Function of carotid rete mirabile, Barnett & Marsden; Cardiac response in hibernation and hypothermia, Sarajas; Circulatory changes during Myotis hibernating cycle, Kallen; Circulatory changes during Citellus hibernating cycle, Lyman & O'Brien; Cobalt effect on guinea pig cardiae muscle, Pogorzelski; Electrocardiography of Tursiops, Tokita & others; Seasonal variations in haematology oblack bear, Erickson & Youatt; Blood pressure regulation in brown bear, Jaczewski & others (1); Age influence on blood serum proteins of horse, Munkácsi; Blood groups—milk fat percentage relation in cattle, Rendel.

Nervous System.—Attention shift modifying brain stem response in monkey, Wada, J. A.; Nervo function and hibernation in Citellus, Kehl & Morrison; Nervous control of hunger in rat, Morgane; Optic potentials in cat cerebellum, Berry & others; Photic potentials in oat cerebellum, Haft & others; Pars intermedia and adaptation to desert life in rodents, Legait & Roux.

Sense Organs.—Visual learning capacity of Macropus, Didelphys, Neumann; Taste reception in Didelphys, Myotis, Tamar; Echo-location in bats, Grive; Perception of distance in bat echo-location, Kay; General illustracount of bat echo-location and capture of food, McCue; Sonic orientation in bats, Mochres; Perception of distance in bat echo-location, Nordmark; Perception of distance in bat echo-location, Pye (1); Account of bat echo-location, Pye (2); Olfactory sense and food-finding in rabbit, Rowley (1); Electroretinographic response of Tamiosciurus, Tansley & others; Gymnemic acid effect on taste perception in rat, Lovell & others; Reliability of Preyer's ear reflex in mouse, Denes & Kocher; Sense

of smell in cetaceans, Jablokov (2); Navigation in cetaceans, Slipper (2); Echo-location in Tursiops, Norris & others; Echo-sounder records of ultrasonic sounds made by Lagenorhyncus and Orcinus, Valdez; Light distribution in cat's eye image, Morris & Marriott.

Respiration.—Respiratory response of Trichosurus pouch young, Bailey & Dunnet.

Muscle, Bone and Teeth.-Optical birefringence of bone tissue, Ascenzi & Bonucci; Significance of angular process of mandible, Avis; Fibrillation potentials in denervated skeletal muscle, Li, C. H.; Functional index of hypsodonty, von Valen; Vertebral adaptations for rolling in Paraechinus, Gupta; Function of primate hand, Napier; Dental variation among Middle Oligocene rodents and lagomorphs, Burt & Wood; Electromyo-graphy of rabbit foetus, Ranney & Basmajian; Epiphyseal cartilage as age indicator in Sciurus, Carson; Bone size and weight variation in Microtus, Shimizu: Eruption and shedding of teeth in Callorhinus, Kubota & others (1); Molar replacement in Loxodonta, Verheyen, R.; Variation of Equus hemionus skull with age, Orlov; Muscle extract chromatography of Vicugna, Lama, Capurro S. & Silva G. ; Horn growth in infant Capreolus, Tegner (2) Antler development in Barbary deer; Kock & Schomber (1).

Endocrinology.—Thyroid and male fertility in farm animals, Mukherjee & others; Endocrines in hibernation, Popovie; Adrenal function during seasonal stress in Setonix, Herrick; Neurosecretion of hibernating Erinaceus, Suomalainen; Hormonal control of rabbit thymus development, Bearn; Seasonal changes in morphology of male Sciurus thyroid, Hoffman & Kirkpatrick; Variations in Micromys thymus, Basan-Kubik (1); Trapping effect on Sigmodon adrenal activity, Golley (2); Cricetomys suprarenal, Camain & Quenum; Effect of thyroid deficiency on growth of rat skull, Horn & Pord; Sex hormone function in mouse pregnancy, Lipkow; Hormonal control of mouse submaxillary gland, Raynaud; Suprarenal secretion of pig, Arvy (4); Endocrinology of dromedary, Charnot.

Other glands.—Androgenic activity of interscapular brown fat of Myotis, Kretzsch & Wells; Function of rabbit anal glands, Takagi & Tagawa; Pigment in Hardevian gland of gerbillines, Arvy & Lerma; Reaction of cat apocrine sweat gland to adrenaline, Amemiya; Electrical potential changes caused by sweat glands of cat foot pad, Lloyd (2); Activity of sweat glands of cat foot pad, Lloyd (2); Activity of pecari dorsal gland, Mohr (4); Milk of Pecari, Sowls & others; Secretion of Philantomba anteorbital glands used for territorial marking, Rahm (2); Secretions of sheep rhinarial gland, Arvy (3); Synchronous discharge of apocrine sweat glands in sheep, Bligh.

Lactation.—Artificial initiation of mammary secretion in rat, Macsood; Fet content of Callorhinus milk, Wilke; Milk composition in black rhinoceros, Aschaffenburg & others; Deer milk compared with substitute milk for rearing fawns, Silver; Physiology of cattle lactation, Callegari.

Lymph.—Lymph node importance in lymphocyte recirculation, Fichtelius & others; Lymph organ function in Cavia. Mislin.

Digestive System.—Acid secreting zones in rabbit stomach, Chowdhury & Das; Faecal flora of hamster, Pacheco & Dias; Pregnancy effect on spleen size in Peromyscus, Davis, W. H & others; Capacity of different parts of brown bear digestive tract, Jaczewski & others (2); Rate of passage of food through Alexa alimentary tract, Gill (1); Saliva of sheep, McManus.

Growth, Weight and Mensuration.-Comparative length of vena cava caudalis in domestic animals, Berg (1); Inter-relations between weight and hibernation function, Morrison, P. Study of allometric theory in relation to growth, Röhrs (2); Weights of African game animals, Talbot & Talbot; Variation in long bones, Vlastovsky (1); Biometry of long bones, Vlastovsky (2); Body proportions of Potorous, Guiler (2); Age estimation of Setonix pouch young, Shield & Woolley; Seasonal variations in Polish Sorex, Kowalska-Dyrez; Weight dynamics of wintering Polish bats, Krzanowski (2); Biometry of Yugoslavian bats, Mirić; Maturity age in Tadarida, Short (3); Abrasion of Myotis teeth with age, Sluiter (2); Postembryonic changes in monkey body proportions, Lakin (1); Emergence of macaque permanent dentition, Hurme & Van Wagenen; Weight and growth rates of Oryctolagus in experimental colony, Dudzinski & Mykytowycz; Epiphyseal closure, lens as age criteria in swamp rabbit, Martinson & others; Winter weight of Sylvilagus in Missouri, Holten & Toll; Epiphyseal cartilage as age indicator in Sciurus, Carson; Seasonal changes in weight of Marmota in Pennsylvania, Snyder & others; Age determination criteria in live beavers, Patric & Webb: Gravity effect on hamster and mouse growth, Briney & Wunder; Shrinkage of Ondatra skulls during and after cleaning, effect on aging technique, Alexander; Differential growth in skulls of Peromyscus subspecies, King & Eleftherion; Greatest skull length variation in El Salvador Peromyscus, Ondrias (2); Growth of Microtus, Sýkora (1); Age variation in skull and teeth of Phenacomys, Foster & Peterson; Weight variation in European Pilymys, Grummt; Weights of house mice in confined colonies. Crowcroft & Rowe: Growth of mouse long bones, Graff Relative organ weights in albino mice, Seeliger; Body weight fluctuation in Mus, Wojcik; Effect of continual centrifugation on growth of mice, Wunder; Dentition as age guide in Dyromys, Muscardinus, Lozan; Teeth as age guide in Physeter, Berzin; Age characteristics in Physeter mandible, Nishiwaki & others; Body proportions and growth in Balaenoptera, Ivanova; Growth and agoing in Balaenoptera, Laws (3); Relative growth of Balaenoptera, Ohsumi; Length and weight relation in Phocaena, Utrecht; Allometric study of mink skulls, Bährens; Weight variability in organs of Vulpes, Fateyev & others; Skeletal growth in Vulpes, Mamayeva; Lens as age guide in raccoon, Sanderson (1); Age determination techniques for raccoon, Sanderson (2); Growth of young wolf, Kramer; Eye lens as age indicator in Urocyon, Lord, R. D. (8); Black bear weight: total weight estimation from carcass weight, Patrick; Growth of black bear, Rausch; Weight of Lynx, Steinbacher; Growth in Eumetopias, Fiscus; Age determination in Greenland seal, Jakovenko; Organ weights, measurements of African elephant, Ansell (1); Rangifer antler pedicels as age guide, Banfield (3); Intestine dimensions in Alces, Gill (3); Validity of age determination in Michigan deer, Ryel & others; Recent and prehistoric Cervus elaphus size compared, Walvius; Growth, ageing and development of Thomson's gazelle, Brooks, A. C. Banteng and gaur skull compared by allometric methods, Bohlken (1); Skull size, height of thoracic vertebral processes in Bison bonasus, Roskosz & Empel.

Longevity.—Mammalian longevity in natural populations, Bourlière; Longevity/brain weight/body weight relation in mammals, Sacher; Longevity in European bats, Heerdt & Sluiter (2); Maximum age of Myotis, Rhinolophus, Heerdt & Sluiter (1); Potential longevity of Sylvilagus, Lord, R. D. (2); Longevity of Peromyecus, Gashwiler; Disease onset and longevity of captive rate, Simms & others; Longevity of Balaenoptera, Zemsky;

TUDALBER

Longevity and mortality of English thoroughbred horses, Comfort; Cattle and horse longevity in different climates, Hartwig.

Locomotion.—Flying in mammals, Felten; Principles of vertebrate locomotion, Gray, J.; Morphological factors regulating bat flight, Struhsaker; Locomotion in primates, Nesturkh; Locomotion in cetaceans, Slijper (3); Mechanism of wave riding in porpoises, Backhouse & Smart; Wave-riding in dolphin, Gordon, M. S.; Plantigrade and digitigrade locomotion in carnivores, Ginsburg (3); Locomotion of cheetah, Hildebrand (1); Locomotion of seals, Backhouse Aquatic adaptations of Eumetopias, Phoca, Enhydra, Gambarjan & Karapetjan; Equine and canine locomotion, Ottaway.

Voice.—Vocal reactions of great apes, Firsov (1); Voice of *Onychomys*, Hildebrand (2); Electronic study of voice in canids, Tembrock (2); Voice in *Vulpes*, Tembrock (1); Voice of lion, hyaena, hippopotamus, Dathe (1).

Hibernation.—Hypoxic tolerance mechanism hibernating and non-hibernating mammals, Bullard & others; Day-night rhythm and hibernation, Folk; Effect of tranquilizing drugs on mammals that hibernate, Polk & others; Possible significance of brown fat in hibernation, Johansson; Comparative ecology of hibernating mammals, Kalabukhov; Comparison of hibernation and hypothermia, Kayser (1); Physiology of hibernation, Kayser (3); Notes on hibernation, Lyman; Effect of temperature on isolated hearts of hibernators and nonhibernators, Lyman & Blinks; Inter-relations between weight and hibernation function, Morrison, P.; Endocrines in hibernation, Popovic; Internal environment during hibernation, Riedesel; Cardiac response in hibernation and hypothermia, Sarajas; Ionizing radiation effect in hibernation, Smith; Tissue metabolism of hibernators, South; Phosphate metabolism in hibernators, Zimny; Sodium, potassium content of muscles of Zimny; Sodium, potassium contents of musices of hibernating Erinaceus, Myotis, Eliassen & Leivestad; Oxygen consumption, body temperature of Centetes, Setifer in artificial hibernation, Kayser (2); Spontaneous awakening in hibernating European bats, Wilde & Nieuwenhoven; Hibernation influence on bat reproduction, Wimsatt; Correlation between condition of medial lobules of *Plecotus* ear and torpidity, **Hayward & Teagle**; Circulatory changes during *Myotis* hibernating cycle, **Kallen**; Hibernation of *Myotis*, *Eptesicus* and *Pipistrellus* in Iowa, Muir & Polder; Serology of hibernating Nyctalus, Pora & others; Asstivation in Citellus, Bartholomew & Hudson; Hibernating cycle and seasonal physiological variation in Alaskan Citellus and Ursus, Hock; Nerve function and hibernation in Citellus, Kehl & Morrison; Annual physiological cycle of captive Citellus, Landau & Dawe Circulatory changes during Citellus hibernating cycle, Lyman & O'Brien; Histological changes during Citellus hibernating cycle, Meyer; Tissue respiration and Citellus hibernation, Meyer & Morrison; Rhythmical arousal in hibernating Citellus, Pengelley & Fisher; Physiology of Citellus hibernation, Strumwasser; Artificially induced hibernation in Perognathus, Beer (2); Tissue metabolism of hibernating hamster, Denyes & Hassett;.

Albinism, Melanism, Erythrism.—Albino Sorex from Ohio, Dexter; Albino Sylvilagus, Casteel; Erythrism in Alabama Sylvilagus, Holliman; Incidence of melanism in Wyoming Marmota, Armitage (1); White muskrat from Oregon, Kebbe (3); Colour variant in hamster, Petzseh (1); Melanistic Norway rats in California, Rohe; Melanism in Bassariscus: albinism in mink, Hoffmeister; Partially albino Taxidea, Roest; Erythristic Procyon in N. Carolina, Funderburg (2); Melanistic Odocoileus from

Oregon, Kebbe (4); Melanistic Antidorcas, Courtenay-Latimer.

Moult.—Moult in Microtus, Sykera (2); Moult date in stoat in Netherlands. Bree (2).

Light and Temperature Studies.—Heat regulation in primitive and tropical mammals, Eisentraut (4); Light intensity effect on Tadarida emergence time, Gould; Seasonal variations in Myotis body temperature, Menaker Body temperature of Perodicticus, Nycticebus, Loris, Galago, Eisentraut (7); Temperature regulation in Dasypus, Johansen; Temperature study of desert rodents, Haberey; Body temperature of Citellus, Davidović & Popesković: Thermoregulation in Microdipodops, Bartholomew & MacMillen; Thermoregulation in Microtus, Lagurus, Bashenina; Temperature effect on rat development, Vacek & others; Low environmental temperature effect on reproductive cycle of female mice, Barnett & Coleman (1); Mortality, growth and liver glycogen in young mice exposed to cold, Barnett, Coleman & Manly; Temperature effect on activity of migrating Alces, Yazan; Photoperiodicity of seasonal wool growth rhythm in aheep, Morris, L. R.; Heat tolerance coefficient of Murrah buffalo calves, Chaudhary & Bhatnagar; Evaporation rate from zebu cattle skin, Chowdhury & Sadhu.

Pathology.—Pathology of large mammals, Mortelmans; Incidence of trichinelloesis in Leningrad zoo, Beresantsev; Toxoplasmosis in Swedish wildlife, Borg; Anthrax in Kruger Park game animals, de V. Pienaar (1); Parasites of French mammals, Dollfus; 1959 Report of London Zoo pathologist, Fiennes (1); Report of pathologist, London Zoo, for 1960, Fiennes (2); Tuberculosis in zoo animals, Graham-Jones; Parasite eggs in faeces of Middle Age period, Gryzwiński; Cancer in zoo animals, Heuschele (1); Mortalities in Paris Zoo, 1959, Nouvel & others (1); Leptospirosis in U.S.A., Roth & others; Mammal sensitivity to Toxoplasma, Shevkunova & Zasukhin; Pathology of tuberculosis in farm animals, Stamp; Morbidity and mortality in koala, Backhouse & Bolliger; Degeneration of somaesthetic afferent systems in Trichosurus, Clezy & others; Leptospirosis in Russian Sorex, Erinaceus, Korenberg & Semenova; Absence of rabies in Illinois shrews, Verts & Barr; Notes, general account of bat rabies in U.S.A., Constantine (3); Rabies in bats of Trinidad and Tobago, Goodwin & Greenhall; History of chiropteran rabies, Martin (2); Rabies in Mexican Tadarida, Mormoops, Villa R. & Jimenez, G.; Veterinary notes on monkeys, Jones, O. G.; Distribution of myxomatosis in Spain, Anon (27); Myxomatosis in W. Australia, Calaby & others; Myxomatosis transmitted on thistle spines, Dyce; Contact dermatitis contracted from Sylvilagus stomach contents, Clark, G. M. & others; Virus disease in Illinois Sylvilagus, Ferris & others; Horn-like papillomas in Sylvilagus of Iowa, Haugen (1); Mortality rates of Sylvilagus in Illinois, Lord, R. D. (5); Food effect on winter mortality in Sylvilagus, Lord & Casteel; Ectoparasite/Sylvilagus population relation in Illinois, Mohr & Lord; Parasites and diseases of Newfoundland Lepus, Dodds & Mackiewicz; Pulmonary fungus in Finnish rodents, Jellison & others; Muskrat tularaemia in Ontario, Ditchfield & others; Mortality of Tennessee Sigmodon in severe winter, Dunaway & Kaye (1); Cuterebra infestation in Peromyscus, Abbott & Parsons; Epizootological aspect of Rhombomys activity, Marin & Rotschild; Ectoparasites of Micromys, Rowe; Bandicota probable resistance to plague, Deoras Life span in inbred and hybrid mice, Chai (1); Longevity of genetically dystrophic mice, Miller, J. R. & others; Cataract in mouse, Paget & Baumgartner-Gamaul; Pathology of whales, Cockrill; Scabies in Maries, O'Meara & others: Bacular fracture in Lutra, Reinwaldt; Tuberculosis in dogs and cats, Lauder; Rabies in Florida Urocyon, Jannings & others; Incidence of lead in livers of Illinois Procyon, Sanderson & Thomas; Pathology of Alaskan black bear, Rausch; Early mortality in Callorinus according to sex, Niggol; Diseases of elephants, McGaughey; Pathologic †Coclodonta mandible, Chow, B. S.; Filarid infection in black rhinoceros, Schulz, K. C. A.; Brucellosis in American deer, Fay; Multiple purulent abscess in deer, Rosen & Holden; Winter mortality of Odocoileus in Michigan, Blouch; Summer mortality of Odocoileus in Washington, Brigham; Odocoileus death as result of entanglement in birch, Gunderson (2); Mortality patterns of Odocoileus in Rangifer, Praitt (3) Malignant catarrh in Elaphurus, Tong & others; Experimental dermal cysts in sheep, Molyneaux & Lyne; Cytauxzoonosis in cland, Brocklesby; Vitiligo in Asian and European cattle, Meijer.

Transplants and Grafts.—Ovarian transfer in rabbit, Hafez & Ensminger; Transplantation of rat and guinea pig whisker papillae, Cohen, J.; Placental grafts in rats, Payne & Payne; Ova transplantation in mice, Green, E. L. & Green.

Radiation Studies.—Uptake of radio-isotopes by mammalian tissue, Kriegel; Effect of ionizing radiation, Loutel; Ionizing radiation effect in hibernation, Smith; Radiation effect on serum protein metabolism in rabbit, Paulov; X-irradiation effect on Peromyscue, Blair & Kennerly; Sensitivity to X-rays of mouse foetal gonads, Carter & others; Genetic effects of X-irradiation on mice, Charles & others; Effect of Cerium 144 on mouse fecundity and development, Kulikova; Long term effects of whole-body irradiation of mice, Lindop & Rotblat; Studies on irradiated mice, Luchnik; Heritability of radiation damage in mice, Spalding & others.

Laboratory Technique.—Organ culture method for studying blastocyst implantation, Glenister; Chlordia-zepoxide for calming 200 animals, Heuschele (2); Experimental freezing of embryonic cartilage, Heyner; Laboratory maintenance of Antechinus, Marlow (4); Chimpanzee as laboratory animal, Cook & others; Technique for dental impressions of Odocoileus, Barnes

& Longhurst.

REPRODUCTION AND SEX

General.—Origin of parthenogenesis, Narbel-Hofstetter; Births in Paris Zoo, 1959, Nouvel & others (2) Gonadogenesis in opossum, Ebert; Breeding Isoodon in captivity, Mackerras & Smith; Hibernation influence on bat reproduction, Wimsatt; Primate menstrual and sexual cycles, Asakura; Weather effect on onset of breeding in Missouri Sylvilagus, Wight & Conaway; Birth weight of rabbits born after heterospermic insemination, Beatty (1); Insemination pH and sex ratio of rabbit offspring, Emmens; Physiology of rabbit female genital tract, Zimmermann; Reproductive cycle in male Sciurus population, Kirkpatrick & Hoffman; Geographic variation in squirrel reproductive characteristics, Moore (3); Seasonal changes in reproductive organs of Sigmodon, Haines; Sex ratio in mice, Cook & Videk; Sex relation to sperm source in mice, Weir; Summer range condition and mule deer productivity, Julander & others; Sex determination of Rangifer calves, Bergerul.

Reproduction in Special Forms.—Male Didelphis attempting to mate with dead female, Bragg; Reproductive data for Illinois Didelphis, Sanderson (8);

Breeding season of Thylacinus, Guiler (1); Reproduction of Antechinus, Marlow (4); Phascolarctos in captivity, Pournelle (3); Macropus major in South Australia, Pilton; Autumn breeding in Sorex cinereus, Short (1); Sexual maturation in Sorex, Stein (2); Breeding of Erinaceus, Morris B.; Macrotus in Arizona, Bradshaw (2); Reproductive cycle in male Myotis, Sluiter (1); Tupaia in captivity, Sprankel; Reproductive cycle of female Galago, Herlant; Sylvilagus in Illinois, Lord, R. D. (4); Breeding captive Lepus, Ocetkiewicz; Sexual cycle and breeding season of grey squirrel in Kentucky, Brauer & Dusing; Marmota in Pennsylvania, Snyder & Christian; Laboratory breeding of Dipodomys, Butterworth; Dipodomys in Texas and Oklahoma, McCulloch & Inglis; Ondatra in Finland, Artimo; Breeding possibilities of coypu and nutria in Danube delta, Vereshchagin (5); Microtus in Minnesota, Beer & MacLeod; Reithrodontomys, Peromyscus, Lagurus in California, Dunmire; Rhombomys in U.S.S.R., Leontyeva; Ellobius in Ukraine, Zubko & Ostryakov; Spalax in Israel, Nevo; Reproductive cycle of Polish Apodemus, Adamezewska; Reproductive biology of Rattus assimilis, Taylor, J. M.; Sexual cycle in Mus, Wójcik; Reproduction of Balaenoptera, Laws (3); Reproduction of Balaenoptera, Zemsky; Reproductive cycle of Lagenorhynchus, Sokolov, V. E. (2); Reproduction of fox, Creed; Wolf in Lithuania, Prusaite (3); Reproduction of Ursus in captivity, Dathe (3); Ursus in Leipzig Zoo, Dittrich & Einsiedel; Ursus in Opole Zoo, Kotarba; Black bear in Alaska, Rausch; Lynx in Utah, Gashwiler & others; (2); Cougar in Utah and Nevada, Robinette & others; Secondary sex-ratio variations in grey seal breeding season on Farne Islands, Coulson & Hickling (2); Seal reproduction in W. Australia, Gillham; Arctocephalus breeding in Falkland Islands Dependencies, O'Gorman; Breeding of Hippopotamus, Giraffa, Ursus, Helarctos in captivity, Reuther; Late breeding in Michigan Odocoileus, Verme; Reproduction of lowland and highland red deer populations in Yugoslavia, Valentincie; Reproductive cycle in ibex, Conturier (3); Bison at Bialowieza, Scibor; Odocoileus in Idaho, McConnell & Dalke: Reproductive cycle of Thalarctos, Dittrich.

Ovary and Ovulation Problems.—Ova of small mammals, Tondeur; Menstrual cycle in certain primates, Alekseyeva & Nesturkh; Ovarian function in macaque, Erikson; Vaginal cycle of hamster, Roig; Possibility of superfetation in Microtus, Lecyk (2); Inbreeding effect on ovulation rate and foetal mortality in mice, Falconer & Roberts; Fertility and selection in mice, Fowler & Edwards (1); Ovarian cycle in Apodemus, Clethrionomys, Larina & Golikova; Ovarian characteristics of Cervus canadensis, Morrison, J. A.; Fertilised egg-cell of cow, Jarosz.

Testis and Spermatozoa.—Male sexual maturity in Myotis, Sluiter (1); Head length in rabbit sperm, Beatty (2); Seasonal changes in Microtus epididymis, Lecyk (1).

Copulation.—Copulation in Thomomys, Schramm.

Fertilisation.—Fertilisation and triploidy, Austin (1); Fertilisation of *Oryctolagus* ova by *Sylvilagus* sperm, Chang, M. C.

Pregnancy and Gestation Periods.—Gestation period in certain monkeys, Lakin (2); Gestation period of Leontocebus, Ulmer (1); Embryo resorption in Sylvilagus, Conaway & others; Ova reception in rabbit, Hafez (1); Embryonic survival in rabbit, Hafez (2); Gestation in Thomomys, Schramm; Gestation of Acomys, Dieterlen (2); Superfectation, delayed implantation in mouse discussed, Hollander (1); Gestation period in Syliagus, Constantine (2); Gestation period in Pears, Sowis (1); Resorption of

foetus in Cervus, Kostron; Unilateral implantation in kob, Buechner (1).

Placentation.—Subplacenta of guinea pig, Davis, J. & others (1) (2): Embryonic membranes of Megaptera, Stump & others; Embryonic membranes and placentation in diprotodont marsupials, Sharman (2).

Parturition and Litter Size.—Litter size and latitude correlation in N. American mammals, Lord, R. D. (1); Litter size in Didelphys, Ebert; Birth in Hemiechinus, Paraechinus, Gupta & Sharman; Large litter in Sylvilagus, Barkalow (1); Embryo number variation in Russian rodents, Semenov; Litter size in Marmota, Snyder & Christian; Large litter in beaver, Wick & Pentitla; Parturition in Thomomys, Schramm; Inbreeding and litter size in mice, Bowman & Falconer; Litter size in inbred mice, Roberts (1).

Hybridisation.—Interspecific hybrids bred in Ptock Zoo, Taworski & Woliński; Mico-Hapale hybrid, Hill, W. C. O.(3); Hybrid between Leontocebus (Tamarin) and L. (Marikina) in Cologne Zoo, Immendorf; Rabbit ova fertilised by hare spermatozoa, Treus & Steklenev (2); Hybridisation of Citellus pygmaeus and Citellus suslica, Denisov; Hybridisation between Arvicola terrestris terrestris and A. t. scherman, Bernard; Fox-dog crosses discussed, Creed; Fertile hybrid reported between Ammotragus lervia-Capra hircus cross and Capra ibex, Haltenorth (2); Bison-yak hybrids, Treus & Steklenev (1); Bos taurus, Bison bonasus hybrid, Dehnel (2), Demiaszkiewicz

Twinning.—Monozygotic twins in captive Taurotragus, Treus.

DEVELOPMENT

Raising captive walrus in New York Zoo, Atz; Mammalian egg, Austin (2); Development of photo-receptors, de Robertis; Development of epidermal innervation, Fitzgerald; Aspects of gestation period and foetal development, Hjortsjö; Factor controlling growth of sympathetic nervous system, Levi-Montalcini & Angeletti; Development of brain, Matveyev; Embryological phases of gametogenesis, Mintz; Segmentation of upper cervical ganglion, Narkiewicz; Phylogeny of mammalian egg cleavage, Opoczyńska-Sembratowa & Sembrat; Development of skeletal muscles, Shmidt (1); Development of mammalian eye, Stroeva; Development of spinal cord internal vascularization, Strong; Development of young Antechinus, Marlow (4); Tooth development in soricids, Kindahl (1); Early development in Hemiechinus, Paracchinus, Gupta & Sharma; Tooth development in Erinaceus, Kindahl (2); Post-embryonic development of cranium, rostrum and palate in Epomophorus, Lanza; Vocal development in monkeys, Oshima; Post-natal development of macaque skull, Wada, K .: Chemical changes in post-natal development of Citellus, Barié (1); Growth of Microtus, Sýkora (1); Metrial gland cells in rat placenta, Dickson & Bulmer; Development of rat ovary, Eckstein; Development of cloaca and perineum in female rate, Forsberg; Development of rat suprarenal, Gregoire; Development of rat pelvis, Harrison, T. J.; Development of thermoregulation in rat, Luitinec (1); Development of rat subclavian artery, Moffat (1); Development of posterior cerebral artery in rat, Moffat (2); Development of rat testis, Roosen-Runge Leydig tissue of mouse testis, Baillie; Hypophyseal vascular system of mouse, Enemar (1); Hypophysis of mouse, Enemar (2) (3); Syndactylism in mouse, Grüneberg (2); Oligosyndactylism in mouse, Grüneberg (3); Tooth development in mouse, Pourtois; White blaze in mice, Schumann; Post-natal development of Acomys, Dieterlen (2); Subplacenta of guinea pig. Davis, J. & Others (2); Tooth development in Physeter, Berzin; Development of embryo and membranes in Megaptera, Stump & others; Development of sable, Baevski; Development of dog os priapi, Zarzycki & Czechowicz; Hypophysis of cat, Della Corte; Tooth morphogenesis in Loxodonta, Verheyen, R.; Cartilage islands in lower oesophagus of foetal dromedary, Maskar; Development of groin cartilage in pig, Lange, K.; Full-term foetal membranes of camelids, Morton; Morphogenesis in growing antler, Goss; Development of heart in Alces, Petrov; Breed morphological distinctions in sheep development, Bogolyubski et al; Development of sheep, Kuliev (2); Wool follicle in sheep, Lyne; Development of sheep, Shumkina; Young Capra pyrenaica described, Valverde (2); Development of Bos, Danilova; Intercostal muscles of Bos, Gurova; Development of cow placenta, Kantorova; Muscle development in Bos, Kurnosov Skin and hair of foetal cattle, Lyne & Heideman; Early embryogenesis in cattle, Shmidt (2); Lachrymal ducts in Bos, Veggetti.

EVOLUTION AND GENETICS

Evolution: General.-Origin of domestic animals. Bogolyubskii; Origin of British insular small mammal races and of "Lusitanian" fauna, Corbet; Origin, evolution of mammalian feeding mechanism, Davis, D. D.; Discussion of parallel evolution, Horre (1); Evolution of external ear, Hyichev; Phylogeny of mammalian limb, Kasyanenko; Torsion of humerus in phylogeny, Meitner; Cranial analogies between mammals and birds, Müller; Evolution of mammalian femur, Parrington; Study of allometric theory in relation to evolution, Röhrs (2); Adaptive changes in skull and brain of fossorial mammals, Spatz & Stephen, Starck & others; Textbook of mammalian evolution, Thenius & Hofer; Evolution of burrowing mechanism in Talpidae, Reed, C. A. (1) (2); Evolution of primates, Remane (2); Distribution and evolution of diurnal squirrels, Moore (2); Evolutionary rates in cricetines, Vorontsov (2); Subspeciation of Faroe mouse, Dover; Subspeciation in Martes americana, Dillon; Evolution, ancestry of South American domestic dogs, Ueck; Atavistic characters of palaeontological interest in Elephas, Deraniyagala; Evolution in † Merychippus upper dentition, Downs; Ancestry of Przewalski horse, Skorkowski (1); Ancestry of tarpan, Skorkowski (2); Evolution of Capreolus, Lehmann (1).

Evolution: Primates.-Note on primate evolution, Gremyatsky (4); † Australopithecus and human evolution, Rodriguez; Affinities, classification of †Oreopithecus, Trevor; Food transport and origin of hominid bipedalism, Hewes; Hominid evolution, Hilton; Biometry of hominid cranial evolution, Khrisanfova; Evolution of brain cortex in hominids, Kochetkova (8); Review of hominoid evolution, Quiring; Evolution of hominids, Robinson, J. T. (2); Cranial structure and anthropogenesis in primates, Uspensky; Rate of human evolution, Cole, S.; Popular account of human evolution, Cornwall & Howard; Evolution and polygenic origin of man disc., Gayre; Fossil men reviewed, Gieseler; Evolution of man, Heberer; Account of human evolution, Howells; Evolution of man, Mellersh; Notes on Neanderthal man, Piveteau (1): Correlations in man and mammals, Roginsky; Evolutionary position of man in space and time, Schaefer; Evolution of man in Africa, Tobias (1); East African fossil men, Weiner.

of

ig,

in

le,

n;

ns

nt e; ra xs,

p-

8,

); of

in

ls

O

d

18

n

s, al

8,

:

т

1,

1

Mutation and Variability.—Hair and pigment mutants, Chase & Mann; Mutagenesis in rats and mice, Bateman, A. J.; New mutation in mouse, Bennett; New gene, hepatic fusion in mouse, Bunker; Induced mutations in mice, Carter & Lyon; Reverse mutation in mouse, Dahlberg; New inherited obesity in mouse, Falconer & Isaacson; New dwarfing gene in mouse, Fowler & Edwards (2); Relations and effects of dreher mutant in mouse, Lyon (3); New allele in mouse, Phillips; New hairless mutant in mouse, Randelia & Sanghwi; Variegated mutants in mouse, Russell & Bangham; New dwarf mouse, Schaible & Gowen; New mutant in mouse, Searle; New mutation in mouse, Yoon (1); Colour variant in hamster, Petssch (1); Sexual variation in body skeleton of European mustelids, Ondrias (1); Variation in †Merychippus upper dentition, Downs.

Genetics: Researches in Mus .- Subline divergence rate in highly inbred mouse strains, Bailey; Inbred mice in genetics teaching, Barnawell; Effects of breeding mice in cold environment, Barnett (2); Heterosis in mice in a cold environment, Barnett & Coleman (2); High frequency of lethal gene, Bateman, N. (1); Selective fertilization of T-locus, Bateman, N. (2): "Pintail" in mouse, Berry, R. J.; Linkage test in mouse, Bodmer; Inbreeding and litter size, Bownan & Falconer; Litter size in inbred mice, Roberts (1); Histocompatible colour mutant in mouse, Brown & Cook: "Dorsal excrescences" in mouse discussed, Center: Inheritance of body size, Chai (2); Genetic effects of X-irradiation, Charles & others; Genetics of plasma transferrins, Cohen, B. L.; Nomenclature for mouse transferrin locus, Cohen & Shreffler; Purity of inbred mouse strains, Deol & others; Effect of single gene substitutions on resistance to radiation in mice, Doolittle; Allele transmission ratios in Mus, Dunn, L. C.; Genetics of litter size, Falconer (2); Fertility and selection in mice. Powler & Edwards (1); Haemoglobin genetics, Gluecksohn-Waelsch; Linkage map for mouse, Green, M. C. & Dickie; Genetics of number of presacral vertebrae in mice, Green & Green; Developmental genetics in mouse, Grüneberg (1); Genetics of mouse skeleton, Grüneberg (4); Two closely linked genes in mouse, Grüneberg & Truslove; Inheritance of visceral inversion, Hummel & Chapman; Abnormal inheritance of sex linked gene, Kindred; Gene action in mouse X-chromosome, Lyon (2); Zigzag, a genetic defect of Mus horizontal canals, Lyon (1); Recessive mutation, "open eyelids" in mice, Mackensen; Analysis of activity variation in inbred and crossbred mice, Mordkoff & Fuller; Linked genes in mouse, Paigen & Noell; Growth and reproduction of selected mouse strains, Roberts (2); Mutation for clubfoot in mouse, Robins; Longevity of lethal type in mouse, Russell & Lawson; Linkage of brachypodism, Runner; Genetic control of white blaze in mice, Schumann; Hybridisation effect on polydipsic trait of inbred mice, Silverstein; Heritability of radiation damage in mice, Spalding & others; "Ichthyosis", a spontaneous mutant in house mouse, Spearman; Mutation causing neonatal jaundice, Stevens & others; Biological characteristics of inbred mice, Tsubina; Affinity in inbred mice, Wallace; Blood-pH differences in inbred mouse strains, Wolfe; Selection for blood-pH, Wolfe (2); Factors affecting quivering condition in Mus, Yoon (2); General, Cattanach, Falconer (1), Russell & Russell.

Genetics: Studies other than Mus.—Genetics of mammalian gametee, Braden; Genetics and reproductive physiology, Hollander (2); Status of immunogenetics, Owen; Lethal equivalents in domestic animals, Pisani & Kerr; Mutant Scotophilus, Harrison, D. L. (2); Genetics of head length in rabbit sperm, Beatty (3);

Attempted genetic transformation in rabbit, Beatty & Billett; Inheritance of "wuzzy" mutation in rabbit, Crary & Sawin; Inheritance of hypocatalasaemia in guinea pig, Rader; Genetics of guinea pig, Wright, S. Light undercolour in Mesocricetus, Robinson, R. (1); Genetic basis of renal adenomas in rat, Eker & Mossige Genetic drift in India Rattus, Grüneberg (5); Segregation in Rattus norvegicus, Robinson, R. (2); Genetics of Palomino horse, Castie & Singleton; Inheritance of haptoglobins in pigs, Kristjansson; Genetics control of arylesterase in pig plasma, Augustinsson & Olsson; Inheritance of white coat in water buffalo, Rife & Buranamaras; Harelip in cattle, Wheat.

ECOLOGY AND HABITS

General.—Ecology of mammals of Sahara, Valverde (1); Plant and mammal interrelations on Minnesota prairie, Tester & Marshall; Biology of mammals of Black and Azov Seas, Kleinenberg (1); Comparative ecology of hibernating mammals, Kalabukhov; Totemical use of hunting trophies, Živančević; Wildlife use of tree cavities and ground burrows, Gysel; Faunal barriers in Tannu Tuva Rep., Mongolia, Flint & Golovkin; Small mammal status on artificially radioactive lake bed in Tennessee, Dunaway & Kaye (3); Effects of industrial oil disposal on wild mammals, Dunaway & Kaye (2); Ecological effect of sewage effluent on Polish small mammal populations, Chudoba & Huminski; Saharan ecology, Dekeyser & Devivot (2); Tolerance in necturnal woodland creatures, Dater; Game and climatic change in Sahara, Colchester; Commercial use of Rhodesian game animals, Dasmann & Mossman; Game farming possibilities, Dekeyser (2); Game-cropping as source of meat, Hillaby (1); Big game and rodent relationships to forests and grasslands in N. America, Longhurst; Game survival in drought, Vesey-Fitzgerald; Small mammal ecology of new polders in Netherlands, Wijngaarden & Lensink Response of Blarina, Microtus, Peromyscus to weather conditions, Getz (4); Rearing and handling young Erinaceus, Morris, B.; Care of captive Nasalis, Pournelle (4); Deposition and decomposition rates of Sylvilagus faecal pellets, Cochran & Stains; Rabbit grazing effect of vegetation of Macquarie Island, Costin & Moore: Rodent influence on steppe soil and vegetation, Formosov & Kodachova; Rodent ecology in southern U.S.S.R., Ismagilov, M. I.; Ploughing effect on rodent ecology in Kazakhstan, Karasseva; Weather influence on rodent trapping, Sidorowicz (2); Rodent ecology in Kazakhstan, Skvortsov; Relation of Cynomys to plants, soil and land use, Koford (2); Beaver effect on trout in California, Gard; Speciation in Palaearctic hamsters, Vorontsov (1); Nutria effect on fish ponds, Ehrlich; Possible correlation in Oregon populations of Microtus and owl, Bubo. Griffee; Current problems in whale biology, Tomilin; Physeter relation to water temperature in N.E. Pacific, Fadovich; Carnivore population changes in coyote control areas, Robinson, W. B.; Influence of Alopex on Arctic bird distribution, Larson; Reindeer ecology and husbandry in Finland, Ahti; Deer inter-relations in Perthshire forest, Batcheler; Brushland improvement for deer range, Biswell; Pine thinning to increase deer forage on Louisiana plantation, Blair; Odocoileus influence on vegetation in Wisconsin, Beals & others; Shelter requirements of penned Odocoileus, Robinson, W. L.; Damming effect on moose range in British Columbia, Edwards, R. Y. (2); Climatological limits for ibex, Amon.

Habits of Special Forms.—Ecological distribution of small mammals in N.W. Scotland and Hebrides,

Delany; Ecology of Esthonian large mammals, Ling; Desert mammals of Rajasthan, Krishna & Prakash; Large mammals of Parc Albert, Congo, Dajox; Game ecology in N. Rhodesia, Fraser Darling; Ecology of mammals of Pacific Northwest, Sheppe (1); Indian insectivores, rodents in captivity, Prakash (3); S. African sorioids, Meester (1); Sorex in Germany, Rühmekorf, in California, Ingles (2), in Washington, Armstrons, Johnson & Clanton; Ecology of Sorez, Blarina in Michigan, Gets (2); Talpa in Poland, świesimski; Erinaceus in Germany, Schäuffelen (2), in New Zealand, Herter; Ecology of Mesopotamogale, Rahm (3); Ecology of Lepus in Quebec, Bider; Lepus townsendi in Washington, Clanton & Johnson (1); Review of bat relations and adaptations with regard to chiropterophilous plants, Carvalho (2); Ecology of French bats, Sluiter & Heerdt; Bat habits in Hanover, Rühmekorf & Tenius; Ecology of cave bats of Yugoslavia, Djulić (2); Ecology of Yugoslavian bats, Mirić; Ecology of New Zealand bats, Dwyer; Bat ecology in Iowan caves, Muir & Polder; Environmental problems of bat hibernation in Utah, Twente; Biological status of Bermudan bats, Van Gelder & Wingate; Ecology of Brazilian bats, Bendezu (2); Rongeteris, Hipposideros in Batu Caves, Selangor, McClure; Deemodus in captivity, Wimsatt & Guerriere; Rhinolophus in Czechoslovakia, Gaisler; Plecotus in Arizona, Commissaris; Young Myotis keeni in Illinois, Brandon; Myotis austroriparius in Kentucky, Hall, J. S.; Presbytis in Assam, Gee (3), in North Borneo, Stott & Selsor (3), in capitivity, Achard; Orang-utan in Sarawak, Schaller; Habits of Manis, Mohr (2); Ochotona in Yakutia, Kapitonov; Biology of Ochotona, Khmelerskaya; Netherlands rodents, Wingsarden (2); Desert rodent ecology in Sahara and Land. in Sahara and Iran, Petter (3); Citellus in Pre-Aral, Mikitina (1), in Tian Shan, Stroganova & Chu Tsing; Citellus ecology in Byelorussia, Petrovsky; Spermophilopsis in U.S.S.R., Kahrulin; Marmota ecology, effect on vegetation in Kazakhstan, Ismagilov, M. M.; Ecology of Cynomys, Koford (2); Asiatic beaver in natural colonies, Lavrov & Hao-chuang; Beaver in Sweden, Wilsson, in Kansas, Henderson; Biology of Anomalurus, Rahm (1); Ecology of Japanese voles, Ota & Jameson; Biology of Argentine rodents, Massoia; Clethrionomys in N.E. Europe, Vorontsov (3); Clethrionomys, Peromyscus in S.E. Massachusetts, Waters; Clethrionomys, Apodemus in Japanese woodland, Kinoshita & Maeda; Ellobius in Kazakhstan, Shubin; Lemmus in Sweden, Curry-Lindahl (2); Notes on Mesocricetus, Berner; Microtus in Mongolia, Dawaa, in U.S.S.R., Karaseva, on Volga islands, Snigirevskaya, in Michigan, Getz (1); M. nivadis in S. Carpathians, Firchuk; Distributional factors affecting Microtus, Synaptomys in Michigan, Getz (5); Ondatra in Brittany, Brosselin, in Hungary, Székessy, in Finland, Artimo; Ondatra, Myocastor in Alsace, Gouin & others; Oryzomys on Breton Island, Gulf of Mexico, Negus & others; Peromyscus in Kansas, Fryendall, Long (5); Ecological relationships of Peroin Michigan, Getz (3); Habitat preferences of boreal Phenacomys, Edwards, R. Y. (1); Life history, biology of Phenacomys in Manitoba, Foster J. B.; Pitymys in Provence, Konig & Konig, in Poland, Wasilewski (1), under laboratory conditions, Buchalczyk, A.; Sigmodon in New Mexico, Mohlhenrich; Spalax in Israel, Nevo, in Turkey, Mursalogiu, in Greece and Turkey, Watson, G. E.; Biology of Acomys, Dieterlen (2); Apodemus in Roumania, Popesu; Ecology, life history of Fair Isle Apodemus, Delany & Davis; Cricetus in Netherlands, Glas; Gerbillus under laboratory conditions, Juminer; Meriones in Armenia, Gambarjan & others; Meriones ecology in Iranian Kurdistan, Golvan & Rioux; Biology

of Rattus blanfordi, Brosset (2); Rattus rattus in Malaya, Dhaliwal; Biology of Rattus (Praomys) morio in captivity, Eisentraut (6); Norway rat in U.S.S.R., Poyarkov; Interspecific relations of Rhombomys in N. Aral, Krilova & others; Dryomys in Israel, Nevo & Amir; Biology of Glis, Vietinghoff-Riesch; Sicista in Tian Shan, Zimina & Merkova; Biology of gundi, Kock & Schomber (2); Eschrichius on California coast, Gilmore (1); Biology of Megaptera in Ryukyuan waters, Nishiwaki; Lycaon in captivity, Kowalska & Wolinski; Vulpes in Germany, Schmook; Biology of Lithuanian Vulpes, Prusaite (1) Winter ecology of fox in Michigan, Schoffeld (2); Black bear in Florida, Harlow, R. F. (2); Otter in Uzbekistan, Ishunin; Lutra in Algeria, Piguet; Habits of Enhydra, Limbaugh; Biology of Enhydra, Nikolaev; Weasel in Sakhalin, Benkovski; Martes in Lithuania, Maldziunate (1); Mink in Iceland, Gudmundsson; Cougar in Utah and Nevada, Robinette & others; Felis in Kara-Kum, Sapozhenkov (3); Habits of Felis bengalensis, F. planiceps in captivity, Lim & Rahman bin Omar; Felis margarita in Turkmenia, Sapozhenkov (2); Habits of Felis temmincki, Gee (4); Hooded seal in N. Atlantic, Rasmussen; Halichoerus, Phoca in Dutch coastal waters, Haaften; Greenland seal in White Sea, Dorofeev (1); Ecology, habits of Asiatic wild ass, Bannikov (2); Rhinoceros in Malaya, Metcalte; Biology of white rhinoceros in Zululand, Foster W. E.; Ecology of ungulates introduced to New Zealand, Wodzicki; Wild pig in Poland, Haber; Sus in C. Asia, Pteffer; Dromedary in N.W. Sahara, Gaulthier-Pilters; Vicuña in central Andes, Koford (1), in Peru, Koford (3); Alces in Sweden, Curry-Lindhal (1), in N. America, Pimlott; Biology of Capreolus in Denmark, Andersen; Cervus in Hungary, Szederjei & Sartorius, in Amu-Daria, Mambetzhumaev; Cervus canadensis in Wyoming, Casebeer; Biology of Jackson Hole, Wyoming herd of Cervus canadensis, Anderson, C. C.; Biology of Cervus nannodes, Bakker; Habits of Cervus unicolor, Kitchener (3); Ecology of Dama mesopotamicus, Haltenorth (1); Black-tailed deer in N. America, Taber; White-tailed deer in N. America, Taylor, W. P.; Odocoileus in Wisconsin, Cook & Hale, in Idaho, McConnell & Dalke, in Alabama, Adams; Odocoileus relation to forest habitat in Arkansas, Halls & Crawford; Studies on barren-ground caribou, Kelsall; Reindeer on Spitzbergen. Long, in S. Georgia, Synes; Ecology of Antilocapra, Buechner (2); Antelope ecology in Kruger National Park, Dagg; Antelope in Kalahari Gemsbok Park, Eloff (1); Giant sable antelope in Angola, Frade & Sieiro; Lechwe on Kafue Flats, N. Rhodesia, Mitchell & The Characteristics of the Company o Uys; Thomson's gazelle in Tanganyika, Brooks, A. C. Ecology of Saiga, Bannikov (1); Feral goats in British Columbia, Geist; Ibex in Switzerland, Burckhardt (1); Habits of ibex, Burckhardt (2); Ecology of ibex and chamois in Alps, Couturier (2); Ecology of N. American bison, Fuller.

Food Habits.—Food of mammals of Rajasthan desert, Prakash (2); Food storage by Sorex, Dehnel (1); Feeding habits of Sorex, Rosmus; Food of captive Mesopotamogale, Rahm (3); General illustr. account of bat echo-location and capture of food, McCue; Food habits of certain N. American bats, Ross; Pteropus drinking sea water, Ratcliffe; Blood drinking by Desmodus illustr., Villa, B.; Flesh-eating by hapalids, Schäuffelen (1); Food of Presbytis in Assam, Gee (3); Feeding captive Nasalis, Pournelle (4); Food of Ochotona, Voronov & Kozhevnikova; Winter food of Norwegian Lepus, Lund; Various tree and shrub seeds compared as rodent food, Syridenko Reingestion in Aplodontia, Ingles (3); Food of Citellus in Poland, Surdacki; Juniper seed as winter food of Tamiasciurus, Abbott & Belig; Thomomys in Colorado,

n

0

g

t

i

d

n

n

n

r,

of

Ward; Food of beaver in Archangel region, Paravshchikov (2); Oak galls as food of Apodemus, Clethrionomys, Turček (2); Value of bark as food of German Clethrionomys, Woth (1); Seeds stored by Peromyscus, Howard & Evans; Food of Rattus norvegicus on Essex coastal island, Drummond; Food store of Mus musculus spicilegus, Festetics; Whale food chain, Pequegnat; Whales in Kurile region, Betesheva; Feeding behaviour of Inia, Layne; Stomach contents of stranded Ziphius, Kenyon; Food of bobcat in Utah and Nevada, Gashwiler & others (1); Food habits of captive least weasel, Short(2);
Martes in Wyoming, Murie, in U.S.S.R., Parovshchikov
(3) Food of Martes in Scotland, Lockie, Food of Enhydra, Limbaugh; Food of Nyctereutes, Kritskaya; Food of fox in Caspian region, Pavlov (1); Winter food of fox in Michigan, Schoffeld (2); Food of Vulpes, Uloth (2); Food of wolf in Lithuania, Prusaite (3); Feeding habits of grizzly bear, Mechan; Food of Lutra in Lithuania, Maldziunaite (2); Food habits of Loxodonta in Uganda, Buss; Food of Pecari in Arizona, Eddy; Food of Siberian Food eler introduced to Moscow Territory, Gabuzov; Food plants of deer in Swiss park, Hegg; Cerous competition with cattle for food in Wyoming, Jones, D. A.; Food competition-range relationships of Aless, Lepus in Newfoundland, Dodds; Winter food of Alces in U.S.S.R., Alexandrova & Krasovsky; Alces in Montana, Knowlton; Atlantic white-cedar as winter deer browse in U.S.A., Gould & Brown; Autumn and winter food of Florida Odocoileus, Harlow, R. F. (1); Diet for raising Odocoileus fawns, Long & others; Hardwood trimmings as winter browse for Odocoileus, Alkon; Diet for rearing and breeding Odocoileus in captivity, Murphy; Food of Odocoileus in Arizona, White, R. W.; Reindeer in U.S.S.R., Sablina; Food of Antidorcas, Raphicerus, Oryx, in Kalahari Gemsbok Park, Eloff (1).

Predation.—Predation on big game in East Africa, Wright, B. S. (1); Snake predation on Sierra Leone bats, Jones, T.; Leopard frog attacking Myotis, Gould; Hawk, Accipiter, as predator on Lasiurus, Downing & Baldwin; Lasiurus as prey of Geococcyx, Wilks & Laughlin; Golden eagle as predator on Lepus in Norway, Haftorn (1); Microtus as possible bat predator, Martin (3); Coyote predation on Odocoileus in Washington, Brigham; Taxidea use of Citellus burrows for concealment during predation, Balph; Raccoon predation on waterfowl, Llewellyn & Webster; Degree of predation by large Indian carnivores, Santapau & Abdulali (2).

Aquatic Habits.—Swimming of Potamogale, Mesopotamogale, Rahm (3); Swimming capacity in Marmota, Tamias, Mephitis, Didelphis, Wilber & Weidenbacher; Swimming in Californian Microtus, Fisler.

Fossorial Habits.—Burrows as environmental protection, Kootcherook; Tunnel system of Spalaz, Nevo; Burrowing of Spalaz, Watson, G. E.; Vertebrate fauna of pocket gopher burrows, Vaughan (1).

Arboreal Habits .- Gliding of Galeopterus, Callender.

Nesting Habits.—Nest of Condylura, Wiegert; Nest building in armadillos, Eisenberg; Rats using nest boxes, Caffrey (2).

Miscellaneous Habits.—Wildlife use of tree cavities and ground burrows, Gysel; Food storage by Talpa, Skoczeń; Toilet of hedgehog, Mahoney; Use of thumb to support roosting Myotis, Cranbrook; "Painting" by chimpanzee, Morris, D. (1); Sciurus attacking dove, Zenaidura, Borell; "Rat king" described, illustrated, Meester (3); Blood-licking behaviour in Canis and Vulpes, Waner; Scraping and pawing in Capreolus, Tegner (1).

Psychology and Behaviour Studies.—Behaviour and needs of infant mammals, Barnett (1); Expression of emotions in animals, Haartman; Activity provision for zoo animals, Morris, D. (2); Mammal behaviour towards snakes, Prakash (1); Publications relevant to drug effects on behaviour, Steinberg; Behaviour of captive Tachyglossus, Hediger & Kummer; Food storage by Sorex, Dehnel (1); Feeding habits of Sorex, Rozmus; Rolling in Paraechinus, Gupta; Behaviour of captive Tupaia, Sprankel; Motor reflex in monkeys, Shirkova & Verevkins; Lateral preferences in monkeys, Ettlinger; Manipulation of objects by monkeys, Fabri (1); Love in infant monkeys, Harlow, H. F.; Monkey reaction to colour, shape and size of objects, Markova; Behavioural study of pain in monkey, Weitzman & others; Effect of punishment on Saimiri, Appel; Macaque ability to select objects by colour, Fabri (2); Play in macaque, Itoigawa; Sexual behaviour of macaque, Rubadeau & Young; Elementary thought in apes, Braynes & Novosyelova; Use of implements by baboon, Bolwig; Behaviour of Papio employed as goatherd, Hoesch (1); Delayed imitative reflexes in chimpanzee, Firsov (2); Use of stick by chimpanzee, Novosyelova; Painting and drawing by Pan, Cebus, Rensch; Behaviour of orang-utan, Harrisson, B. (3); Behaviour of orang-utan, Schaller; Behaviour of Myemecophaga, Tamandua, Cyclopes in wild state, Krieg in Krieg & Rahm, in captivity, Rahm in Krieg & Rahm; Behaviour of Bradypus, Krieg in Krieg & Rahm; Behaviour of dasypodids, Krieg in Krieg & Rahm; Nest building behaviour in armadillos, Eisenberg; Behaviour of Manis, Mohr (2); Behaviour of Manis, Rahm in Krieg & Rahm; Season and population increase effect on behaviour of confined rabbit populations, Myers & Poole; Maternal behaviour in rabbit, Ross & others; Mother-young relation in Marmota, Psenner; Social behaviour of Cynomys, King, J. A. (1); Microtus behaviour reaction to high tide in Californian salt-marsh, Fisler; Feeding behaviour of nutria, Hailman; Maternal behaviour in non-maternal Mesocricetus, Rowell (1); Family group relations in Mesocricetus, Rowell (2); Mating behaviour in Peromyscus, Tamsitt (1); Behaviour of captive Peromyscus, Balph & Stokes; Locomotory and learning patterns in Peromyscus subspecies, King, J. A. (2); Swimming, electric shock reaction, behaviour development in young Peromyscus, King, J. A. (3); Subspecific differences in responses of young Peromyscus on elevated maze, King & Shea; Behaviour of captive Spalax, Watson, G. E.; Breeding behaviour of captive Micromys, Dieterlen (1); Physiological effects of social stress on rats, Barnett, Eaton & McCallum; Food competition effect on rat killing response, Heimstra & Newton; Avoidance behaviour in rat, Harwitz & Millenson; Effect of enforced intervals on the mating behaviour of male rats of different ages, Larsson; Response of albino rat to red light, Mead; Schistosomiasis effect on learning in rats, Stretch, R. G. A. & others, Stretch, S. J. E. & others; Factors affecting learning in rat, Weaver & Michels; Strain differences in rat sexual behaviour, Whalen; Evaluation of fighting behaviour in Mus, Catlett (1); Variability of mouse behaviour towards live traps, Crowcroft & Jeffers; Social dominance in inbred mouse strains, Lindsey & others; Home cage influence on result of fights between male mice, Petrusewicz & Andrychowska; Behaviour of Pacific cetaceans, Norris & Prescott; Sickness as explanation of stranding in whales, Ray, G. (1); Behaviour of Globicephala, Brown, S. G. (1); Conditioned reflexes in dog, Gurinovich; Behaviour of young wolf, Kramer; Taming and behaviour of wolf and jackal, Heimburger; Behaviour of Ursus family, Hattorn (2); Behaviour of brown bear, Krett;

Behaviour of grizzly bear, Meehan; Curiosity behaviour in American mustelids, Armitage (2); Behaviour of captive mustelids, Wüstehube; Curiosity behaviour in Martes, Halvorson; Behaviour of Martes, Manville (2); Behaviour of Spilogale, Manaro; Suckling behaviour of tittens, Ewer; Sexual behaviour, Sprague & others; Behaviour of Orysteropus, Rahm (4); Behaviour of Loxondonta in Uganda, Buss; Behaviour of captive Loxodonta, Kühme; Threat display by Loxodonta, Spinage; Behaviour of captive Dendrohyrax, Fey; "Combat play" between Grevy zebra and Watussi bull, Schuller (2); Behaviour of pig in oestrus, Signoret & others; Behaviour of deer, Schloeth (1); Behaviour in Odocoileus, Cowan & Geist; Behaviour of barren-ground caribou, Pruitt (2); Behaviour of barren-ground caribou on calving grounds, de Vos (1) (2); Behaviour of Litocranius, Walther.

Activity Rhythms.—Activity of Didelphis, Pilleri (2); Activity of Sorez, Ingles (1); Pipistrellus emergence time in India, Prakash (5); Seasonal changes in roadside activity of Sylvilagus in Illinois, Lord, R. D. (6); Activity rhythm of Geomys, Vaughan & Hansen; Activity rhythms activity rhythm of Gleutomys, Tamias confined together, Graefe; Daily activity rhythm of Clethrionomys, Saint Girons (2); Seasonal activity changes of Microtus, Erkinaro; Nocturnal activity of Rhombomys, Maria & Rotschild; Activity of brown and white rat compared, Kurez. Activity variation in inbred and crossbred mice, Mordkoff & Fuller.

Migrations.—Game migration in Kalahari Gemsbok Park, Barnard; Antelope migrations in Kalahari Gemsbok Park, Eloff (1); Review of movements and migrations of mammals, Kalela; Flight distances of Polish Myotis, Krzanowski (1); Migration of Vespertilio murinus, Kurskov; Homing in Tamais, Seidel; Arvicola migration in U.S.S.R., Kratt; Microtus, Clethrionomys movements in Komi A.S.R., Nikitina (2); Ondatra migration in Oregon, Kebbe (1); Homing in Peromyscus, Griffo; Homing in Peropathus, Peromyscus, Broadbooks (3); Homing ability of captive Apodemus, Clethrionomys, Bovet; Homing orientation in mice, Lindenlaub; Notes on whale migration, Budker; Extensive movement of raccoon, Priewert; Seal migrations in Pacific, Tikhomirov; Deer migrations in California, Ashcratt; Alees movements in C. Europe, Boback; Migration patterns of Sun River, Montana herd of Cervus canadensis, Picton (1); Migration of Cervus canadensis in Idaho, Robel (2).

Home Range and Territory.—Dye excretion for small mammal home range determination, Brown & Conaway; Sorex home range in California, Ingles (2); Territorial hunting habits in Myotis, Wallin; Home range, movements of Sylvilagus in Missouri, Brown, L. N. (1), in California, Shields; Movements of Cethrionomys, Apodemus on Skomer, I., Saunders; Home range, territoriality and movements of Michigan Microtus, Getz (6); Winter range of Peromyscus, Clethrionomys in Minnesota, Beer (3); Movements of tagged Reithrodontomys, Kaye; Movements of Rattus ratius on Mona Island, W. Indies, Pippin; Home range of mink in Montana, Mitchell, J. L.; Alces movements in Montana, Knowlton; Food competition—range relationships of Alces-Lepus in Newfoundland, Dodds; Movements of Cervus in Swiss park, Schloeth & Burchhardt; Cervus canadensis movements in Idaho, Robel (1); Territorial markings by Philantomba, Rahm (2).

Population Studies.—Didelphis population structure in Illinois, Sanderson (3); Results of Netherlands bat

studies, Heerdt & Sluiter (3); Summer colony of Myotis in W. Virginia, Krutzsch; Population dynamics of Missouri swamp rabbit, Martinson & others; Ages and reproductive cycles in male Sciurus population, Kirkpatrick & Hoffman; Eutamias, Peromyscus popula-tion density in Montana forest, Johnson, L. J.; Population growth control in rodents, Christian, J. J.; Composition of Lemmus population, Koshkina Khalansky; Dynamics of German Clethrionomys, Schindler; Clethrionomys, Apodemus on Skomer I., Saunders; Dynamics of confined Microtus populations, Wijngaarden (1); Microtus population cycles in Mongolia, Dawas; Population fluctuation in Microtus in British Columbia, Racey; Population structure in Minnesota Microtus, Beer & MacLeod; Microtus population study in Michigan. Getz (1); Population dynamics of Microtus in Michigan, Golley (3); Structure of Oregon Peromyscus population, Beer (1); Flooding effect on Peromyscus population, Ruffer; Thomomys population crash in California, Howard; Sex dynamics in confined populations of mice, Petrusewicz; Mouse population dynamics in Roumania, Schnapp & Hellwing (2); Analysis of N. Pacific fin whale population, Fujino; Census of Eschrichtius, Gilmore (1); Sex distribution in Spitzbergen Delphinapterus, Lone & gynes; Fox population index in Wisconsin, Lemke & Thompson; Urocyon in Florida, Lord, R. D. (7); Mink on Montana river, Mitchell, J. L.; Population density of *Enhydra*, Nikolaev; Population dynamics of N. Pacific fur seal, Nagasaki (1); Population dynamics of Alaskan Callorhinus, Chapman; Hooded seal population in N. Atlantic, Rasmussen; Estimated Cystophora population in N. Atlantic from aerial census, gritsland; Population dynamics of Greenland seal, Chapsky (2); Studies on Swiss ungulates, Burckhardt & others; Alces population of Gravelly Mts., Montana, Knowlton; Odocoileus in Arkansas forest habitat, Halls & Crawford; Population dynamics of Antilocapra, Buechner (2).

Conservation.—Status and prospects of endangered mammals, Anon (5); Wildlife Conference at Arusha, Anon (17); Scientist's role in nature conservation, Dorst (1); Management of small game in Germany, Frank (1); Forest wildlife management in Germany, Webb, W. L.; Conservation in Greece, Hatzisarantos & Kanellis: Conservation measures in Spitzbergen, Ferens; Wildlife management aims in U.S.S.R., Skalonge; Notes on species threatened in Near East, Trense; Kanha National Park, Madhya Pradesh, Sagreiya; Wildlife protection in Malaya, Hislop (2); Wildlife protection on Singapore I., Burkill; Wild life protection in North Borneo, Burgess; Threat to rare animals in Borneo, Harrison T. (1); Threatened mammals of Australia, Calaby & Ratcliffe; Notes on African conservation, Anon (29); Conservation in Africa, Hillaby (2); Protection of Moroccan wild life, Chapuis; Protection and hunting in Tunisia, Schomber & Kock; Notes on Sudan wildlife, Merck; Conservation measures suggested for Ethiopia, Petrides (1); Conservacion in Ethiopia, Petrides (2); Wildlife conservation in Ghana, Collins (1); Conservation in Ghana, Collins (2); Parc Albert, Congo, Dajoz: Future status of National Reserves in Kenya, Grimwood; Account of Serengeti census, Grzimek; Account of Serengeti Park, Grzimek & Grzimek; Report of Uganda Game Department, 1958–1960, Anon (10); Account of "Operation Noah", Holz; Game conservation in N. Rhodesia, Fraser Darling; Poaching control in Wankie Park, Rhodesia, Riney & Austen; Willem Pretorius Game Reserve, Orange Free State, Griesel; Report S. African Department of Nature Conservation, 1958, Anon (2); Report South African Department of Nature Conservation, Anon (3); Account of S. African National Parks, Payne; Game status in 8

n

a

8

.

d

ė

n

f

ı-

);

n

d

h,);

b,

r;

ne ne

1;

at

Bedford distr., Cape Province, Pringle; Game management in U.S.A., Petrides (3); Big game conservation in Utah, Young; Opossum status in Oregon, Kebbe (2); Export of koals from Australia, 1959 and subsequent controversy, Anon (6); Primate status in French Equatorial and French West Africa, Blancou; Problem of orang conservation in Borneo, Harrison, B. (2); Status of orang-utan in Sarawak, Schaller; Orang-utan in North Borneo, Stott & Selsor (2); Gombe Stream Reserve in Tanganyika for chimpanzee, Thomas; Status, protection of Rhône beaver, Richard, B. Suggested protection of Cricetus in Netherlands, Glas; Census of Eschrichtius, Gilmore (1); 1959/60 census of Eschrichtius, Rice (2); Status of California sea otter, Boolootian; Status of lynx in Czechoslovakia, Hall; Tiger in Malaya, Kitchener (5); Report on Farne Islands grey seal colony, 1959, Coulson & Hickling (1); Notes on grey seal status in British waters, Fitter; Seal status in Iceland. Hook (2); Abundance of Steller sea lion, Kenyon & Rice; Elephant in Malaya, Foenander; Protection required for dugong in Ceylon, De Silva; Suggested dugong protection in Ceylon, Jonklass; Suggested dugong sanctuary in Ceylon, Spittel; Status of Swiss Ungulates Burckhardt & others; Management of ungulates introduced to New Zealand, Wodzicki; Status of ungulates of Somalia, Funaioli & Simonetta (1); "Ungulate" status in N. Rhodesia, Grimwood & others; Threat to rhinoceros in Tanganyika, Anon (11); Status of black rhinoceros, Ancn (25); Black rhinoceros survey, 1959-1960, Daubercies; Rhinoceros in Hluhluwe Park, S. Africa, St. Croix; Status of greater Indian one-horned rhinoceros, Indian lion and Kashmir stag, Gee (1); Rhinoceros in Burma, Milton; Rhinoceros in Malaya, Metcalfe: Preservation of Sumatran rhinoceros, Skafte; Udjung-Kulon Park, Java: rhinoceros status, Satmoko; Management of Vicugna in Peru, Kotord (3); Future of British deer, Christian, G.; Status, management of Swedish Alces, Curry-Lindahl (1); Management of Alces in N. America, Pimlott; Alces, Bison conservation in Poland, Anon (28); Roe deer management, Rieck; Management of Capreolus in Denmark, Andersen; Status, conservation of Scottish red deer, Lowe; Status of Barbary deer, Kock & Schomber (1); Status of Barbary deer, Salez; Status, suggested conservation measures for brow-antiered deer in Manipur, Gee (2); History, status of Cervus nannodes, Bakker; Management of black-tailed deer in N. America, Taber; Management of white-tailed deer in N. America, Taylor, W. P.; Reindeer history, status on Spitzbergen, Long; Regulation of Antilocapra numbers in relation to land use, Buechner (2); Ibex in Switzerland, Burckhardt (1); Protection of ibex and chamois in Alps, Conturier (2); Status of Capra in Mediterranean region, Couturier (1); Status of Saiga, Bannikov (1); Giant sable antelope in Angola Frade & Sieiro; Lechwe on Kafue Flats, N. Rhodesia, Mitchell & Uys; Account of protection of steinbock, Whitehead; Gaur in Malaya, Kitchener (4); Management of Bos taurus on Oklahoma wildlife refuge, Halloran & Schroder; Conservation of European bison, Zabinski; Management of N. American bison, Fuller.

Extermination.—Possible causes of extinction reviewed, Eloff (2); History of Arctic exterminations, Ferens; Decline of thylacine in Tasmania, Guiler (3); Notes on wolf extinction in Wales, Wight; Former range of Mustela macrodon, Waters & Ray; Known examples of Cape lion, van Bruggen; Possibility of rhinoceros extinction at Ngorongoro crater, Tanganyika, Lithgow; Possible causes of extinction of mammoth, Farrand.

Waturalisation.—General notes on acclimatization, Nassimovich; Erinaceus in New Zealand, Herter;

Feral rabbit populations on Pacific Islands, Watson, J. S.; Introduction of Oryctolagus to Indiana, Kirkpatrick (1); Beaver in Karelia, Segal & Orlova; Status of introduced beaver in California, Yocom & others; Ondatra in Finland, Artimo; Muskrat in U.S.S.R., Lavrov; Chinchilla release discovered in Oregon, Yoakum; Mink in Iceland, Gudmundsson; Raccoon in Netherlands, Wijngaarden (3); Acclimatization of Enhydra, Barabash-nikiforov; Mongoose introduction to Italy, Mörzer Bruijns; History of New Zealand ungulate introductions, Wodzicki; Introduction of white rhinoceros into Murchison Falls National Park, Uganda, Bavidge; History of Cervus canadensis roosevelts on Afognak Island, Alaska, note on other introductions, Troyer (2); Reindeer in S. Georgia, Synes; History of ibex reintroduction to Switzerland, Burekhardt (1).

Domestication.—Bornu, Nigeria stud farm, Kirk-Greene; Archeological evidence for animal domestication in Near East reviewed, Reed, C. A. (3); Domestication of guinea pig, Hückinghaus (1); Reindeer husbandry in Soviet Arctic, Alaruikks; Eland "ranching" in S. Rhodesia, Hirst.

Economics: General.—Economic value of marmot in U.S.S.R., Thachenko; Economics of mammals of Black and Azov Seas, Kleinenberg (1); Ursus management, harvest on Kodiak Is., Troyer (3); Use of manatee for waterway weed clearance, Allsopp; Imitation rhinoceros horns, Alfred; Harvest of Cervus in Montana, Picton (2); Reindeer industry of N. Norway, Vorren; Use of antelope cannon-bones by †Australopithecus, Dart (3).

Economics: Rodent and Pest Control.—Objections to use of sodium monofluoracetate as wallaby poison in New Zealand, Hume; Myxomatosis in W. Australia, Calaby & others; Lures for rabbit-poisoning, Rowley (1); Concentration effect on rabbit ingestion of sodium fluoroacetate, Rowley (2); Sylvilagus damage to Douglas fir, Edwards, R. Y. (3); Rodent pests in Roumania, Manolache & others; Ultra-violet lamps and rodent control, Wilson, E. J.; Rat and mouse control in Netherlands, Anon (32); Comparative toxicity of warfarin concentrations to Norway rat, Bentley & others; Control of rats and mice, Davis, R. A. (2); Chemicals and preparations for rat control, Dukelskaya; Hygienic importance of rats, Gaffrey (1); Bait selection by rats, Hechter-Schulz; Notes on Welsh rat population, Hill, G. R.; Economic importance of Japanese voles, Ota & Jameson; Control of Arvicola in U.S.S.R., Fomushkin; Effects of Arvicola tunnelling on agriculture in Carpathians, Tatarinov; Forest damage by Clethrionomys in Germany, Schindler; Clethrionomys forest damage in Czechoslovakia, Turček (1); Microtus damage to litter-brush (Purshia) in California, Hubbard & McKeever. Wolf, coyote control in Mexico, Villa R. (1); Elephant as pest control problem, Hillaby (3); Economic aspects of Polish wild pig, Haber; Roe deer damage in Scotland, Anderson, M. L.

Economics: Fur and Wool.—Economics of beaver in Kansas, Henderson; Mink farming in Britain, Stevenson; Economics of Caspian seal, Badamshin.

Economics: Whaling.—History of whaling, Johnsen; Problems of whale conservation, Laws (1); Whaling results for 1960, Anon (26); International Whaling Statistics, Anon (23); Humpback whaling in Ryukyuan waters, 1960, Mishiwaki; Australian humpback catch, 1960, Chittleborough (2); Australian whaling, 1960, Chittleborough (1); Antarctic 1960/1961 season, Anon (19) Antarctic whaling 1960/61, Anon (21); Australian 1960 season, Anon (18); Whaling off Azores, Anon (22); Whale fishing possibilities in Bering Sea, Arsenjev (1);

Sealing, whaling in N. Norway, Jakobsen, A.; Whaling possibilities of Delphinapterus, Khuzin; Spitzbergen fishery of Delphinapterus, Løns & Synes; Regulation of Russian marine mammal fisheries, Kotov.

Methods and Technique: General.—Chart for estimation of life expectancy in wildlife, Davis, D. E. (1); Principles for population control by gametocides, Davis, D. E. (2); Simple live-trap for small mammals, Davis (1); Indian big game census methods, Dharmakumarsinhji; Laboratory instruments for measuring behaviour of shy or nocturnal mammals, Dice; Automatic camera device for recording wildlife activity, Dodge & Snyder; 1960 International Symposium on mammal study methods, at Brunn, Czechoslovakia, Engländer; Handling and treatment of exotic mammal pets, Heuschele Gandal; Home range measurement technique for small mammals, Justice; Wild life flash photography, Kichener (2); Trapping results from Bookham Common, Lord, J. C.; Aerial census of big game, Newton; Aerial census methods in Kamchatka, Ostroumov; Efficiency of various types of small mammal traps, Phillips & East; Method for obtaining incisor impressions of bird egg predators, Ribaut; Techniques for small mammal ecology investigations, Schnapp & Helwing (1); Statistics in zoological method, Skorkowski (3); Electric fence enclosure for small mammals, Stains & others; Faeces as diet guide in herbivorous mammals, Storr; Quality valuation of game, Tilgner; International symposium on mammal study, Vereshchagin (4); Plastic bottle for carrying and dispensing bait, Verts (2); Use of light aircraft in game research and management, Zaphiro & Talbot; Technique for Cynopterus photography, Kitchener (1); Transport of living macaques, Dathe (2); Device for measuring food motivation in monkey, Weiskrantz & Cowey; New method for lagomorph skin preparation, Anderson, S. (3); Keeping rabbits in warren, Gosney; Weather influence on rodent trapping, Sidorowicz (2); Drift-fence pit trap that preserves captured rodents, Howard & Brock; Response of Microtus, Peromyscus to live traps, Getz (4); Trap and bait preference in Sigmodon, Golley (1); Trap for Spalax, Golov; Enumeration, trapping, labelling Allactaga, Tcheltsov-Bebutov & Osadtchaja; Measuring and recording data for smaller cetaceans, Norris, K. S.; Live trapping marten in British Columbia, Miller, R. G. & others; Questionnaire method for fox population index evaluation, Lemke & Thompson Fox calling as hunting technique, Morse & Balser; Device for anaesthetizing skunks, Verts (1); Immobilising bear for ear tagging, Hiehle & Slosson; Track measurements as grizzly bear census guide, Edwards & Green; Trapping and immobilising grizzly bears, Craighead & others; Aerial census of N. Atlantic Cystophora population, gritsland; Field technique for assessing ungulate physical condition, Riney; Care and management of captive wild ungulates, Wood & others; Rhinoceros transplantation in Uganda, Blower (1); Data collection for Pecari, Sowls (2); Effects of chlordiazepoxide, a new tranquilizer, Flyger; Advances in immobilisation techniques, Buechner & others (1); Summary of immobilisation techniques, Buechner & others (2); Succinylcholine chloride for immobilization of E. African ungulates, Talbot & Lamprey; Arrow technique for anaesthetizing deer, Anderson, C. F.; Fox trails as guide to waste of hunted deer, Schofield (1); Deer management in Wyoming, Casebeer: Narcosis of moose with nicotine, Rausch & Ritcey; Hunter interviews as guide to Cervus canadensis migrations, Robel (2); Periodical aerial counts for Cervus movement studies in Idaho, Robel (1); Nicotine dart capture method for Odocoileus, Montgomery; Weathering effect on pellet method of mule deer census, Ferguson; Restraining device for handling Odocoileus,

Barnes & Longhurst; Translocations of Damaliscus in Cape Province, Barnard & van der Walt.

Methods and Technique: Marking.—Toe clipping technique for marking young Didelphis, Sanderson (8); Principal bat ringing centres and their identity marks listed: notes on bat ringing technique, Eisentraut (1); Summary of bat banding literature, Roer; Use of coloured bands in bat banding, Gaisler & Nevrlý; Austrian bat ringing results, Abel (2); Bat banding in Oregon, Albright; Dye excretion for small mammal home range determination, Brown & Conaway; Colour marker for big game, Craighead & Stockstad; Collars for marking hares, Hewson; Excreted dyes for Sylvilagus movement studies, Brown, L. N. (1) Radioactive strontium as a method for studying movements of labelled rats and mice and their ectoparasites, Shura-Bura & Kharlamov; Whale marking, Marlow (2); Colour-marking grizzly bears, Craighead & others; Seal markings in Netherlands, Haaften; Tagging technique for estimates of seal pup abundance on Pribilof Is., Nagasaki (2); Handling, marking of Loxodonta by immobilisation technique, Harthoorn & others; Dyes for marking ruminant faeces, Kindel; One shot deer marking gun and technique, White, K. L.; Marking of Cervus in Swiss National Park, Schloeth (2); Embedding marker for Odocoileus, Barnes & Longhurst; Marking methods for game migration studies in Kalahari Gemsbok Park, Barnard.

DISTRIBUTION AND FAUNAS PALAEARCTIC REGION

General.—Gromov; Kowalski (6); Lehmann (1); Matthey (1); Moore (2); Sidorowicz (1); Vorontsov (1); Asia, Petter (1).

Europe: General.—Constant (2); Eisentraut (1); Grummt; Heerdt & Sluiter (2); Mohr (1); Petter (1); Roer; Vorontsov (3); Walvius; C. Europe, Gaffrey (3); Eurasia, Formosov & Kodachova; Mediterranean region, Couturier (1).

British Isles General.—Christian, G.; Corbet; Davis, R. A. (2); Fitter; Hewer & Backhouse; Street; Tegner (1).

England.—Surrey, Lord, J. C.; New Forest, Hook (1); Pigott; Wiltshire, Rothschild; Bardsey Is., Humphries; E. England, Davis, R. A. & Jenson; Essex, Drummond; Norfolk, Taylor Page & others; Yorkshire, Anon (1); Waite & Hawley; Farne Islands, Coulson & Hickling (1), (2);

Wales.—Edwards, F. B.; Hill, G. R.; Lockley; Wight; Skomer, Fullager & others; Saunders.

Scotland.—Anderson, M. L.; Lowe; N.W. Scotland, Delany; Perthshire, Batcheler; Ross-shire, Lockie; Hebrides, Delany; Fair Isle, Delany & Davis; Faroe Is., Dover; St. Kilda, Jewell; Sheppard.

Ireland.—Armagh, Jackson (1); Monaghan, Jackson (1); Fermanagh, Carlisle & others; Antrim, Scott; Clare, Jackson (2); Co. Kildare, Ruttledge.

Channel Isles.—Herm Island, Cranbrook & Crowcroft.

France.—Barriety; Constant (1); Dollfus; Koby (3); Roy; Sluiter & Heerdt; S. France, Jullien & others; Brittany, Brosselin; Lami; Provence, Konig & Konig; Rhône, Richard B.; Alsace, Gouin & others.

Spain.-Anon (27).

Portugal.-Da Cunha.

Holland.—Anon (82); Bree (1), (2), (3); Glas; Haaften; Heerdt & Sluiter (1), (3); Wijngaarden (2), (3); Wijngaarden & Lensink; Wilde & Nieuwenhoven.

Belgium .- Bernard.

Germany.—Eisentraut (1), (2), (3); Engländer & Johnen; Felten & Klemmer; Frank (1), (2); Hoehl; Hoffmann; Hummitssch; Ruhmekorf; Schäuffelen (2); Schindler; Schmaus; Schmook; Schnetter; Schober (2); Uloth (1); Webb, W. L.; Westphalia, Feldmann; Salzburg, Tratz; Oldenburg, Havekost; Hanover, Rühmekorf & Tenius; Bohemia, Dobroruka & Turek; Hanák & Figala; Bavaria, Issel & Issel; Saxony, Matuschke.

Austria.—Abel (1), (2); Bauer & Steiner; Eisentraut (1); Festetics; Gruber; Kepka (1)(2); Knorre; Niethammer.

Czechoslovakia.—Gaisler; Hell; Sýkora (1); Szunyoghy (2); Turček (1), (2); Carpathians, Dobroruka (1); Kowalski (3); Tatarinov; S. Carpathians, Firehuk.

Switzerland.—Burckhardt (1); Burckhardt & others; Hogg; Meylan; Schloeth (2); Schloeth & Burckhardt; Schwarzenbach; Alps, Burckhardt (1) (2); Couturier.

Italy.—Lehmann (3), (4); Mörzer Bruijns; Lampedusa, Toschi; Columbretes Is., Español.

Hungary.—Szederjei & Sartorius; Székessy; Szunyoghy (1).

Roumania.—Almāsan & others; Barbu; Kurskov; Manolache & others; Popescu; Schnapp & Hellwing (2); Sficlea; Vasiliu; Vereschagin (5).

Balkans.—Yugoslavia, Djulić (1), (2); Gligić; Mirić; Valentincic; Croatia, Djulić (1); Bulgaria, Christov; Markov.

Greece.—Hatzisarantos & Kanellis; Ondrias (3); Watson, G. E.; Thrace, Osborn.

Cyprus.-Harrison, D. L. (3).

Poland.—Anon (28); Adamczewska; Bazan-Kubik (1), (2); Buchalezyk, T. (1), (2) Buchalezyk & Raczyński; Chudoba & Humiński; Ehrlich; Haber; Kowalska-Dyrez; Kowalski (4), (5); Krzanowski (1), (2); Świecimski; Surdacki; Skoczeń; Sidorowicz (2); Wasilewski (1).

Denmark.—Andersen.

Iceland.—Gudmundsson; Hook (2).

Norway.—Haftorn (1); Lund; N. Norway, Christiansen; Jakobsen, A.; Vorren.

Sweden.—Anon (24); Ahlén & Lennerstedt; Curry-Lindahl (1), (2); Borg; Hallander; Martinsson; Nilsson; Wilsson.

Esthonia.-Ling.

Lithuania.-Maldziunaite (1), (2); Prusaite (1), (2), (3).

Finland.—Ahti; Artimo; Erkinaro; Jellison & others-

Spitzbergen.—Birkenmajer; Ferens; Lene & Synes.

U.S.S.R.—Anon (9); Bobrinskii; Dubrovsky; Heptner & others; Ismagilov, M. I.; Kahrulin; Karaseva; Khmelevskaya; Kirpichnikov; Kleinenberg (2); Kotov; Kratt; Lavrov; Lavrov & Hao-chuang; Poyarkov; Sablina; Sjógren; Surkov; Central U.S.S.R., Zalkin; C. Asia, Bannikov (1), (2); Lin & Yen; Soviet Arctic, Alarnikka; Byelorussia, Kurskov; Petrovsky; Archangel region, Parovshchikov (1), (2), (3); Kola region, Koshkina & Khalansky; Yakutia, Kapitonov; Siberia, G.; Matthey & Zimmermann; Volga Territory, Denisov;

Snigirevskaya; Moscow Territory, Gabusov; Kirov region, Alexandrova & Krasovsky; Nakhichevan A.S.S.R. Alieva; Manyob region, Kriskaya; Kamchatka, Ostroumov; W. Ustyurt, Soletsky; Karelia, Segal & Orlova; Komi A.S.R., Nikitina (2); Moldavia, Sokolov & Rafalovich; Ukraine, Charlemagne; Zubko & Ostryakov; Kiev region, Rudnev; Armenia, Gambarjan & Ostryakov; Kiev region, Rudnev; Armenia, Gambarjan & Ostryakov; Kiev region, Rudnev; Armenia, Gambarjan & Ostryakov; Kiev region, Budnev; Armenia, Gambarjan & Ostryakov; Kabaria, Avaliani; Azerbaidjan S.S.R., Gromov; Caspian, Badamshin; Caspian region, Pavlov (1); Azov Sea, Kleinenberg (1); Black Sea, Kleinenberg (1); Pre-Aral, Nikitina (1); Rotschild; Kazakhstan, Afanas'ev; Ismagilov, M. M.; Skvortsov; Shubin; N. Kazakhstan, Karasseva; Kurdistan, Golvan & Rioux; Turkmenia, Heptner; Sapozhenkov (1), (2); Komi A.S.R., Kulik & Nikitina; Karaskum, Marin & Rotschild; North Aral, Krilova & others; Amu-Daria, Mambetshumaev; Uzbekistan, Bog-danov; Ishunin; L. Baikal, Kendakov; Olkhon Is., Lake Baikal, Litvinov; Tian Shan, Stronganova & Chu Tsing; Zimina & Merkova; Mongolia, Pavlov (2); Tannu Tuva Rep., Mongolia, Flint & Golovkin.

China.—Lavrov & Hao-chuang; Hong Kong, Romer. Formosa.—Nishiwaki & Yang.

Japan.—Imaizumi; Jameson; King, J. E. (1); Ota & Jameson; Kyushu, Torii; Hokkaido, Kinoshita & Maeda; Sakhalin, Benkovski; Dagelet Island, Won & Woo; Kuriles, Betesheva; Ryukyu Is., Nishiwaki.

S.W. Asia.—Near East, Reed, C. A. (3); Trense; Middle East, Harrison, D. L. (3); Israel, Nevo; Nevo & Amir; Syria, Harrison & Lewis; Lebanon, Harrison, D. L. (3); Hooijer (2); Harrison & Lewis; Iran, Golvan & Rioux; Petter (3); Mesopotamia, Haltenorth (1); Turkey, Kahmann & Cağlar (1), (2), (3); Mursaloğlu; Watson, G. E..

North Africa.—Kock & Schomber (1), (2); Egypt, Setzer (1), (2), (3); Wassif (1); Morocco, Brosset (1); Chapuis; Algeria, Piguet; Sales; Tunisia, Sales; Schomber & Kock; Sahara, Dekeyser & Derivot (2); Colchester; Gaulthier-Pilters; Petter (3); Valverde (1).

ORIENTAL REGION

General.-Hill, J. E. (1); S.E. Asia, Siddiqi.

India.—Brosset (2); Dharmakumarsinhii; Gee (1); Grüneberg (5); Prasad (2); Silas; Afghanistan, Lindberg; Rajashhan, Krishna & Prakash; Rajasthan, Prakash (2), (4), (6), (7); Madhya Pradesh, Sagreiya; Himalaya, Hill, W. C. O. (2); Santapau & Abdulali (1); Tchernine; Assam, Gee (3); Shebbeare; Manipur, Gee (2); Orissa, Rehnra.

Ceylon.—De Silva; Jonklaas; Norris, C. E.; Spittel.

Burma, Indochina.—Burma, Hayman; Milton; Thailand, Takai; Indochina, Bohlken (2); Vietnam, Tien (1), (2).

Malaya.—Dhaliwal; Foenander; Harrison, J. L.; Hill, J. E. (2); Hislop (1), (2); Kitchener (3), (4), (5); Metcalfe; Selangor, McClure; Singapore I., Burkill.

Borneo.—Harrisson, B. (2); Harrisson, T. (1), (2), (3); Hill, J. E. (2); Sarawak, Hooijer (4); Medway (1), (2), (3); Schaller; North Borneo, Burgess; Stott & Selsor (1), (2), (3).

Indonesia.—Sumatra, Hill, J. E. (2); Skatte; Java, Erdbrink; Satmoko; Celebes, Schwarz; Bali, Peng; Lombok, Peng; Sumba, Peng.

ETHIOPIAN REGION

General.—Africa, Anon (15), (25), (29), Daubercies; Dekeyser (2); Foran; Graaff (2); Gremyatsky (2); Hillaby (8); Petter (1); Spinage; Talbot & Talbot.

N.E. Africa.—Sudan, Dobroruka (2); Merck; Ethiopia, Petrides (1) (2); Somalia, Funaioli & Simonetta (1), (2), (3); Simonetta (1).

East Africa.—Anon (12), (13), (14); Brocklesby; Brooks, A. C.; Grzimek & Grzimek; Talbot & Lamprey; Wright, B. S. (1); Zaphiro & Talbot; Tanganyika, Anon (11); Brooks, A. C.; Grzimek; Harrison, D. L. (2); Lithgow; Thomas: Uganda, Anon (10), (16); Baumgartel; Blower (1), (2), (4); Buss; Dart (2); Savidge; Tobias (2); Williams; Kenya, Grimwood; Harrison, D. L. (1), (4).

Rhodesias.—Ansell (4); Astley Maberly; Dasmann & Mossman; Holz; N. Rhodesia, Harrison, D. L. (1); Ansell (1), (2), (3); Fraser Darling; Grimwood & others; Mitchell & Uys; S. Rhodesia, Harrison, D. L. (1), (2); Hillaby (1); Hirst; Riney & Austen; Shelton; Bechuanaland, Barnard; Eloff (1).

Southern Africa.—Anon (2); Courtenay-Latimer; de V. Pienaar (2); Eloff (2); Freedman (1); Harrison, D. L. (1); Meester; Payne; St. Croix; van Bruggee; Wells (2); Zululand, Foster, W. E.; Schulz, K. C. A.; Nyasaland, Anon (30); Hanney; Sweeney; Willan; Transvaal, Meester (2); Orange Free State, Griesel; Kruger National Park, Dagg; Cape Province, Barnard & van der Walt; Bateman, J. A.; Pringle; S.W. Africa, Lehmann (2); Angola, Frade & Sieiro; Monard.

Congo.—Anon (16); Bargh; Dajoz; Pirlot (1), (2), (3); Pournelle (1); Rahm (1); Rahm & Verheyen; Smit; Vogel (1).

Central Africa.—C. Africa, Harrison, D. L. (1); Rahm (3).

West Africa.—Booth; Dunn, J. S.; Guinea, Eisentraut (5); Ivory Coast, Rahm (5); Ghana, Collins (1), (2); French West Africa, Blancou; Dekeyser (1); French Equatorial Africa, Blancou; Liberia, Kuhn.

Madagascar. - Madagascar, Jouffroy (2).

AUSTRALASIAN REGION

General,-Hill, J. E. (1).

Australia.—Anon (6); Calaby & Ratcliffe; Chittle-borough (2); Lindgren; Northern Australia, Finlayson (1); Queensland, Mack; Van Deusen & Stearns; New South Wales, Marlow (1); Ratcliffe; Taylor, J. M.; Woods; Victoria, Boyle; George & Wakefield; Wakefield (1), (2); Wilkinson; South Australia, Pilton; Central Australia, Finlayson (2); Fleay; W. Australia, Calaby & others; Gillham; Lundelius; Tasmania, Davies, J. L.; Guiler (3).

New Zealand .- Dwyer; Herter; Wodzicki.

New Guinea and Islands.—New Guinea, Van Deusen (2); Timor, Cabrier de Silva; Solomon Is., Ratcliffe.

NEARCTIC REGION

General.-Kowalski (6); Moore (2).

N. America.—Anon (31); Buechner (2); Dillon; Edwards, R. Y. (1); Fuller; Hall & Jones; Hoffmeister; Hoffmeister; Londing of the chees; Johnson & others; Jones & Mursaloğiu (2); Koford (2); Longhurst; Lord, R. D. (1); Matthey (1); Moore (1); Pimlott; Stormont & others (1); Taber; Taylor, W. P.

Canada.—Banfield (1); Cameron; Kelsall; Quebec, Bider; Foster & Peterson; MacLeod & Cameron; Newfoundland, Dodds; Dodds & Mackiewicz; Williamson (2); Ontario, Ditchfield & others; Sealander; Manitoba, Buckner; Foster J. B.; Foster & Peterson; Priewert; Pruitt (2); Saskatchewan, Pruitt (2); Northwest Territories, Banfield (5); de Vos (1), (2); Pruitt (2); Ungava Peninsula, Harper; British Columbia, Edwards, R. Y.; Edwards, R. Y. (2); Geist; Mechan; Miller, R. G. & others; Raccey; Rausch & Ritcey; Sheppe (2); Alberta, Fuller; Yukon, Banfield (2).

U.S.A.: General.—Fay; Gould & Brown; Petrides; Martin (2); Roth & others.

Eastern U.S.A.—New York, Klein; Patric & Webb; Stewart; Maryland, Manville & Shanahan; Massachusetts, Abbot & Belig; Waters; Waters & Ray; Rhode Island, Backus & Schevill; Pennsylvania, Guilday (1); Montgomery; Snyder & Christian; Snyder & others; Maine, Alkon; O'Meara & others; Wright, B. S. (2); Florida, Lord, R. D. (7); Griffo; Harlow, R. F. (1); Harlow, R. F. (2); Jennings & others; Manarc; Ray, C. E.; Virginia, Handley & others; Peacock & Peacock; West Virginia, Krutzsch; Georgia, Manville (3).

Middle U.S.A.—Ohio, Dexter; Ruffer; Stewart & Negus; Tennessee, Barr; Dunaway & Kaye (1), (3); Alabama, Adams; Barkalow (2); Holliman; Louisiana, Blair; Mississippi, Jones & Long; N. Carolina, Barkalow (1); Funderburg (1), (2); Hallman; Kaye; S. Carolina, Caldwell; Missouri, Brown, L. N. (1), (2); Conaway & others; Holten & Toll; Long (3); McKinley (1), (2); Martinson & others; Pilleri (2); Wight & Conaway; Kentucky, Brauer; Hall, J. S.; Indiana, Kirkpatrick (1), (2); Kirkpatrick & Hoffman; Martin (3); Wayne (2); Illinois, Brandon; Ferris & others; Lord, R. D. (4), (5), (6); Lord & Casteel; Mohr & Lord; Parmalee & others; Sanderson (3); Sanderson & Thomas; Verts & Barr; Michigan, Blouch; Erickson & Youatt; Gets (1), (2), (3), (4), (5), (6); Golley (3); Gysel; Howard & Evans; Schofield (1), (2); Short (1); Ryel & others; Verme; Wisconsin, Beals & others; Cook & Hale; Lemke & Thompson; Minnesota, Beer (3); Beer & MacLeod; Davis, W. H. & others; Gunderson (1); Morse & Balser; Priewert; Tester & Marshall; Iowa, Hauger (1), (2); Muir & Polder; Trosky & Polder; Velich.

Western U.S.A.—Nebraska, Jones & Cortner; Turnbull & Reed; Velich; Arkansas, Halls & Crawford; Kansas, Frydendall; Getz (7); Henderson; Jones & Cortner; Long (1), (2), (5); Taylor, D.; Oklahoma, Glass & Halloran; Halloran & Schrader; Jones & Glass; Long (2); McCulloch & Inglis; Texas, Constantine (1); Davis, W. B.; McCulloch & Inglis; Milstead; Raun (1), (2), (8), (4); Raun & Wilks; Short (3); Wilks & Laughlin; Montana, Hoffman & Taber; Johnson, L. J.; Knowlton; Manville (2); Mitchell, J. L.; Morrison, J. A.; Picton (1), (2); Russell & Anderson; Taber & others; Wyoming, Anderson, C. C.; Armitage (1), (2); Black (2); Casebeer; Jones, D. A.; Jones & Mursaloğlu (1); Long & House; Mickey; Murie; Robinson, W. B.; Colorado, Anderson, S. (4); Borell; Catlett (2); Denney; Halvorson; Robinson, W. B.; Vaughan (1); Vaughan & Hansen; Ward; New Mexico, Anderson, S. (2); Constantine (1); Findley; Jones, C. J.; Jones, C. L.; Mohlhenrich; Robinson, W. B.; Rodeck; Ross; Arizona, Bradshaw (1), (2); Burt (1); Cockrum; Commissaris; Constantine (1); Eddy; Findley; Findley & Jones; Gould; Hayward & Johnson; Huey; Lange, K. I.; Ross; Sowls (2); White, R. W.; Utah, Daniel; Egoscue; Gashwiler & others (1), (2); Julander & others; Lee; Lee & Durrant (1), (2); Musser; Robinette & others; Twente; Young; Idaho, Julander & others; McConnell & Dalke; Robel (1), (2); Nevada, Bartholomew & MacMillen; Gashwiler & others (1); Hall, E. R.; Quay (2); Robinette & others California, Ashcraft; Bakker; Bartholomew & Hudson; Bartholomew & MacMillen; Biswell; Boolootian; Dunmire; Fisler; Gard; Giles; Gilmore (3); Houck; Howard; Hubbard & McKeever; Ingles, (1), (2); Limbaugh; Quay (2); Rice (2); Roest; Rohe; Ross; Shields; Thaeler; Yocom & others; Baja California, Hubbs; Orr; Pacific Northwest, Sheppe (1); Oregon, Albright; Anderson, S. (1); Beer; Broadbooks (3); Constantine (1); Griffee; Johnson & Benson; Kebbe (1), (2), (3), (4); Yoakum; Washington, Armstrong; Brigham; Broadbooks (1); Clanton & Johnson (1), (2); Johnson, D. R.; Johnson & Benson; Johnson & Clanton; La Fave; McNeil; Scheffer; Sheppe (2); Wick & Penttila; Wilke & Fiscus.

Alaska.—Alaska, Chapman; Hattorn (2); Hock; Kenyon & Rice; Klein & Olson; Libby; Mayer; Paradiso & Manville; Pruitt (1); Rausch; Rausch & Riccey; Wilke & Fiscus; Kodiak Island, Alaska, Fener; Troyer (3); Afognak Island, Alaska, Troyer (2); Amchitka Island, Kenyon; Chernabura Is., Alaska, Fiscus; Pribilof Is., Nagasaki (2); Niggol; Aleutian Is., Kenyon & Rice.

Mexico.—Alvarez, T.; Anderson & Long; Broadbooks (2); Burt (2); Carter & Davis; Goodwin (1); Hall & Alvarez (1), (2); Hooper (1); Koopman; Lidicker (1), (2); Villa R. (1); Villa R. & Jimenez G.; Breton Island, Gulf of Mexico, Negus & others.

C. America and West Indies.—C. America, Goodwin (1); El Salvador, Burt & Stirton; Ondrias (2); Guatemala, Luna; W. Indies, Goodwin (2); Netherlands Antilles, Russon; Trinidad, Goodwin & Greenhall; Greenhall; Tobago, Goodwin & Greenhall; Greenhall; Curacao, Soot-Ryen; Bermuda, Van Gelder & Wingate; Bahamas, Backus; Cuba, Hall & Jones; Mona Is., West Indies, Pippin.

S. America.—Carvalho (2); Hershkovitz (1); Hückinghaus (1); Ueck; Colombia, Hernández-Camacho; Bolivia, Olrog; British Guiana, Allsopp; Brazil, Avila-Pires; Bendezu (2); Carvalho (1); Ecuador, Anon (7); Peru, Bendezu (1), (3); Koford (1), (3); Soukup; Uruguay, Legrand; Praderi & Luzardo; Argentina, Crespo; Massoia; Olrog; Pedersen; Chile, Mann, F. (1).

OCEANS, SEAS AND OCEANIC ISLANDS

N. Sea, Utrecht; Arctic, Ferens; Larson; Arctic seas, Zenkovitch; Ckukchi Sea, Arctic Ocean, Nasu; N. Atlantic, Brown, S. G. (1); \$ristaland; Rasmussen; Pacific, Gilmore (1); Nikolaev; Norris & Prescott; Tikhomirov; N. Pacific, Dorofeev (2); Fujino; Gilmore (4); Kenyon & Rice; Nagasaki (1); Niggol; Ohsumi; N.E. Pacific, Radovich; White Sea, Chapsky (2); Dorofeev (1); Bering Sea, Arsenjev (1); South Atlantic, Van Deusen (1); Antarctic seas, Ohsumi; Antarctic, Anon (19), (21); Arsenjev (2); Brown, S. G. (2); Claridge; Gräber; Hags; Williamson (1); Azores, Anon (22); Ulfstrand; Falkland Islands Dependencies, O'Gorman; S. Georgia, \$ynes; Macquarie Island, Costin & Moore; Kerguelen Island, Ichihara; Pacific Islands, Watson, J. S.; Rarotonga I., Pacific, Berry, J. A.; Jaluit Atoll, Gressitt; Laysan I., Hawaii, King & Harrison; Galapagos Is., Eibl-Erbesfeldt; Hawaii, Uloth (3).

GEOLOGICAL (FOSSIL FAUNAS)

General.—U.S.S.R., Dubrovo; Gromova (1); Texas, Matthews; Florida, Olsen (2); Colombia, Bürgl.

Triassic.—Basutoland, Ginsberg (2).

Jurassic.—Portugal, Kühne (1); Germany, Kühne (2); Patagonia, Casamiquela.

Cretaceous.—England, Kermack & Clemens; Mongolia, McKenna (3); Wyoming, McKenna (3); Turnbull; Utah, Clemens.

Caenozoic.—Great Britain, Anon (4); Kazakhstan, Nikiforova; India, Chakravarti; Pakistan, Chakravarti; Burma, Chakravarti; South Australia, Stirton & others.

Tertiary.—Europe, Tobien (2); Spain, Hernandez-Pacheco & Crusafont Pairo; Macedonia, Psarianos; U.S.S.R., Gremyatsky (1); Libya, Arambourg & Magnier; N. America, Shotwell; Florida, Olsen (3); South Dakota, Green, M. (2).

Paleocene.-France, Russell, D. E.

Eccene: Old World.—Europe, Simons (1); France, Astre (1); Simons & Russell; Spain, Rullán; Honan, Chow, M. C. (1).

Eccene: New World.—Wyoming, Gazin; McKenna (2); Colorado, McKenna (1); Patagonia, Kraglievich (1).

Oligocene: Old World.—Europe, Dechaseaux; France, Beaumont, M. G. de; Spain, Santonia & Crusatont Pairo; Germany, Rothansen; Roumania, Gabuniya & Iliescu; Greece, Lüttig & Thenius; Kazakhstan, Gromova (2), (3); Gureev; Primorsk Terr., Gromova (4); Mongolia, Gromova (2), (3); Gureev; Trofimov; Sinkiang, Hu; Egypt, Kälin; Simons (2).

Oligocene: New World.—Nebraska, Hough; Reeder (2); Montana, Hough; Russell, D. A.; Wyoming, McKenna (2); Reed, K. M.; South Dakota, Burt & Wood; Hough; Reed, K. M.; Reeder (2); Colorado, Burt & Wood; Hough; Reed, K. M.; Reeder (2).

Miocene: General.—General, Trumler (2).

Miocene: Old World.—Europe, Beaumont, M. G. de France, Astre (2); Bergounioux & Crouzel (2), (3); Ginsburg (1), (4); Viret; Spain, Aguirre (1); Crusatont-Pairo; Crusatont-Pairo & Hürseler; Koenigswald & Crusafont Pairo; Germany, Kuss; Tobien (1); Austria, Zaple; Sicily, Colaciochi; Greece, Beaumont, M. G. de; U.S.S.R., Belokrys; Gabuniya (1); Moldavia, Gabuniya (1); Caucasus, Belyaeva & Gabuniya; Verestchagin (2); Georgia, Gabuniya (1); Crimea, Alekseeva (2); Azerbaidjan, Gabuniya (1); Spasski; Kazakhstan, Gromova (3); Mongolia, Alekseeva (1); Belyaeva; India, Sahni & Tripathi; N. Africa, Arambourg (1); Libya, Arambourg (3), (4).

Miocene: New World.—Virginia, Anon (8); Florida, Olsen (1), (3); Texas, Wilson, J. A.; South Dakotta Green; Macdonald (2); Wyoming, Black (1); Colorado, Fagan; Wilson, R. W.; Nevada, Downs; California, Downs; Reeder (1); Webb, S. D.; Oregon, Downs; Mawby; Washington, Stirton; Venezuela, Hoffstetter; Patagonia, Hoffstetter.

Pliocene: General.-Trumler (2).

Pliocene: Old World.—Europe, Bergounioux & Crouzel (4); Kurtén (3); France, Bergounioux & Crouzel (1); Gabis; Germany, Duphorn; Czechoslovakia, Fejfar (1), (2); Yugoslavia, Malez (2); Macedonia, Garevski; Poland, Czyżewska (1), (2); Kowalski (1), (2); Sulimski; Urals, Jakhimovich; Caucasus, Gabuniya (2); Crimca, Lysenko (2); Yunan, Chow, M.C. (2), (3); Turkey, Chaput; Ozansoy (2); Viret & Battetta.

Pilocene: New World.—Florida, Olsen (1), (3); Kansas, Hazard; Woodburne; South Dakota, Green, M. (2); Macdonald (1); Oklahoma, Kitts & Myers; California, Glen; Mitchell, E. D.; Tedford; S. America, Alvarez, E. F. de (2); Argentina, Kraglievich (3); Pascual; Reig (2); Ringuelet.

Quaternary: Old World .- U.S.S.R., Dubrovo.

Pleistocene: General.—Krantz; Trumler (2); Old World, Burchak-Abramovich (7).

Pleistocene, Old World: Europe.—Europe, Cowgill; Howell; Jánossy; Koby (2); Kurtén (3); Livingstone; Hertfordshire, Kerney; Glouester, Richardson & Sandford; Worcester, Sandford; France, Astre (3); Beaumont, G. de; Koby (1), (3); Lumley; S.E. France, Bouchud & Wernert; Corsica, Sigogneau; Spain, Aguirre (2); Bataller; Holland, Bree (1); Koenigawald; Kortenbout van der Sluijs; Loose; Germany, Duphorn; Förster; Heller (1), (2); Karschny; Rutte; Siegfried (1), (2); Bavaria, Prufer; Austria, Sauerzopt (1), (2), (3); Czechoslovakia, Fejfar (1), (2); Jerman; Musil; Switzerland, Adam; Dannegger; Italy, Bartolomei; Italy, Boné; Cadeo; Erasmo & Zei; Gremyatsky (3); Leonardi; Preuschoft; Venzo; Lampedusa, Segre; Roumania, Haimovici; Necrasov & Haimovici; Yugoslavia, Males (1); Greece, Melentis; Mitsopoulos (2), (3); Psarianos; Poland, Wasilewski (2); Sweden, Martinsson; Lithuania, Baitekunas & Pashkevichus; Spitzbergen, Birkenmajer.

Near East.—Reed, C. A. (8); Lebanon, Hooijer (2); Turkey, Ozansoy (1).

Asia.—U.S.S.R., Alekperova (1); Leibman; Yakutia, Vereshehagin (3); Zolinkov; Siberia, Parrand; S. U.S.S.R., Karlov; Ukraine, Danilova & Svistun; Svistun; Georgia, Burchak-Abramovich (5), (6); Vekua (1), (2), (3); Caucasus, Burchak-Abramovich (1), (8), (9); Scherstjukov; Crimea, Lysenko (1); Ossetia, Burchak-Abramovich & Naniev; Azerbaidjan, Alekperova (2); Burchak-Abramovich (2), (3), (4); Burchak-Abramovich & Dahafarov (1), (2); Dahafarov; Gadzhiev; Vereshchagin (1); China, Chow, M. (1), (2); Chow & Chang; Chow & others; Hu & others; Hsu & others; Kahlke & others; Pei (4); Uryson; Shansi, Pei (2); Wang; S. China, Kahlke (2); Szechuan, Pei (1) (3); Woo (1), (2); Yunnan, Li, Y.; Pei (6); Hupei, Chiu & others; Huang & Han; Kwantung, Chang, Y. P.; Kwangsi, Kahlke (1); Pei (5); Zhou; Japan, Magasawa; Ishigaki I., Ryukyu Is., Whitmore; Borneo, Harrisson, B. (1); Sarawak, Harrisson & others; Hooijer (3), (4); Medway (1), (2), (3); Java, Erdbrink.

Australia.—W. Australia, Lundelius; Queensland, Woods; Victoria, Wakefield (1).

Africa.—Africa, Anon (26); N. Africa, Arambourg (2); Tunis, Arambourg & Arnould; Gottis; East Africa, Weiner; Tanganyika, Clark; Koenigswald & others; Leakey (2), (3), (4); Leakey & others; Wu; Yakimov; South Africa, Cooke; Dart (4); Dart & Craig; Hooijer & Singer (2); Mason, R. J.; Singer; Tobias (1); Robinson, J. T. (2); Transvaal, Dart (1); Freedman (2); Graaff (1), (3); Cape Province, Hooijer & Singer (1); Tchad, Coppens.

Pleistocene: New World.—Pennsylvania, Guilday (2); Florida, Arata; Stephens; Tennessee, Parmalee; Missouri, Schmaltz; Indiana, Melhorn; Wayne (1); Nebraska, Jakway; Kansas, Paulson; Oklahoma, Kitts; Texas, Dalquest (2); Jelinek; Savage; Slaughter (1) (2); S. Dakota, Green, M. (1); Green, M. & Martin; Utah, Stokes & Condie; California, Giles; Glen; Kurtén (2); White & Downs; Alaska, Parrand; Mexico, Dalquest (1); Chiasson; Greenland, Mitsopoulos (1); Colombia, Camacho & Porta; Porta (1), (2), (3); Ecuador, Castellanos (1); Venezuela, Royo & Gómez; Brazil, Castellanos (1);

Vidal; Argentina, Alvarez, E. F. de (1), (3), (4), (5); Castellanos (1), (2); Cattol; Kraglievich (4); Reig (1); Cuba, Arredondo (1), (2); Brodkorb.

Oceans and Seas .- Bering Sea, Ozaki.

III.—SYSTEMATIC INDEX

d

C

In the arrangement of the Orders of the Mammalia Simpson's classification and terminology in his "The Principles of Classification and a Classification of Mammalia," 1945, have been adopted.

Fossil tracks from Jurassic of Patagonia thought to be mammalian, Casamiquela.

Affinities of allotheres, McKenna (3).

Order Menotyphla recognised: †Leptictidae, †Pantolestidae, Tupaiidae, †Apatymyidae included, McKenna(1).

MAMMALIA (?) incertae sedis

†Likhoelia gen.nov. for type species L. ellenbergeri sp. nov. Triassic, Likhoele, Mafeteng, Basutoland, p. 3853, Ginsburg (2).

ORDER MONOTREMATA

Brain of monotremes, Friant (1).

TACHYGLOSSIDAE

Tachyglossus behaviour in captivity, Hediger & Kummer.

†ORDER MULTITUBERCULATA

Multituberculate teeth from Cretaceous of S.E. England, Kermack & Clemens.

Multituberculate fragments from Jurassic of Portugal, descr., fig'd., Kühne. (1).

Unallocated multituberculate premolars (cf. † Prochetodon) from Eocene of Colorado descr., fig'd., McKenna(1).

Known material of shoulder girdle of multituberculates descr., fig'd., disc., McKenna (8).

†PLAGIAULACIDAE

†Loxaulax valdensis (?) teeth reported from Cretaceous of S.E. England, Kermack & Clemens.

†PTILODONTIDAE

†Camptomus amplus Marsh, 1889, probably a marsupial, McKenna (3).

†Djadochtatherium matthewsi Cretaceous, Mongolia, scapulocoracoid descr., fig'd., similar specimens from Cretaceous, Wyoming descr., fig'd., McKenna (3).

†Ectypodus key tooth characters of species tabulated, discussed: E. tardus teeth descr., fig'd., E. cf. hazeni fragmentary molar fig'd., both from Eccene of Colorado, McKenna (1).

†Neoliotomus ultimus Eccene, Colorado, molar teeth descr., fig'd., McKenna (1).

†FAMILY incertae sedis

†Paulchoffatia gen. nov. for type species P. delgadoi Jurassic, Guimarota, near Leiria, Portugal, p. 379, Kähne (1).

†ORDER PANTOTHERIA

Pantothere teeth from Jurassie of Portugal descr., fig'd., Kühne (1).

Pantothere jaw fragments from Jurassic of Germany descr., fig'd., disc., Kuhne (2).

†DRYOLESTIDAE

†Melanodon goodrichi (?) molar portion reported from Cretaceous of S.E. England, Kermack & Clemens.

†ORDER SYMMETRODONTA

· Symmetrodont tooth from Cretaceous of S.E. England, Kermack & Clemens.

†SPALACOTHERIIDAE

†Spalacotherium tricuspidens (?) molar reported from Cretaceous of S.E. England, Kermack & Clemens.

ORDER MARSUPIALIA

Brain of marsupials, Friant (1).

Coracoid in marsupials, McKenna (3).

Chromosomes of marsupials, Sharman (1).

Embryonic membranes and placentation in diprotodont marsupials, Sharman (2).

DIDELPHIDAE

Didelphid molar from Lance formation, Cretaceous of Wyoming descr., fig'd., Turnbull,

Oligocene didelphids reviewed, variation, Hough.

†Didelphidectes gen. nov. for type species D. pumilis sp. nov. Oligocene, Pipestone Springs, Montana, p. 225, Hough,

Didelphis marsupialis male attempting to mate with dead female, Bragg; gonadogenesis, litter size, Ebert; activity study, Pilleri (2); population structure, reproductive data in Illinois; toe clipping technique for marking young, Sanderson (3); swimming capacity, Wilbert & Weidenbacher; D. m. virgimians status in Oregon, Kebbe (2); visual learning capacity, Neumann; nuclear sex difference in somatic cells, Ohno & others (3); tapetum lucidum, Pirie; taste reception, Tamar.

†Embassis marginalis Cope, 1873, a synonym of Geolabis: E. alternans Cope, 1873, an insectivore, probably inseparable from Ankylodon, McKenna (2).

†Herpetotherium author's diagnosis repeated, revised: H. fugaz revised diagnosis, disc., Hough.

Lutreolina crassicaudatus cranial peculiarities, Prasad (1).

Marmosa notes, Bendezu (1); Argentinian forms reviewed, Otrog; West Indian forms reviewed, keyed: M. mitis luridavolta subsp. nov. Speyside, Tobago, West Indies, p. 5, Goodwin (2); M. brevicaudata brevicaudata, M. b. emiliae differential characters, Carvalho (1).

Monodelphis adusta peruviana notes, Bendezu (1).

 $\dagger Nanodephys$ author's diagnosis repeated: N. minutus lower dentition descr., Hough.

†Pediomys hatcheri Cretaceous, Utah, molar descr., fig'd., Clemens.

†Peradectes protinnominatus sp. nov. Eccene, Alheit Pocket, Craig Quadrangle, Moffat County, Colorado, p. 41, McKenna (1). †Peratherium generic characters, P. titanelix Oligocene, Montana, descr., P. scalare Cope disc., P. donohoei sp. nov. Oligocene, Pipestone Springs, Montana, p. 222, Hough; P. sp. Miocene, Germany, teeth descr., fig'd., Tobien (1).

†BORHYAENIDAE

†Chasicostylus gen. nov. for type species C. castroi sp. nov. Pliocene, Arroyo Chasico, Buenos Aires, Argentina, p. 29, Reig (2).

†Notosmilus gen. nov. p. 55, for type species N. pattersoni sp. nov. p. 56, Plicoene, Barranca de los Lobos between "Playa Los Acantilados" and Baliza Caniú, Chapadmalal, Partido de General Pueyrredon, Province of Buenos Aires, Argentina, Kraglevich (3).

DASYURIDAE

Antechinus flavipes reproduction, development of young, laboratory maintenance, Marlow (4).

Dasycercus cristicauda general illustr. account, Fleay.

Dasyuroides byrnei further specimens recorded, illustr., Mack.

Thylacinus cynocephalus breeding season, Guiler (1); former distribution, history of decline in Tasmania, Guiler (3).

NOTORYCTIDAE

Notorycles typhlops brain, Spatz & Stephan; Starck & others.

PERAMELIDAE

Isoodon macrourus breeding in captivity, Mackerras & Smith.

Macrotis lagotis cranial peculiarities, Prasad (1).

PHALANGERIDAE

 \dagger Burramys parvus further cave material reported from Gippsland, Victoria, Wakefield (1).

Eudromicia lepida possible record from cave material from Gippsland, Victoria, Wakefield (1).

Gymnobelideus leadbeateri rediscovery in Victoria reported, photos, Wilkinson; rediscovery in Cumberland Valley, Victoria, Boyle; further cave material reported from Gippeland, Victoria, Wakefield (1).

†Palaeopetaurus elegans possibly a synonym of Gymnobelideus leadbeateri, Wakefield (1).

Phascolarctos cinereus export from Australia, 1969, and subsequent controversy, Anon (6); morbidity and mortality, Backhouse & Bolliger; haematology, Bolliger & Backhouse; reproduction in captivity, Pournelle (3).

Pseudocheirus archeri hair pigments: source of green colour in fur, Van Deusen & Stearns; P. peregrinus embryonic membranes and placentation, Sharman (2).

Trichosurus vulpecula gaseous environment of pouch: respiratory response of young, Bailey & Dunnet; degeneration of somaesthetic afferent systems, Cleay & others; somaesthetic pathways, Dennis & Kerr; embryonic membranes and placentation, Sharman (2).

MACROPODIDAE

Classification of Macropodidae, Woods.

Hypsiprymnodon classification discussed; H. moschatus detailed account of dentition, Woods; morphogy and replacement of cheek-teeth; cusp homologies disc.,

fi

n

p

CS

ri

C

B

Macropus major reproduction in South Australia, Pilton; M. rufus visual learning capacity, Neumann.

Petrogale penicillata status, distribution in Victoria; general illustr. account, Wakefield (2).

Potorous tridactylus external morphology, body proportions, Guiler (2); embryonic membranes and placentation, Sharman (2).

†Propleopus classification discussed; P. oscillans type specimen re-described, fig'd, further material from Pleistocene of New South Wales descr., Woods.

Protennodon rufogrisea embryonic membranes and placentation, Sharman (2).

Setonix brachyurus adrenal function during seasonal stress, Herrick; embryonic membranes and placentation, Sharman (2); age estimation of pouch young, Shield & Woeller.

ORDER INSECTIVORA

Hypophysis volume in insectivores, Bauchot.

Commissural structures of insectivore brain, Bauchot & Stephan (2).

Biometry of cortical surface in insectivores, Stephan.

Shoulder musculature in insectivores, Jouffroy (8).

Sesamoid bones of insectivore autopodia, Roman-

Tabular bone of insectivores, Sharma.

Insectivores of Somalia, Funsioli & Simonetta (3).

Deltatherioidea Simpson transferred from Insectivora to Carnivora, McKenna (1),

†DELTATHERIDIIDAE

†Didelphodus tentatively referred to Palaeoryctidae; D. absarokae, D. ventanus Eocene, Colorado, material descr., fig'd., McKenna (1).

†PALAEORYCTIDAE

Palaeoryctidae tentatively referred to Carnivora, McKenna (1).

SOLENODONTIDAE

†Micropternodus borealis reviewed, affinities discussed; rostrum and other material from Oligocene of Oregon descr., fig'd., Russel, D. A.

TENRECIDAE

Setifer setosus brain, Bauchot & Stephan (1); interpretation of premolars, Friant (3); oxygen consumption, body temperature in artificial hibernation, Kayser (2).

Tenrec ecaudatus oxygen consumption, body temperature in artificial hibernation, Kayser (2).

POTAMOGALIDAE

Distribution of Potamogalinae, Rahm (3).

Mesopotamogale ecology, swimming: habits, food in captivity, Rahm (3).

Micropotamogale ruwenzorii external morphology, visceral anatomy, penis, myology, Verheyen, W. N.

Potamogale swimming, Rahm (3).

CHRYSOCHLORIDAE

Chlorotalpa stuhlmanni brain, Spatz & Stephan.

†LEPTICTIDAE

†Leptictidae referred to Order Menotyphla; unallocated leptictid material from Eocene of Colorado descr., McKenna (1).

†Diacodon minutus Jepsen, 1930, considered a Leptacodon, McKenna (1).

†Leipsanolestes Simpson, 1928, referred to Entomolestes, McKenna (1).

†Palaeictops tauri-cinerei similar material from Eccene of Colorado descr., McKenna (1).

†Sespedectes referred to Amphilemuridae, McKenna (1).

(?)†METACODONTIDAE

Family †Metacodontidae invalid, McKenna (2).

†Leptacodon discussion, referred to Erinaceidae McKenna (2); L. packi considered a leptictid; L. munusculum possibly generically separable from L. tener; L. jepseni sp. nov. Eocene, west end of Alheit Pocket, Craig Quadrangle, Moffat County, Colorado, p. 51, McKenna (1).

†Metacodon Clark, 1936, a synonym of Geolabis Cope, 1884, McKenna (2).

†Plesiosorex affinities discussed, McKenna (2); a finities discussed; P. coloradensis sp. nov. Miccene, Logan County, Colorado, p. 21, Wilson, R. W.

ERINACEIDAE

New subfamily †Geolabidinae proposed, McKenna (2). †Entomolestes referred to Amphilemuridae: E. cf. nitens Eccene, Colorado, material descr., fig'd., McKenna (1).

Erinaceus europaeus cytology of diaphragm, Alsterberg; muscle sodium and potassium content in hibernation, Eliassen & Leivestaf; distribution, ecology, habits in New Zealand, Herter; tooth development, Kindahl (2); leptospirosis in U.S.S.R., Korenberg & Semenev; phosphate metabolism during hibernation, Kristoftersson; toilet, Mahoney; intracardial structures, Martini; breeding, rearing and handling of young, Morris, B.; general account, Rose; biology in Germany, Schäuffelen (2); stress, haematology, neurosecretion in hibernation, Snomalainen; E. frontalis N. Rhodesian records, Ansell (1); E. indicus cranial peculiarities, Prakash & Prasad.

†Geolabis discussed: G. marginalis Oligocene, Wyoming, fragmentary skull and lower jaw descr., fig'd., G. rhynchaeus Cope, 1884, a synonym, McKenna (2).

Hemiechinus auritus birth and early development, Gupta & Sharma; laryngeal structure, Sharma & Verma.

†Hypacodon gen. nov. for type species H. praecursor sp. nov. Eccene, near Fort Bridger, Wyoming, p. 148, McKenna (2).

†Lantanotherium sp. Miocene, California, left mandibular fragment descr., fig'd., first American record, Webb, S. D.

†Metechinus cf. marslandensis Miocene, Colorado, molar descr., Wilson, R. W.

† Meterix affinities discussed, McKenna (2).

†Palaeoscaptor reviewed: P. acridens, P. rectus Oligocene, Mongolia, further material descr., fig'd., Trotimov.

Paraechinus micropus vertebral adaptations for rolling, Gupta; birth and early development, Gupta & Sharma.

†Proterix loomisi possible lower dentition descr., fig'd. from Micene of S. Dakota, Macdonald (2).

MACROSCELIDIDAE

Petrodromus rovumae not recorded from N. Rhodesia, Ansell (2); P. tetradactylus N. Rhodesian races discussed, Ansell (1).

†NYCTITHERIIDAE

Family †Nyctitheriidae abandoned, McKenna (1).

†Centetodon suggested removal from Nyctitheriidae,

†Entomacodon minutus marsupial resemblances discussed, McKenna (1).

†Kentrogomphios strophensis White, 1954, a synonym of Micropternodus borealis, Russell.

†Myolestes dasypelix possibly a metacodont, McKenna (1).

†Nyctitherium species discussed; N. nitidum, N. curtidens and specimens referred to N. celatum by Matthew (1918) thought generically distinct from N. velox (genotype) and type specimen of N. celatum, not thought to be closely related to Entomacodon minutus, transferred to Amphilemuridae, McKenna (1).

†Protentomodon not thought to be closely related to Nyctitherium: referred to Insectivora or Menotyphla, incertae sedis, McKenna (1).

†Stilpnodon possible a metacodont, McKenna (1); possibly a primitive erinaceoid, McKenna (2).

SORICIDAE

Observations on S. African soricids, Meester (1).

*Beremendia fissidens Pliocene, Poland, material descr., Kowalski (1).

Blarina brevicauda local distribution, ecology in Michigan, Gets (2); response to weather conditions, Gets (4); absence of rabies in Illinois, Verts & Barr; B. b. carolinensis range extension in Oklahoma, Glass & Halloran; distribution, variation in Oklahoma: B. b. hulophaga Elliott, 1899, considered synonymous, Jones & Glass; B. b. talpoides Quebec record, MacLeod & Cameron.

†Blarina brevicauda Pleistocene, Oklahoma, maxillary descr., fig'd., Stephens.

†Blarinoides mariae Pliocene, Poland, material descr., fig'd., Kowalski (1).

Crocidura notes on Bornean species: C. sp. mandible m Niah Cave, Sarawak descr., fig'd., Medway (3); C. unnamed species from Somalia descr., C. butleri first Somalia record, Funaioli & Simonetta (3); C. attenuata recorded from Vietnam, Tien (2); C. leucodon variability in Poland, Buchalezyk T. (1); C. russula tooth development, Kindahl (1); C. r. russula notes, measurements of Specimens from Herm Is., Channel Is., Cranbrook & Crowcroft; C. suavotens possible first record for Anatolia, Turkey, Kahmann & Cağlar (2); C. s. matruhensis subsp. nov. 3 miles west of Mersa Matruh, Western Desert Governorate, Egypt, p. 2, Setzer (1).

†Crocidura robusta sp. nov. Pleistocene, Lobsing, Neustadt/Donau, Bavaria, Germany, p. 25, Heller (2).

Cryptotis parva absence of rabies in Illinois, Verts & Barr.

†Domnina compressa Galbreath, 1953, referred to Heterosorez. Mawby.

† Domninoides Green, 1956, a talpid, Tedford.

† ? Hesperosorex chaseeae sp. nov. Pliocene, Chasee Quarry, about 1.2 miles northwest of Ricardo, Kern County, California, p. 58, Tedford.

†Heterosorex history reviewed, phylogeny: further N. American occurrence (cf. H. sansaniensis) reported from Miocene of Oregon, Mawby; H. roperi sp. nov. Miocene, Logan County, Colorado, p. 27, Wilson, R. W.

†Microsorex pratensis Pleistocene, Kansas, jaw fragment descr., Paulson.

Neomys craniometry, taxonomy of Polish forms, Buchalezyk & Raczyński; N. onomalus first record for Thrakia, Turkey, Kahmann & Caglar (2); N. fodiens first record islands of Mull and Raasay, Inner Hebrides, Delany; dental anomaly, Buchalezyk, T. (2); tooth development, Kindahl (1).

Notiosorex crawford; range extension (from owl pellet remains) in Mexico, Anderson & Long; range extension in Mexico, Hooper (1); N. c. crawford; further Oklahoma specimens, Glass & Halloran.

Scutisorex somereni further Uganda record, Anon (10).

Sorex craniometry, taxonomy of Polish forms, Buchalezyk & Raczyński; as possible pest in strawberry cultivation, Kienzler; dentition, Pucek (2); ecology in Germany, Rühmekorf; S. araneus food storage, Dehnel (1); tooth development, Kindahl (1); lepospirosis incidence in U.S.S.R., Korenberg & Semenov; seasonal variations in Poland, Kowalska-Dyrez; chromosomes, Matthey & Meylan; feeding habits, Rozmus; sexual maturation, Stein (2); S. a. silanus subsp. nov. Camigliatello Silano, Calabria, Italy, p. 214, Lehmann (3); S. a., S. minutus origin of British insular populations Corbet; S. a., S. m. first record for Raasay Is., Inner Hebrides, Delany; S. cinereus local distribution, ecology in Michigan, Getz (2); autumn breeding recorded, Short (1); absence of rabies in Illinois, Verts & Barr; S. c ohionensis albino recorded, Dexter; S. longirostris first Missouri record, Brown, L. W. (2); S. l. longirostris additional Mississippi records, Jones & Long; S. merriami natural history in Washington, Johnson & Clanton; second record, S. nanus fourth record for New Mexico, Jones, C. L.; S. n. leucogenys third Colorado specimen reported, Anderson, S. (4); S. nanus third record, range extension in Arizona, Bradshaw (1); S. oreopolus ventralis further Mexican record, Hooper (1); S. palustris dental abnormality, Long (4); S. p. palustris Richardson, 1826, lectotype selected, Banfield (1); S. preblei notes on Washington specimens, Armstrong; S. vagrans home range and habitats in California, Ingles (2); S. v. obscurus activity, Ingles (1); S. v. vagrans, S. palustris navigator range extensions in Utah, Egoscue.

†Sorex arcticus, S. cinereus Pleistocene, Oklahoma, mandibular fragments, teeth, descr., fig'd., Stephens; S. runtonensis Pliocene, Poland, material descr., fig'd., Kowalski (1); S. vireti, p. 33, S. compressus, p. 35, both spp. nov. Miocene, Logan County, Colorado, Wilson, R. W.

†Sorex (Neosorex) megapalustris sp. nov. Pleistocene, Cudahy ash mine, Meade County, Kansas, p. 132, Paulson; S. (N.) palustris Pleistocene, Oklahoma, mandibular fragments descr., fig'd., Stephens.

†Sorex (Sorex) cudahyensis, S. (S.) lacustris Pleistocene, Kansas, jaw fragments descr., fig'd., Paulson.

Suncus ciruscus first record Morocco, Brosset (1); S. orangiae tooth development, Kindahl (1).

(

TALPIDAE

New subfamily Proscalopinae (type genus † Proscalops) proposed, morphology, Reed, K. M.

Evolution of burrowing mechanism in Talpidae, Reed, C. A. (1) (2).

Condylura cristata nest construction, oxygen consumption, Wiegert.

†Desmana kormosi Pliocene, Poland, material descr., fig'd., Kowalski (1).

† Domninoides Green, 1956, a talpid, Tedford.

Galemys pyrenaicus in vitro culture of embryonic gonads, Peyre; cytology of hypophysis, Peyre & Herlant. †Mesoscalops ecopelotemos notes, Reed, K. M.

†Mydecodon gen. nov. for type species M. martini sp. nov. Miocene, Logan County, Colorado, p. 38, Wilson, R. W.

†Oligoscalops gen. nov. for type species O. whitmanensis sp. nov. Oligocene, Whitman, Niobrara County, Wyoming, p. 474, Reed, K. M.

†Proscalops miocaenus, P. secundus amended diagnoses, P. tertius sp. nov. Oligocene, "Badlands, South Dakota," p. 476, Reed, K. M.; P. cf. secundus Miocene, Colorado, teeth descr., fig'd., Wilson, R. W.

†Scapanus shultzi sp. nov. Pliocene, about one third of a mile west of Ricardo, Kern County, California, p. 66, Tadford.

†Scalopoides gen. nov. for type species S. isodens sp. nov. Miocene, Logan County, Colorado, p. 42, Wilson, R. W.

Scalopus aquaticus prehistoric record from western Pennsylvania, Guilday (1).

Talpa europaea innervation of snout, Armstrong & Quilliam; testis lipid cycle, Lotts; intracardial structures, Martini; spiral lamella of cochlea, Platzer (1); auditory bones, Platzer (3); food storage, Skoczeń; T. e. europaea ecology, craniology in Poland, świecimski; T. romana anomalous dentition, Lehman (8).

† Talpa minor Pliocene, Poland, material descr., Kowalski (1).

†PANTOLESTIDAE

†Pantolestidae referred to Order Menotyphla: unallocated pantolestid material from Eocene of Colorado descr., fig'd., McKenna (1).

†Palaeosinopa didelphoides similar material from Eocene of Colorado descr., fig'd., McKenna (1).

†MIXODECTIDAE

†Mixodectidae transferred to Order Menotyphla, McKenna (1).

†Craseops Stock, 1934, referred to Microsyopidae; transferred to Primates, McKenna (1).

†Cynodontomys Cope, 1882, referred to Microsyopidae; transferred to Primates, McKenna (1).

 $\dagger Dracontolestes$ Gazin, 1941, transferred to Menotyphla, McKenna (1).

†Elpidophorus Simpson, 1927, referred to Primates, placed in Plesiadapidae, incertae sedis, McKenna (1).

†Eudaemonema Simpson, 1935, referred to Tupaioidea, incertae sedis, McKenna (1).

†Microsyops Leidy, 1872, referred to Microsyopidae; transferred to Primates, McKenna (1).

†Mixodectes Cope, 1883 (including Indrodon Cope 1884) transferred to Menotyphla, McKenna (1).

†APHELISCIDAE

†Apheliscidae transferred to Condylarthra; considered a subfamily of Hyopsodontidae, McKenna (1).

†Apheliscus transferred to Hyopsodontidae; A. nitidus Eccene, Colorado, material descr., fig'd., McKenna (1).

†AMPHILEMURIDAE

Family †Amphilemuridae revived, re-defined: included genera †Amphilemur Heller, †Entomolestes Matthews, †Twyctitherium," †Sespedectes Stock: possibly also Aculeodens Weitzel and Macrocranion Weitzel, McKenna (1).

†FAMILY incertae sedis

†Arctoryctes Oligocene, Nebraska, partial humeri, tentatively assigned radial fragment fig'd., descr., Turnbull & Reed.

ORDER DERMOPTERA

CYNOCEPHALIDAE

Galeopterus variegatus observations on gliding, Callender.

ORDER CHIROPTERA

Snake predation on Sierra Leone bats, Jones, T.

Chiropteran skull structure studied, chiropteran affinities discussed, Simonetta (2).

Morphological factors regulating bat flight, Struhsaker.

Muscle innervation of bat intestine, Taxi.

SUBORDER MEGACHIROPTERA

PTEROPIDAE

Aethalops alecto alecto first Malayan record: A. aequalis Allen, 1938, only racially distinct, Hill, J. E. (2),

Balionycteris maculata notes on Malayan specimens, considered monotypic: B. m. seimundi Kloss, 1921 a synonym, Hill, J. E. (2).

Chironax melanocephalus notes on Malayan specimens, Hill, J. E. (2).

Cynopterus brachyotis Malayan races reviewed: C. b. altitudinie subsp. nov. Mount Brinchang, Cameron Highlands, Pahang, Federation of Malaya, 5,500 feet, p. 631: C. horsfield iminor (Lyon), 1998, valid name for Horsfield fruit-bat of Sumatra and Malaya with synonyms C. harpax Thomas and Wroughton, 1909 and C. horsfieldi lyoni Andersen, 1912, Hill, J. E. (2); C. horsfieldi lyoni photographs, photographic technique Kitchenst (1); C. sphinx gangeticus ovaries, Gopalkrishna

Dyacopterus spadiceus first Malayan record: D. brooksi Thomas, 1920 possibly race of D. spadiceus, Hill, J. E. (2).

Eonycteris spelaca ecology in Batu Coves, Selangor, McClure.

Epomophorus labiatus cranial structure, Simonetta (2); E. wahlbergi, E. labiatus post-embryonic development of cranium, rostrum and palate, Lanza.

Hypsignathus monstrosus first Kenya record, Harrison, D. L. (4).

Megaerops ecaudatus Malayan series desor., measured, Hill, J. E. (2),

Penthetor lucasi notes on Malayan specimens, Hill, J. E. (2).

Plerotes anchietae detailed notes on N. Rhodesian specimen, figs., Harrison, D. L. (1).

Pteropus drinking sea water, Ratcliffe; P. edulis myology, Mori; P. giganteus giganteus ovaries, Gopal-krishna & Moghe.

Rousettus aegyptiacus notes on Turkish specimens, Kahmann & Cağlar (3).

Rousettus (Lissonycteris) angolensis detailed notes on specimen from S. Rhodesia, Harrison, D. L. (1),

SUBORDER MICROCHTROPTERA

Histology, physiology of islets of Langerhans in bats, Azzali (1).

Cholinesterase in bat digestion, Azzali (2).

Review of bat relations and adaptations with regard to chiropterophilous plants, Carvalho (2),

Digital index of European bats, Constant (2).

Longevity in European bats, Heerdt & Sluiter (2).

Sesamoid bones in certain Microchiroptera, Roman-kowowa (1).

Weight dynamics of wintering Polish bats, Krzanowski (2).

Environmental problems involving bat hibernation in Utah. Twente.

Spontaneous awakening in hibernating European bats, Wilde & Nieuwenhoven.

Hibernation influence on bat reproduction, Wimsatt.

Notes, general account of bat rables in U.S.A., Constantine (3).

History of chiropteran rabies, especially in U.S.A., Martin (2).

Notes on Welsh bats, Edwards, F. B.

Ecology of French bats, Sluiter & Heerdt.

Results of Netherlands bat studies, Heerdt & Sluiter (3).

Bat studies in Hanover, Rühmekorf & Tenius.

Notes on Turkish bats, Kahmann & Cağlar (3).

Local distribution of bats in Croatia, Yugoslavia, Djulić (1).

Local distribution and ecology of cave bats of Yugoalavia, Djulić (2).

Ecology, biometry of Yugoslavian bats, Mirié.

Bats from Bali, Lombok and Sumbawa, Peng.

Cave bats of Victoria, George & Wakefield.

Notes on New Zealand bats, Dwyer.

Detailed study of bats of Trinidad and Tobago, ecology, rabies infection, Goodwin & Greenhall.

Bats of Trinidad and Tobago checklisted, Greenhall. Key to families of Peruvian bats, Bendezú (3).

List of Peruvian bats, Soukup.

Ecology, biology of Brazilian bats, Bendezú (2). Notes on Argentinian and Bolivian bats, Olrog. Echolocation in bats, Grive. Perception of distance in bat echo-location, Kay.

General illustr. account of bat echo-location and capture of food, McCue.

Sonic orientation in bats, Mochres.

Perception of distance in bat echo-location, Nordmark; Pye (1).

Account of bat echo-location, Pye (2).

Use of coloured bats in bat banding, Gaisler & Nevrly.

Summary of bat banding literature and European banding results. Roer.

Principal bat ringing centres and their identity marks listed: notes on bat ringing technique; key to German and Austrian bats, Eisentraut (1).

French bat-ringing results, Roy.

Results of Netherlands bat banding, 1959, Heerdt & Sluiter (1).

Bat banding results from Germany, Engländer & Johnen; Felten & Klemmer; Hummitzsch; Schmaus; Schober (2).

Bat banding results from Westphalia, Feldmann.

Bat banding results from Saxony, Natuschke.

Bat ringing results from Austria, Abel (1) (2); Gruber; Kepka (1).

Bat banding in Oregon, Albright.

RHINOPOMATIDAE

Rhinopoma kinneari ovaries, Gopalkrishna & Moghe.

EMBALLONUBIDAE

Taphozous longimanus ovaries, Gopalkrishna & Moghe; T. perforatus haedinus first record Tanganyika, Harrison, D. L. (2).

NOCTILIONIDAE

Noctilio leporinus mexicanus range extension in Mexico, Koopman.

NYCTERIDAE

Nucteris grandis first Nyasaland record, Hanney.

MEGADERMATIDAE

Macroderma gigas general account, Marlow (8).

Megaderma lyra lyra ovaries, Gopalkrishna & Moghs.

RHINOLOPHIDAE

Rhinolophus blasii, R. ferrumequinum notes on Turkish specimen, R. mehelyi first Turkish record, Kahmann & Cağlar (3); R. ferrumequinum banding results from Bavaria, Issel & Issel; role of ear movements in sonic orientation, Mochres; study of auditory apparatus, Pye (2); R. hipposideros maximum age, Heerdt & Sluiter (1); notes on Austrian specimens, Kepka (2); flight distances of Polish specimens, Kraanowski (1); sesamoid bones, Romankowowa (1); R. h. hipposideros ecology in Czechoslovakia, Gaisler; R. landeri guineensis Tahiré, foot of Kelesi Plateau, 500 metres, p. 1, R. denti knorri Nyembaro, Salung Plateau, 12 kilometres W. of Kolenté, p. 3, both Guinea (French Guinea), both subspp. nov., Eisentraut (5); R. megaphyllus general account, notes on habita in Victoria, George & Wakefield; R. mehelyi first record for Thrakia and S. Anatolia, Turkey, Kahmann & Cağlar (2).

HIPPOSIDERIDAE

Asellia tridens ear myology, Schneider.

Hipposideros bicolor pallidus ovaries, Gopalkrishna & Moghe; H. diadema ecology in Batu Caves, Selangor, McClure; H. larvatus sumbae subsp. nov. Sumba I., Lesser Sunda Islands, p. 28, Peng.

PHYLLOSTOMATIDAE

Artibeus cinereus aztecus range extension in Mexico,

Choeronycteris mexicana further Arizona record, Constantine (1).

Leptonycteris nivalis sanborni range extension in Arizona, Constantine (1).

Macrophyllum macrophyllum recorded from Ecuador, Anon (7).

Macrotus californicus reproductive cycle in Arizona, Bradshaw (2); range extension in Arizona, Constantine (1).

Mormoops megalophylla senicula range extension in Texas, Constantine (1); taxonomic position: rabies recorded, Villa R. & Jimenez, G.

Vampyressa venilla notes, Bendezu (1).

DESMODONTIDAE

Desmodus blood lapping illustr., Villa, B.; D. rotundus brain and brain stem, Mann, F. (2); general account, Marlow (3); care and maintenance in captivity, Wimsatt & Guerriere.

NATALIDAE

Natalus mexicana range extension in Mexico, Broadbooks (2).

VESPERTILIONIDAE

Antrozous pallidus notes on Washington specimens, McNeil: food habits in Arizona, Ross.

Barbastella barbastellus banding results from Germany, Frank (2); banding results from Germany, Hoehl; sesamoid bones, Romankowowa (1).

Chalinolobus tuberculatus characters descr., ecology, habits, Dwyer.

Dasypterus Peters a synonym of Lasiurus, Hall in Hall & Jones.

Eptesicus fuscus notes on hibernation in Iowa, Muir & Polder; E. f. pallidus first Manitoba record, Buckner; E. serotinus banding results from Oldenburg, Havekost; E. tenuipinnis tenuipinnis first Kenya record, Harrison, D. L. (4).

Euderma maculata further New Mexico record, Rodeck; Wyoming record, Mickey; additional New Mexico record, Jones, C. J.; food habits in New Mexico, Ross.

Glauconycteris variegata papilio first Kenya record, Harrison, D. L. (4).

Histiotus macrotus macrotus first record for Argentina, Olrog.

Kerivoula harrisoni harrisoni Kenya records, Harrison, D. L. (4).

Laephotis angolensis sp. nov., Chumbe River, Lunda, N.E. Angola, p. 45, Monard. [Omitted from earlier Records.]

Lasionycteris noctivagans Kansas record, Getz (7); notes, measurements, biological status on Bermuda, Van Gelder & Wingate.

Lasiurus as prey of hawk, Accipiter, Downing & Baldwin; validity disc., key to species, list of named forms, Hall in Hall & Jones; L. borealis additional New Mexico record, Jones, C. J.; food habits in California, Ross; as prey of Geococcyx californianus, Wilks & Laughlin; L. b. L. cinereus, L. esminolus notes, measurements, biological status on Bermuda, L. seminolus first Bermudan record, Van Gelder & Wingate; L. b. borealis live specimens collected in Carlsbad Cavern, New Mexico, Constantine (1); L. cinereus cinereus further Utah record, Egoscue; L. eya South Atlantic record, Van Deusen (1); L. e., L. intermedius detailed study, L. i. insularis subsp. nov. Cienfuegos, Las Villas Province, Cuba, p. 85, Hall & Jones; L. e. xanthinus first Arizona record, Cockrum.

Miniopterus schreibersi osteology, Barbu; ringing results from Austria, distribution, Bauer & Steiner; notes, ringing, suggested studies in France, Constant (1); notes on Turkish specimens, Kahmann & Caglar (3); banding results from Germany, Schnetter; M. s. blepotis general account, notes on habits in Victoria, George & Wakefield; recorded from Lombok, Lesser Sunda Islands, Peng.

Murina first New Guinea record: taxonomy of Australasian forms disc., Van Deusen (2).

Myotis as prey of leopard frog., Rana pipiens, Kinsey; M. Middle East forms disc., M. myotis omari Thomas, 1905, M. m. risorius Cheeseman, 1921, possibly synonymous, considered races of M. blythi: M. m. macrocephalicus subsp. nov. Cave 2 kilometres east of Amchite, Lebanon, p. 373; also recorded from Syria, cohabiting roost with M. blythi omari, Harrison & Lewis; M. adversus macropus general account, notes on habits in Victoria, George & Wakefield; M. austroriparius mumfordi, habits in Kentucky, Hall, J. S.; M. capaccinii first Turkish record; M. bechsteini first record Thrakia, Turkey, Kahmann & Caglar (2); M. daubentonii muscle sodium and potassium content in hibernation, Eliassen & Leivestad; territorial hunting habits, Wallin; M. daubentonii, M. nattereri maximum age, Heerdt & Sluiter (1); M. emarginatus first record Morocco: M. mystacinus first record N. Africa (Morocco), Brosset (1); earlier Kenya (Rode, 1935) record erroneous: actually M. tricolor, Harrison, D. L. (4); M. grisescens first Kansas record, Long (1); M. keeni observations on young in Illinois, Brandon; M. longicaudatus distribution, ecology: M. l. bucharensis further specimens recorded, Bogdanov; M. lucifugus circulatory changes during hibernating cycle, Kallen; androgenic activity of interscapular brown fat, Krutzsch & Wells; summer colony in W. Virginia, Krutzsch; echo-location and capture of food, illustr., McCue; seasonal body temperature variations, Menaker; taste reception, Tamar; M. l. lucifugus liver glycogen, Troyer (1); M. l. alascensis notes, Feuer; M. myotis banding results from Germany, Eisentraut (2); banding results from Germany, Eisentraut (3); flight distances of Polish specimens, Krzanowski (1); morphology, cytology of medulla oblongata, Schober (1); ear myology, Schneider; male sexual cycle, sexual maturity, Sluiter (1); tooth abrasion with age, Sluiter (2); M. m. notes on Turkish specimens, N. capaccinii first Turkish record, Kahmann & Cağlar (3); M. m., M. dasycneme, M. daubentoni sesamoid bones, Romankowowa (1); M. mystacinus use of thumb in roosting, Cranbrook; M. nattereri record from Co. Fermanagh, Ireland, Carlisle & others; M. n. araxenus subsp. nov. Vaikakoi ridge, Araks River, Amgu, Mikoianek region, Armenia, Dahl, C. K., Dokl. Akad. Nauk. Arm. SSR, 7, (4), 1947: 173-178 [N.V.]; M. nigricans dalquesti subsp. nov. 3 kilometres east of San Andrés Tuxtla, Veracruz, eastern

8

Mexico, 1,000 feet, p. 71, Hall & Alvarez (2); M. sodalis first record Iowa, M.s., M. lucifugus notes on hibernation in Iowa, Muir & Polder; M. subulatus metanorhinus range extension in Chihuahua, Lidicker (2); M. tricolor, Konya records, Harrison, D. L. (4); M. velifer mass die-off in Texas, Raun (2).

Nyctalus azoreum possibly introduced to Azores, Ultstrand; N. lasiopterus first record for Anatolia, Turkey, Kahmana & Cağlar (2); N. leisleri flight distances of Polish specimens, Krzanowski (1); second record from Co. Kildare, Ireland, Ruttledge; N. noctula serology in hibernation, Pora & others.

Nycteris Borkhausen, 1797, use for Lasiurus disc., Hall in Hall & Jones.

Nycticeius schlieffeni second Egyptian record (from Rueppell specimen), Harrison, D. L. (3).

Pipistrellus islets of Langerhans, Azzali (1); cholinesterase in digestion, Azzali (2); P. kuhli notes on Turkish specimens, Kahmann & Cağlar (3); P. minnus glaucillus emergence time, Prakash (5); P. pipistrellus, P. savii recorded from Morocco, Brosset (1); P. ruceppelli first Nyasaland record, Hanney; P. r. fuscipes first Kenya record, Harrison, D. L. (4); P. savii recorded from Cyprus; P. s. caucasicus discussed, recorded from Lebanon, Pharrison, D. L. (3); P. sevelanus sp. nov. Sewela [misprinted Swela], east Lombok, Lesser Sunda Islands, p. 27, Peng; P. subflavus notes on hibernation in Iowa, Muir & Polder; P. s. obscurus range extension in New York, Stewart.

Plecotus auritus medial lobules of ear: correlation between condition and torpidity, Hayward & Teagle; record reported from County Clare, Ireland, Jackson (2); first Turkish record, Kahmann & Cağlar (3); sesamoid bones, Romankowowa (1).

Plecotus (Idionycteris) phyllotis further records, ecology, habits in Arizona, Commissaris; further record from Arizona, Findley & Jones; range extension, habits in Arizona, Hayward & Johnson; additional New Mexico records, Jones, C. J.

† Plecotus (Corynothinus) recorded from Pleistocene of Pennsylvania (first record for Pennsylvania): specimens hitherto listed as Myotis by Peterson, O. A., Ann. Carnegie Mus. 16, 2, 1926: 297, Guiday (2).

Rhogeesa parvula parvula range extension in Mexico,

Scotophilus notes on S. Asian forms, with key: S. kuhli Leach, 1822 not valid species; recognized species S. temmincki, Horsfield, 1824, and S. heathi Horsfield, 1831, Siddiqi; S. nigrita mutant specimen recorded, Harrison, D. L. (2); S. wroughtoni ovaries, Gopalkrishna & Moghe.

Tylonycteris pachypus bhaktii subsp. nov. Sewela, east Lombok, Lesser Sunda Islands, p. 25, Peng.

Vespertilio murinus migration in C. Europe, Kurskov.

MYSTACINIDAE

Mystacina tuberculata characters descr., ecology, habits; M. t. robusta subsp. nov. Stewart Island, off South Island, New Zealand, p. 66, Dwyer.

MOLOSSIDAE

Austronomus Troughton, 1941, a synonym of Tadarida, Hill, J. E. (1).

Eumops perotis food habits in Arizona, Ross; E.p. californicus further Texas record, E. underwoodi sonoriensis notes, Constantine (1).

Micronomus Troughton, 1943, a synonym of Tadarida, Hill, J. E. (1).

Otomops martieneseni martieneseni first Kenya records, Harrison, D. L. (4),

Philippinopterus Taylor, 1934, a synonym of Tadarida, Hill, J. E. (1).

Tadarida Indo-Australian forms reviewed, subgeneric classification discussed, Hill, J. E. (1); T. africana first Nyasaland record, Hanney; T. awrispinosa recorded from Mexico, taxonomic notes: T. similis Sanborn, 1941, considered synonymous, Carter & Davis; T. brasiliensis food habits in Arizona, Ross; T. b. mexicana further Oregon record; T. molossa range extension in Texas, Constantine (1); Kansas record, Getz (7); age at maturity, Shott (8); T. femorosacca light effect on emergence time, Gould; T. fulminans detailed notes on specimen from Kenya, figs., measurements of known examples tabulated, Harrison, D. L. (1); T. hindei cranial structure, Simonetta (2); T. molossa third Texan record, Raun (4).

Tadarida (Chaerephon) bivittata Kenya records, Harrison, D. L. (4).

ORDER PRIMATES

Handbook of primatology, Hofer & others.

External morphology of primate hand and foot, Biegert.

Dermatoglyphics of primates, Gladkova.

Dermatoglyphics of primates, Vilyamovskaya.

Structure of primate hand, prehensility and opposability discussed, ${\tt Napier}$.

Angle of pelvic torsion in primates, Chopra.

Vertebral column and thorax of primates, Schultz.

Length and inclination of primate cervical spinous processes, Toerien.

Skull split-lines in primates, **Belova & Khrisanfova** (1).

Split-lines on primate skeletal bones, **Belova & Khrisanfova** (2).

Diagnostic characters of mandibles of recent and fossil primates evaluated, Vogel (2).

Tooth structure in primates, Bargmann.

Dentition and teeth of primates, Remane (1).

Femoral muscle in primates, Kiesselbach & Steiner.

Atlanto-scapular muscles in primates, Levin & Aleksejeva.

Skin musculature in primates, Szostakiewicz-Sawicka. Circulatory system in primates, Platzer (2); Heart of primates, Frick (1); Blood cells of primates, Eberl-Rothe (1).

Vascularization of primate brain, Mergner.

Blood source organs in primates, Eberl-Rothe (2).

Lymph system in primates, Reiffenstuhl.

Histology of primate lymph node, Eberl-Rothe (3) Blood groups and factors in primates, Kramp.

Brain in primates, Shevchenko.

Biometry of cortical surface in lower primates, itenhan.

Brain cortex in primates, Belova (1).

Cerebral cortex in certain primates, Ozhigova.

Cerebral isocortex in primates, Bonin & Bailey.

Comparison of primate brains, Voino.

Larynx of primates, Starck & Schneider.

Lungs and pleura of primates, Hayek.

Spleen in primates, Starck.

Histology of primate spleen, Eberl-Rothe (4).

Metabolism of primates, Stohl.

Urinary amino acids of primates, Fooden.

Locomotion in primates, Nesturkh.

Menstrual cycle in certain primates, Alekseyeva & Nesturkh.

Primate menstrual and sexual cycles, Asakura.

Note on primate evolution, Gremyatsky (4).

Classification, evolution of primates: problems discussed, Remane (2).

Remarks on primate taxonomy, Santiago Genovés.

Remarks on primate taxonomy, Straus.

Fossil primates from U.S.S.R., descr., figs., Gremyatsky (1).

Fossil primates of Fayum, Egypt discussed, Kälin.

Primate status in French Equatorial and French West Africa, Blancou.

SUBORDER PROSIMII

Lemuroid and tarsioid characters compared, Simons (1).

TUPALIDAE

Tupaiidae referred to Order Menotyphla: unallocated (?) tupaiid material from Eocene of Colorado descr,. fig'd., McKenna (1).

Shoulder musculature in tupaiids, Jouffrey (3),

†Aculeodens provisionally referred to Amphilemuridae, McKenna (1).

†Macrocranion provisionally referred to Amphilemuridae, McKenna (1).

Tupaia glis hypophysis volume, Bauchot; behaviour, breeding in captivity, Sprankel; T. g. modesta notes on Vietnam specimens, Tien (1); further Vietnam specimen descr., Tien (2).

†ADAPIDAE

†Amphilemur referred to Amphilemuridae, McKenna (1).

†Notharctus minutus Loomis, 1906, referred to Anemorhysis, McKenna (1).

†Pelycodus ralstoni Eocene, Colorado, material descr., P. trigonodus Matthew, 1915, possibly conspecific, McKenna (1).

†MICROSYOPIDAE

Family †Microsyopidae employed; included genera †Crascope Stock, †Cynodontomys Cope and †Microsyops Leidy; transferred to Primates, plesiadapid origin suggested, McKenna (1).

†Alsaticopithecus leemanni Hürzeler, 1947, referred to Microsyopidae, McKenna (1).

†Cynodontomys alfi sp. nov. Eocene, Timberlake Quarry, Craig Quadrangle, Moffat County, Colorado, p. 79. McKenna (1).

LEMURIDAE

Structure, osteology of lemurid hand, comparison with other primates, Jouffroy & Lessertisseur.

Cheirogaleus major mastoid musculature, Saban.

Lemur humerus, upper arm myology, Jouffroy (1); L. macaco skin, Montagna & others (2); L. variegatus pectoral musculature, Jouffroy (2).

INDRIDAE

Indri brevicaudatus interpretation of premolars, Friant (3).

Propithecus coronatus pectoral musculature, Jouffrey (2).

DAUBENTONIIDAE

Daubentonia madagascariensis pectoral musculature, Jouffroy (2).

LORISIDAE

Galago demidovii hypophysis volume, Bauchot; G senegalensis body temperature, Eisentraut (7); skin, Yasuda & others; G. s. moholi female reproductive cycle, Herlant.

Loris tardigradus body temperature, Eisentraut (7).

Nycticebus coucang body temperature, Eisentraut (7);
skin, Montagna & others (1).

Perodicticus potto descr., illustr., Dunn, J. S.; body temperature, Eisentraut (7).

†ANAPTOMORPHIDAE

Eccene tarsicids reviewed: Necrolemurinae transferred to Tarsiidae, Simons (1).

Unallocated anaptomorphid material from Eocene of Colorado descr., fig'd., McKenna (1).

†Anemorhysis cf. minutus Eocene, Colorado, mandibular material descr., fig'd., McKenna (1).

†Lushius gen. nov. for type species L. qinlinensis sp. nov. Eocene, Menchiapu, Lushi District, Honan, China, pp. 1, 3, Chow, M-C. (1).

†Microchoerus anterior teeth, Simons (1).

†Nannopithex revision, taxonomy discussed: N. raabi descr., fig'd., Simons (1).

†Necrolemur antiquus auditory morphology, classification, considered a tarsoid; N. raabi Heller, 1930, a Nannopithex, Simons (1); N. Eccene, France, cranial anatomy, Simons & Russell.

†Niplomomys gen. nov. for type species N. doreenae sp. nov. Eccene, Kent Quarry, Craig Quadrangle, Moffat County, Colorado, p. 63, McKenna (1).

†Paratetonius Seton, 1940, included in Tetonius; possibly subgenerically valid, McKenna (1).

† Phenacolemur an anaptomorphid, McKenna (1).

†Pseudoloris parvulus affinities disc., considered a necrolemurine: P. abderhaldini Weigelt, 1933 conspecific with Nannopithex raabi (Heller), 1930, Simons (1).

†Tetonius homunculus (?) Eccene, Colorado, material descr., fig'd., McKenna (1).

†Trogolemur referred to Anaptomorphidae, further material descr., fig'd., from Eocene of Colorado, McKenna (1).

†PHENACOLEMURIDAE

Family Phenacolemuridae (Simpson, 1955) rejected: † Phenacolemur referred to Anaptomorphidae, subfamily Paromomyinae, P. jepsens similar material from Eocene of Colorado descr., fig'd., McKenna (1).

d

al

8;

TARSHDAE

Tarsius anterior teeth, Simons (1),

†APATEMYIDAE

Apatemyidae referred to Order Menotyphla, included genera discussed, McKenna (1).

†Apatemys a possible synonym of Heterohyus; A. sp., A. cf. kayi Eocene, Colorado, material descr., fig'd., McKenna (1).

†Labidolemur kayi Simpson, 1929, an Apatemys, McKenna (1).

†FAMILY incertae sedis

†Phenacolemur Matthew referred to subfamily Paromomyinae, McKenna (1).

†Trogolemur referred to Anaptomorphidae, further material descr., fig'd., from Eocene of Colorado, McKenna (1).

SUBORDER ANTHROPOIDEA

General account of monkeys, Ulmer (2).

Gestation period in certain monkeys, Lakin (2).

Postembryonic changes in monkey body proportions, Lakin (1).

Monkey reaction to colour, shape and size of objects, Markova.

Vocal development in monkeys, Oshima.

Motor reflex in monkeys, Shirkova & Verevkina.

List of Peruvian primates, Soukup.

CEBIDAE

Vascular specializations in cebids, Hill, W. C. O. (1).

Alouatta palliata structure of vocal organ, Kelemen &

Aotes trivirgatus trivirgatus, A. t. infulatus, A. t. azarae discussed, characters, Carvalho (1).

Ateles gastric contents, Brooks, F. P.

Callimico goeldii keeping in captivity, Kuenzi (2).

Cebus painting and drawing, Rensch.

Saimiri sciurea effect of punishment, Appel.

CALLITHRICIDAE

Flesh-eating by hapalids, Schäuffelen (1).

Cebuella pygmaea pygmaea notes, Bendezn (1).

Hapale [Callithrix] jacchus hybrid with Mico argentatus, Hill, W. C. O. (3).

Leontocebus rosalia gestation period, Ulmer (1).

Leontocebus (Marikina) bicolor hybrid with L. (Tamarin) midas in Cologne Zoo, Immendorf.

Leontocebus (Tamarin) midas hybrid with L. (Marikina) bicolor in Cologne Zoo, Immendorf.

Mico argentatus hybrid with Hapale jacchus, Hill, W. C. O. (3).

CERCOPITHECIDAE

New cercopithecoid material from Pleistocene of S. Africa, Freedman (1).

†Cercopithecoides williamsi Pleistocene, Transvaal, further material descr., fig'd.: C. molletti considered synonymous, Freedman (2).

Cercopithecus aethiops histological properties of stressed bone, Dreyer; C. mitis N. Rhodesian races discussed, Ansell (1); C. m. opisthostictus unusual tail formation, possible prehensile connection, Ansell (3).

Colobus angolensis N. Rhodesian range, Ansell (1).

† Dolichopithecus Pliocene, France, limb bones, Gabis.

Macaca cyclopis position of thoracic organs, Naruse: foot arteries, Tanaka; subcutaneous veins of chest and abdomen, Tsubouchi; M. fuscata peripheral blood cells, Inoue; play, Itoigawa; cranial changes in post-natal development, Wada, K.; M. irus, M. mulatta transport technique for living animals, Dathe (2); M. i., M. m. speciation effect on serum proteins, Goodman & Poulik; M. mulatta ovaries, Botsharov; haemoglobins, transferrins in sibship, Buettner-Janusch & others: ovarian follicles, Burkl; fine structure of heart, Chiodi & Bortolami; ovarian function, Erikson; ability to select objects by colour, Fabri (2); emergence of permanent dentition. Hurme & Van Wagenen; postembryonic changes in blood composition, Kuksova (2); melanin pigments in brain nerve cells, Lillie & Yamada; blood group factors, Spirina; M. mulatta, M. nemestrina structure of brain cortex, relation to ecology, Belova (2); M. nemestrina sexual behaviour. Rubadeau & Young; M. sylvana fine structure of heart, Chiodi & Bortolami.

†Macaca flandrini sp. nov. Miocene, Marceau, Algeria, p. 16, Arambourg (1).

Nasalis larvatus care and feeding in captivity, Pournelle (4).

Papio use of implements, Bolwig; P. cynocephalus, P. ursinus distribution in N. Rhodesia, Ansell (1); P. hamadryas cerebral cortex, Belova (3); fine structure of heart, Chiodi & Bortolami; cutting of deciduous dentition, Kuksova (1); postembryonic changes in blood composition, Kuksova (2); gestation period, Lakin (2); P. ursinus ruacana behaviour when employed as goatherd, Hoesch (1).

†Papio wellsi sp. nov. Pleistocene, Taung, Cape Province, South Africa, p.1., Freedman (1).

†Parapapio broomi, P. jonesi, P. whitei Pleistocene, Transvaal, further material descr., fig'd., Freedman (2).

†Simopithecus status of S. African forms disc., S. darti Pleistocene, Transvaal, further material descr., fig'd., Freedman (2).

Presbytis geei notes, habits in captivity, Achard; distribution, food habits, Gee (3); P. rubicunda habits in North Borneo, Stott & Selsor (3).

PONGIDAE

New subfamily Pliopithecinae proposed, Zapie,

Anthropoid mandible from Oligocene of Egypt descr., fig'd., disc., Simons (2).

Australopithecine tool-making disc., Anon (26).

Australopithecine cranial fragment from Pleistocene of Tchad, Coppens.

Use of antelope cannon-bones by †Australopithecus, Dart (3).

Age of the australopithecines, Kurten (1)...

Notes, review, definition of simian hand crease, Sarkar.

Notes on simian crease, Banerjee.

Note on "Ufiti", the Nyasaland chimpanzee, Willan.

Vocal reactions of great apes, Firsov (1).

Elementary thought in apes, Braynes & Novosyelova.

†Australopithecus cranial fragment reported from Pleistocene of Tchad, Coppens; use of antelope cannon-bones, Dart (3); account of discovery, history, Dart & Craig; technique of making bone tools and utensils, Dart (4); morphological and ecological adaptations reviewed; considered a valid genus; relation to origin of man and of stone tool-making, Robinson, J. T. (2); and human evolution, Rodriguez; dentition compared with Paranthropus, disc. Kustaloglu; A. prometheus Pleistocene, Transvaal, adolescent female ilium descr., fig'd., Dart (1); scoop made from australopithecine arm bone, Dart (5).

Bonobo Tratz and Heck, 1954 not accepted, Rempe; generic validity discussed, Gremyatsky (2); B. paniscus account of specimen in San Diego Zoo, Pournelle (1).

†Dryopithecus piveteaui sp. nov. Miocene, Can Llobateres, 3 kilometres from Sabadell, Spain, p. 583, Crusafont-Pairó & Hürzeler.

†Gigantopithecus Pleistocene, S. China, new find Kahlke (1); geological chronology in S. China, Kahlke & others; Pleistocene, Kwangsi, jaw deser., fig'd., Pei (5); further Chinese discovery, Uryson; geomorphology in Kwangsi, Zhou; G. blacki chronology discussed, Kahlke (2).

Gorilla frontal sinus, Cave (2); study of mandibles G. beringei considered specifically distinct, G. b. grauer Matschie, 1914 a valid race, Vogel (1); G. gorilla gorilla somatic chromosomes, Hamerton & others; G. g. g. C. g. beringei coronary artery, Candaele; G. g. beringei photographs, Anon (16); observations, notes, Baumgartel; notes on Kisoro, Uganda, population, Dart (2); adolescent skeleton descr., disc., Hall-Craggs; work of Uganda research unit, Tobias (2).

Hylobates moloch color variation in North Borneo; colour possibility not valid character for subspecific distinction, Stott & Selsor (1).

Pan transferrin differences in sera, Buettner-Janusch; painting and drawing, Rensch; P. paniscus account of specimen in San Diego zoo, Pournelle (1); valid, Rempe; P. troglodytes chromosome number, Bilewicz; delayed imitative reflexes, Firsov (2); "painting", Morris, D. (1); use of stick, Novosyelova; blood groups, Wiener & Gordon (1); blood groups, Wiener & Gordon (2); P. t. schweinfurthii reserve established in Tanganyika, Thomas; considered to be "Ufiti", the Nyasaland chimpanzee, Willan.

†Paranthropus a valid genus, Robinson, J. T. (2); dentition compared with Australopithecus, disc., Kustaloglu.

† Plesiopliopithecus subgen. nov. see Pliopithecus.

†Pliopithecus antiquus Miocene, France, molar tooth descr., fig'd., Ginsburg (1).

†Pliopithecus (Plesiopliopithecus) subgen. nov. for type species P. (P.) lockeri sp. nov. Miocene, Trimmelkam, Austria, p. 260, Zapte.

Pongo pygmaeus chromosomes, Chiarelli; problem of conservation in Borneo, Harrisson, B. (2); behaviour, Harrisson, B. (3); specimen recorded from Baram, Sarawak, Harrisson, T. (2); distribution, status, ecology, behaviour in Sarawak, Schaller; status in North Borneo, general account, Stott & Selsor (2); P. p. subsp. teeth from Niah Cave, Sarawak descr., Hooijer (4).

†Rahonapithecus gen. nov. for type species R. sabadellensis sp. nov. Miocene, Can Llobateres, 3 kilometres from Sabadell, Spain, p. 583, Crusatont-Pairé & Hürzeler. †Zinjanthropus boisei geological age, Cole, S.; Leakey (4); affinities disc., Leonardi; general account of discovery, Wu; account of discovery, notes, Yakimov.

HOMINIDAE

Further hominid material reported from Pleistocene of Olduvai, Tanganyika, Leakey (2).

Juvenile hominid mandible from Pleistocene of Tanganyika descr., fig'd., Leakey (3).

Notes on European and N.W. African Pleistocene hominids, Cowgill; Howell; Livingstone.

Earliest tool-makers in S. Africa, Mason, R. J.

Craniology of fossil hominids, Frasseto.

Food transport and origin of hominid bipedalism Hewes.

Hominid evolution, Hilton.

Molars of fossil hominids, Jonge.

Brain reconstruction for fossil hominids, Kochetkova

Brain variability in fossil hominids, Kochetkova (2).

Taxonomic requirements for proposal of new hominids, formal diagnosis recommended, Le Gros Clark.

Hominid nomenclature: use of "human", "hominine" and "hominoid", Wells (1).

Further note on hominid nomenclature, Robinson, J. T. (1); Wright, R. V. S.

Biometry of hominid cranial evolution, Khrisanfova. Evolution of brain cortex in hominids, Kochetkova (3). Dating hominoid evolution, Oakley.

Review of hominoid evolution, Quiring.

Evolution, classification of hominids discussed, Robinson, J. T. (2).

Rate of human evolution, Cole, S.

Popular account of human evolution, Cornwall & Howard.

Evolution and polygenic origin of man disc., Gayre. Account of human evolution, Howells.

Evolution of man, Heberer; Mellersh; Rodriguez.

Evolution of man in Africa, Tobias (1).

Fossil men reviewed, Gieseler,

Problems relating to fossil man, Leakey (1).

Relationships of fossil men disc., Leonardi.

Account of East African fossil men, Wetner.

Paleolithic human skull from Szechuan descr., fig'd., Woo (1).

Neanderthaloid human remains from Pleistocene of Ukraine, Danitova & Svistun.

Dentition of Neanderthal man, Patte.

Notes on Neanderthal man, Piveteau (1).

Note on Tibetan and Mongol names for "Abominable Snowman", Bawden.

Summary of "Abominable Snowman" data: discussion, Hill, W. C. O. (2).

So-called scalp of "Abominable Snowman" an artefact made from skin of Capricornis sumatrensis thar, Santapau & Abdulali (1).

Account of "Abominable Snowman" sightings, records, views and opinions, Tchernine.

"Abominable Snowman" evidence reviewed, disc.,

C

†Homo craniology, taxonomy, new classification: H. lagöensis nom. nud. p. 89, Frasseto.

†Oreopithecus taxonomy disc., Santiago Genovés; Straus; O. bambolii disc., Boné; notes on skeleton Gremyatsky (3); status disc., Preuschoft; general illustr. account; evolution and systematic position disc., Schaefer; affinities, classification discussed, Trevor.

†Pithecanthropus brain size, Krants; a synonym of Homo, Robinson, J. T. (2).

†Telanthropus a synonym of Homo, Robinson, J. T. (2).

†ORDER TILLODONTIA

†ESTHONYCHIDAE

Family †Esthonychidae recognised, McKenna (1). †Esthonyx bisulcatus Eocene, Colorado, teeth descr., fig'd., McKenna (1).

ORDER EDENTATA

Problematical foot-bones, possibly edentate, from Oligocene of Nebraska, **Turnbull & Reed**.

Temporal region of recent and fossil edentates, Guth. List of Peruvian edentates, Soukup.

SUBORDER XENARTHRA

†MEGATHERIDAE

†Eremotherium (Eremotherium) rusconii Pleistocene, Colombia, skeletal fragments descr. in detail, fig'd., Porta (8).

†Eremotherium (Pseudoeremotherium) first record Colombia: E. (P.) robustum Fusagasugá, Department of Cundinamarca, p. 14, E. (P.) cucutense Cucuta Department of North Santander, p. 21, both spp. nov. Pleistocene, Colombia, Porta (3).

†Planops skeleton, affinities: P. martini sp. nov. Miocene, Cape Fairweather (= Buentiempo), N. bank of estuary of River Gallegos, Santa Cruz, Patagonia, 51° 40' S., p. 61, Hoffstetter.

† Pseudoprepotherium gen. nov. for type species Prepotherium venezuelanum Collins, 1934, from Miocene of Venezuela, p. 96, Hoffstetter.

MYRMECOPHAGIDAE

Cyclopes didactylus behaviour in wild state, Krieg in Krieg & Rahm; behaviour in captivity, Rahm in Krieg & Rahm.

Myrmecophaga tridactyla behaviour in wild state, Krieg in Krieg & Rahm; behaviour in captivity, Rahm in

Tamandua tetradactyla behaviour in wild state, Krieg in Krieg & Rahm; behaviour in captivity, Rahm in Krieg & Rahm.

BRADYPODIDAE

Bradypus tridactylus bolivianus behaviour, Krieg in Krieg & Rahm.

DASYPODIDAE

Nest building behaviour in armadillos, Eisenberg.

Behaviour of dasypodids, Krieg in Krieg & Rahm. Chlamyphorus truncatus range extension in Artentina,

Crespo; brain, Spatz & Stephan.

Dasypus novemcinctus nest building behaviour, fig., Eisenberg; D. n. mexicanus Kansas record, Gets (7): temperature regulation, Johansen.

†Hoffstetteria gen. nov. for type species Chlamytherium occidentale Hoffstetter, 1952, pp. 5, 9, Castellanos (1).

GLYPTODONTIDAE

†Boreostracon corodanus sp. nov. Pleistocene, Province of Santa Fé, Argentina, p. ?, Castellanos (2) [N.V.].

†Plohophorus yrigoyeni sp. nov. Pleistocene, Brazil (?), p. 10, Castellanos (1).

ORDER PHOLIDOTA

MANIDAR

Manis detailed study, habits, behaviour, Mohr (2); behaviour, Rahm in Krieg & Rahm.

†Manis palaeojavanica Pleistocene, Sarawak, recorded from Niah, Harrison & others ; recorded from Pleistocene of Borneo: material descr., fig'd., Hooijer (3).

ORDER LAGOMORPHA

Evolution of lagomorphs: Oligocene lagomorphs of C. Asia reviewed, Gureev.

List of Peruvian lagomorphs, Soukup.

New method for lagomorph skin preparation, Anderson,

OCHOTONIDAE

New subfamily Sinolagomyinae proposed, Gureev.

variability Ochotona variability in southwest U.S.S.R., O. rufescens shukurovi subsp. nov. Great Balkhan Mts., S.W. Turkmenia (Transcaspia), U.S.S.R., p. 621, Heptner; O. alpina biology, Khmelevskaya; O. hyperborea ecology in Yakutia, Kapitonov; O. princeps princeps (Richardson), 1828, lectotype selected, Banfield (1); O. pusilla food, Voronov & Kozhevnikova.

†Ochotonolagus gen. nov. for type species O. argyropuloi sp. nov. Oligocene, Tatal-Gol, Mongolia, p. 10, Gureev.

†Oreolagus affinities discussed; O. near nebrascensis Miocene, Colorado, teeth descr., Wilson, R. W.

†Sinolagomys tatalgolicus sp. nov. Oligocene, Tatal-Gol. Mongolia, p. 9, Gureev

†PALAEOLIGADAE

Family †Palaeolagidae recognised, Gureev.

† Agispelagus simplex further notes: A. youngi sp. nov. Oligocene, Tatal-Gol, Mongolia, p. 27, Gureev.

†Desmatolagus gobiensis, D. robustus Oligocene, Mongolia, further material descr., fig'd., D. vetustus Burke, 1941, type species of new genus Procaprolagus,

†Procaprolagus gen. nov. for type species Desmatolagus vetustus Burke, 1941, p. 16; further material descr., fig'd.; P. monogolicus p. 18, P. orlovi p. 20, P. maximue p. 22, all spp. nov. Oligocene, Tatal-Gol, Mongolia, Gureev.

LEPORIDAE

Myxomatosis in W. Australia, Calaby & others.

Caprolagus hispidus notes, Shebbeare.

† Desmatolagus referred to Palaeolagidae, Gureev;

 $\dagger Hypolagus$ (?) sp. possible occurrence in Miocene of Colorado, Wilson, R. W.

Lepus revision: L. europaeus, L. capensis conspecific L. pequensis, L. siamensis L. crawshayi races of L. nigricollis, Petter (1); sperm fertilising Oryctolagus ova, Treus & Steklenev (2); L. americanus ecology in Quebec, Bider; food competition—range relationships in Newfoundland, Dodds; L. a. struthopus parasites and diseases in Newfoundland, Dodds & Mackiewicz; L. capensis mupandensis subsp. nov. Mupanda, S. Angola, 17° 5′ S., 15° 45′ E., p. 181, Monard [Omitted from earlier Records.] L. europaeus pelvic asymmetry in Poland, Bujalska; breeding in captivity, Ocetkiewicz; skull compared with Oryctolagus cuniculus, Richard, L. R.; increase in Wiltshire, Rothschild; L. timidus as prey of golden eagle in Norway, Hattorn (1); winter food in Norway, Lund; L. t. scoticus collars for marking, Hewson; L. toursendis tatus, ecology in Washington, Clanton & Johnson (1).

Lepus (Lepus) revision, Petter (1).

†Lepus European Pleistocene forms reviewed, L. diluvianus Gervais indeterminable, Koby (2); L. timidus Pleistocene, Germany, skeletal remains, teeth descr., fig'd., Heller (1); L. t. würmensis subsp. nov. Pleistocene, La Vache, near Tarascon-sur-Ariège, Pyrenees, France, p. ?, Koby (1); further notes, Koby (2).

Oryctolagus distribution of myxomatosis in Spain, Anon (27); acid secreting zones in stomach, Chowdhury & Das; renal circulation, Rosati & Cecio; haematology, Rymar; ova fertilised by sperm of Lepus, Treus & Steklenev (2); O. cuniculus head length of sperm and its genetics, Beatty (2); attempted genetic transformation, Beatty & Billett; grazing effect on vegetation of Macquarie Island, Costin & Moore; weights and growth rates in experimental colony, Dudzinski & Mykytowycz; keeping in warren, Gosney; stress syndrome, Griffiths & others; ova reception, Hafez (1); embryonic survival, Hafez (2); introduction to Indiana, Kirkpatrick (1); season and population increase effect on behaviour, Myers & Poole; maternal behaviour, Ross & others; olfactory sense and food-finding: lures for poisoning, Rowley (1); concentration effect on ingestion of sodium fluoroacetate, Rowley (2); anal glands and their function, Takagi & Tagawa; feral populations on Pacific Islands, Watson, J. S.; ova fertilised by Sylvilagus sperm, Chang, M. C.; O. c. skull compared with Lepus europaeus, Richard, L. R.; O. dom. inheritance, hair morphology of "wuzzy" mutation, Crary & Sawin; insemination рн and sex ratio of offspring, Emmens; physiology of female genital tract, Zimmermann.

†Palaeolagus haydeni Oligocene, South Dakota, teeth descr., fig'd., teeth growth rate, enamel deposition, root formation, phylogeny discussed, Burt & Wood.

Sylvilagus aquaticus embryo resorption, Conaway & others; winter weight in Missouri, Holten & Toll; range extension in Indiana, notes, Kirkpatrick (2); epiphyseal closure, lens as age criteria: population dynamics in Missouri, Martinson & others; S. bachmani home range, movements in California, Shields; S. floridanus home range, movements in Missouri: use of excreted dyes for such studies, Brown, L. N. (1); deposition and decomposition rates of faeces Cochran & Stains; damage to Douglas fir in British Columbia, Edwards, R. Y. (3); virus disease in Illinois, Ferris & others; occurrence of horn-like papillomas in Iowa, Haugen (1); potential longevity, Lord, R. D. (2); reproduction in Illinois, Lord, R. D. (4); mortality rates in Illinois, Lord, R. D. (5); weather effect on onset of breeding in Missouri, Wight & Conaway; S. f. alacer erythrism in Alabama specimen, Holliman; S. f. mallurus large litter reported, Barkalow (1); contact dermatitis contracted from stomach contents, Clark, G. M. & others; abnormal pelage, Manville (4); S. f. mearnsi albino recorded, Casteel; seasonal changes in roadside activity, Lord, R. D. (6); food effect on winter mortality, Lord & Casteel; population relation to ectoparasite population in Illinois, Mohr & Lord; S. n. grangeri, S. audoboni range extensions in Utah, Egoscue; S. transitionalis sperm fertilising Oryctologus ova, Chang, M. C.

†Sylvilagus cunicularius recorded from Pleistocene of Mexico, Dalquest (1).

ORDER RODENTIA

Value of allometric studies in rodent systematics, Hückinghaus (2).

Sesamoid bones of rodent autopodia, Romankowowa (2).

Olfactory bulb of rodents, Pilleri (4); Deltoid muscles of certain rodents, Shrivastava.

Pancreatic islets of desert rodents, Kuay (2).

Water metabolism of desert rodents, Chew.

Detailed study of desert rodent ecology and distribution in Sahara and Iran, Petter (3).

Pars intermedia and adaptation to desert life in rodents, Legait & Roux.

Embryo number variation in Russian rodents, Semenov.

Population growth control in rodents, Christian, J. J. Rodent influence on soil and steppe vegetation, Formosov & Kodachova.

Rodent ecology in southern U.S.S.R., Ismagilov, M. I.

Ploughing effect on rodent ecology in Kazakhstan, Karrasseva.

Rodent ecology in Kazakhstan, Skvortsov.

Various tree and shrub seeds compared as rodent food, Sviridenko.

Weather influence on rodent trapping, Sidorowicz (2).

Account of Netherlands rodents, Wijngaarden (2).

Taxonomic status of Greek rodents, Ondrias (3).

Pleistocene rodents from Poland, Kowalski (4),

Rodents of W. Ustyart, U.S.S.R., Soletsky.

Rodents of Nakhichevan A.S.S.R., Alieva

African fossil rodent investigations surveyed, Graaff (2).

List of Peruvian rodents, Soukup.

Notes on Brazilian rodents, Avila-Pires,

Notes, observations, biology of Argentine rodents, Massoia.

SUBORDER SCIUROMORPHA

†ISCHYROMYIDAE

Unallocated paramyine material from Eccene of Colorado descr., fig'd., McKenna (1).

†Ischyromys typus Oligocene, Colorado, variant teeth, I. troxelli Oligocene, South Dakota, third and fourth premolars descr., fig'd., Burt & Wood.

†Paramys unallocated material from Eocene of Colorado descr., fig'd., McKenna (1).

rd,

on

lis

of

es

u-

in

8,

J.

n,

v,

n,

d,

1).

†SCIUBAVIDAE

†Dawsonomys gen. nov. for type species D. woodi sp. nov. Eccene, 12 miles north of Big Piney, Sublette County, Wyoming, p. 194, Gazin.

†Knightomys gen. nov. for type species Tillomys senior Gazin, 1952, p. 193, Gazin.

†Sciuravus wilsoni sp. nov. Eccene, west side of Alkali Creek, Sublette County, Wyoming, p. 194, Gazin.

APLODONTIDAE

Aplodontia rufa reingestion reported, Ingles (3);
A. r. pacifica general account, Bridges (1).

†MYLAGAULIDAE

†Mesogaulus affinities discussed; M. paniensis Miocene, Colorado, teeth descr., fig'd., Wilson, R. W.

†Mylagaulus sp. Pliocene, South Dakota, material descr., fig'd., Macdonald (1); M. laevis Miocene, Colorado, detailed account of osteology, Fagan.

†EOMYIDAE

†Paradjidaumo trilophus Oligocene, South Dakota, dental variant descr., fig'd., Burt & Wood.

†Pseudotheridomys hesperus sp. nov. Miocene, Logan County, Colorado, p. 72, Wilson, R. W.; P. parvulus Miocene, Germany, teeth descr., fig'd., Tobien (1).

SCIURIDAE

Evolutionary spread of diurnal squirrels across Bering and Panamanian land bridges, Moore (2).

Geographic variation in squirrel reproductive characteristics: notes on squirrel classification, Moore (3).

teristics: notes on squirrel classification, Moore (3).

Atlantoxerus getulus Moroccan record, notes, disc.,

Citellus armatus physiological effects of stress, Noble; C. beecheyi physiology of hibernation, Strumwasser; C. b. douglasi range extension in Washington, Broadbooks (1); distribution in Washington, Clanton & Johnson (2); C. citellus post-natal chemical changes, Barié (1); body temperature, Davidović & Popesković; C. hoodi (Sabine), 1822, (synonym of C. tridecemlineatus tridecemlineatus), C. franklinii franklinii (Sabine), 1822, lectotypes selected, Banfield (1); C. lateralis tescorum rhythmical arousal during hibernation, Pengelley & Fisher; C. mohavensis aestivation, Bartholomew & Hudson; C; parryii barrowensis haematology, Blumberg & others; C. pygmaeus ecology in Pre-Aral, Nikitina (1); C. p. C. fulvus detailed distribution in regions of sympatry, Dubrovsky; C. p., C. suslica hybridisation reported at range limits, Denisov; C. relictus systematic position, ecology in Tian Shan, Stroganova & Chu Tsing; C. spilosoma marginatus range extension in Oklahoma, Glass & Halloran; C. sudicus ecology in Byelorussia, Petrovsky; food in Poland, Surdacki; C. tridecemlineatus nerve function and hibernation, Kehl & Morrison; annual physiological cycle of captive colony, Landau & Dawe; circulatory changes during hibernating cycle, Lyman & O'Brien; ; tissue respiration and hibernation, Meyer & Morrison; histochemistry of kidney, Zimny & Bourgeois; C. undulatus tissue respiration, Hannon & others; hibernating cycle, seasonal physiological variation in Alaska, Hock; histological changes during hibernating cycle, Mayer.

Citellus (Colobotis) reviewed, Gromov.

†Citellus fulvus minor subsp. nov. Pleistocene, Azerbaidjan S.S.R., p. 61, Gromov; C. rezroadensis subgeneric status, distribution in time, Hazard; C. tridecemlineatus Pleistocene, Oklahoma, maxillary descr., fig'd., Stephens.

†Citellus (Colobotis) reviewed, further material: C. (C.) birulai sp. nov. Adzhi-Koba, p. 48, C. (C.) b. fulvoides subsp. nov. Siureni I., Adzhi-Koba, p. 53, both Pleistocene, Azebaidjan S.S.R., Gromov.

Cynomys social behaviour, King, J. A. (1); C. ludovicianus ludovicianus ecology, effect on plants, soil and land use, Koford (2).

†Cynomys ludovicianus Pleistocene, Texas, skull measurements, Jelinek; C. epispiza sp. nov. Late Miocene or early Pliocene, spillway of Roosevelt Lake dam, Tripp County, South Dakota, p. 545, Green, M. (2).

Eutamias dorsalis nidoensis subsp. nov. 5 miles N. Cerro Campana, Chihuahua, Mexico, 5,600 feet, p. 267, Lidicker (1); E. ruficaudatus population density in Montana forest, Johnson, L. J.

Funambulus pennanti pennanti skull, Prasad & others. Funisciurus carruthersi further Uganda record, Anon (10).

Glaucomys sabrinus murinauralis subsp. nov. Timid Springs, 1 mile north of Big Flat Guard Station, Tushar Mountains, Beaver County, Utah, 10,300 feet, p. 120, Musser; G. volans C. American subspecies reviewed, keyed: G. v. chontali Santo Domingo, Chontecomatlán, District of Yautepec, about 7,000 feet, p. 3; G. v. oazacensis San Pedro Jilotepec, District of Tehuantepec, about 5,000 feet, p. 11; both subspp. nov. Oaxaca, Mexico, Goodwin (1); G. v. activity rhythm when confined with Tamias, Graefe.

Marmota tissue nucleic acids, Weill & others; M. bobac ecology, effect on vegetation in Kazakhstan, Ismagilov, M. M.; economic value in Kazakhstan, Thachenko; M. caligata broweri haematology, Blumberg & others; M. flaviventris melanism incidence in Teton Range, Wyoming, Armitage (1); M. marmota fat composition, Svolba; M. m. marmota mother-young relation, Psenner; M. monax first definitive Oklahoma record: range extension in Kansas, Long (2); Swimming capacity, Wilber & Weidenbacher; permeability of red blood cells, Faust & Parpart; M. m. monax reproductive cycle, litter size in Pennsylvania, Snyder & Christian; seasonal changes in weight in Pennsylvania, Snyder &

†Marmota longipes sp. nov. Pleistocene, Akhalkalaki southern Georgia, U.S.S.R., p. 409, Vekua (2).

Microsciurus variation, taxonomy discussed: M. santanderensis (Hernández-Camacho), 1957, re-described, a valid species, Hernández-Camacho.

†Palaeoarctomys (?) bryanti sp. nov. Miocene, Logan County, Colorado, p. 57, Wilson, R. W.

Sciurus carolinensis sexual cycle, breeding season in Kentucky, Brauer & Dusing; seasonal changes in morphology of male thyroid, Hoffman & Kirkpatrick; records reported from Armagh and Monaghan counties, Ireland, Jackson (1); subspecific identity in Kansas and Nebraska, Jones & Cortner; ages and reproductive cycles in male population, Kirkpatrick & Hoffman; retalionships, evolution discussed, Moore (1); S. c. leucotis distribution in Sheffield area, Anon (1); S. c., S. niger epiphyseal cartilage as age indicator, Carson; S. niger attacking dove, Zenaidura, Borell; S. pucheranii santanderensis Hernández-Camacho, 1957, a Microsciurus: re-described, raised to specific rank, Hernández-Camacho; S. vulgaris colour variation in Bulgaria: S. v. balcanicus morpha nigricans, S. v. b. morpha pallidus both morph. nov. for Bulgarian colour phases, p. 59, Markov.

Spermophilopsis leptodactylus biology, Kahrulin.

Tamias striatus activity rhythm when confined with Glaucomys, Graefe; homing ability, Seidel; swimming capacity, Wilber & Weidenbacher.

Tamiasciurus hudsonicus using juniper seed as winter food, Abbott & Belig; size and colour variation in New Mexico and Arizona, Findley; T. h. loquax electroretinographic response, Tansley & others.

GEOMYIDAE

Geomys discussed, White & Downs; G. bursarius vertebrate fauna of burrow, Vaughan (1); cranial asymmetry, Vaughan (2); activity rhythm, Vaughan & Hansen.

†Geomys discussed, G. garbanii sp. nov. Pleistocene, Vallecito Creek, San Diego County, California, p. 8, White & Downs; G. bursarius Pleistocene, Oklahoma, mandibular fragment descr., Stephens; G. tobinensis Pleistocene, Kansas, jaw fragments, descr., Paulson.

†Nerterogeomys Gazin, 1942, perhaps a subgenus of Geomys, White & Downs.

Thomomys bottae copulation, gestation, parturition, Schramm; T. b. bottae population crash in California, Howard; T. b., T. talpoides vertebrate fauna of burrows, Vaughan (1); T. masama, T. talpoides morphology, differential characters, bacula descr., fig'd., races from Pacific Northwest allocated, relationships disc., Johnson & Benson; T. talpoides food habits in Colorado, Ward.

Zygogeomys affinities, White & Downs.

HETEROMYIDAE

†Akmaiomys gen. nov. p. 517, for type species A. incohatus sp. nov. Oligocene, 6 miles N.E. Gault, Weld County Colorado, p. 518, Reeder (2).

 \uparrow Apletotomus gen. nov. p. 512, for type species A. crassus sp. nov. Oligocene, Bill Grimm Ranch, Sioux County, Nebraska, p. 513, Reeder (2).

Dipodomys deserti laboratory breeding, Butterworth; D. ordii range extension in Mexico, Anderson & Long; D. o. richardsoni breeding periods in Texas and Oklahoma, McCulloch & Inglis; D. o. pallidus, D. microps bonnevillei serum proteins, Marchette.

† Florentiamys (?) sp. Miocene, Colorado, teeth descr., fig'd., Wilson, R. W.

†Heliscomys schlaikjeri sp. nov. Miocene, Goshen County, Wyoming, p. 4, Black (2).

Microdipodops pallidus thermoregulation, Bartholomew & MacMillen.

†Mookomys cf. formicorum Miocene, Colorado, teeth descr., Wilson, R. W.

Perognathus flavescens artificially induced hibernation, Beer (2); P. flavus range extension in Mexico, Anderson & Long; P. intermedius intermedius range extension in Mexico, Lidioker (2); P. parvus homing in Oregon, Broadbooks (3).

†Proheteromys cf. magnus teeth descr., fig'd., P. sulculus sp. nov. Miocene, Logan County, Colorado, p. 75 Wilson, R. W.

†Trogomys gen. nov. p. 121, for type species T. rupinimenthae sp. nov. p. 122, Micoene, near the narrows of Vasquez Canyon, a tributary of Boquet Canyon, approx. 10 miles by road N.E. of Saugus, Los Angelos County, California, Reeder (1).

CASTORIDAE

Cheek teeth of European Castoridae, Friant (2).

†Anchiteriomys (?) sp. Miocene, Colorado, material descr., fig'd., Wilson, R. W.

Castor general account, Pilleri (1); spread in Karelia, Segal & Orlova; C. canadensis cellulose digestion, Currier & others; effect on trout in California, Gard; age criteria for live specimens, Patric & Webb; olfactory bulb, histology of eye, Pilleri (4); large litter recorded, Wick & Penttila; status of California introductions, Yocom & others; C. c. missouriensis history, distribution, economics, ecology, management and trapping in Kansas, Henderson; C. fiber Bronze Age occurrence in Portugal, Da Canha; ecology in natural colonies in Russia and China, Lavrov & Hao-chuang; population study in Archangel region, Parovshchikov (1); food in Archangel region, Parovshchikov (2); status, protection in Rhône Valley, Richard, B.; ecology, habits in Sweden, Wilsson.

†Castoroides ohionensis brain, Pilleri (4).

†Chalicomys eseri nomenclatorial history discussed probably synonymous with Steneofiber castorinus, Wilson, R. W.

†Dipoides anatolicus sp. nov. Pliocene, Düz Pinar, west of Develi village, between Akhisar and Manisa, western Anatolia, p. 89, Ozansoy (2); D. rezroadensis Pliocene, Kansas, teeth descr., fig'd., Woodburne.

 $^{\uparrow}Monosaulax$ unnamed new species from Miocene of Colorado descr., fig'd., Wilson, R. W.

† Procastoroides sweeti Pliocene, Kansas, teeth descr., fig'd., Woodburne.

†Steneofiber eseri full synonymy: skeletal fragments, teeth descr., fig'd., from Miocene of Germany, Kuss.

†Trogontherium cuvieri Caucasian material descr., fig'd., Burchak-Abramovich (8).

ANOMALURIDAE

Anomalurus jacksoni distribution, biology, observations on captive specimen, illustr., Rahm (1); A. pelinotes, fig., Rahm (5).

SUBORDER MYOMORPHA

CRICETIDAE

Comparative cytology of Palaearctic and American cricetines, Matthey (1).

Ecology, economic importance of Japanese microtines, Ota & Jameson.

Evolutionary rates in cricetines, Vorontsov (2).

Speciation in Palaearctic hamsters, Vorontsov (1).

Egyptian jirds reviewed, keyed, Setzer (2).

Allocricetulus eversmanni, A. curtatus further notes on chromosomes: sex chromosomes, Matthey (1).

Alticola argentatus olchonensis subsp. nov. Olkhon Island, Lake Baikal, U.S.S.R., p. 1889, Litvinov.

Arvicola terrestris control in U.S.S.R., Fomushkin; functional anatomy, Heráñ; migration in U.S.S.R., Kratt; record from Thrace, Osborn; effects of tunnelling on agriculture in Carpathians, Tatarinov; A. t. terrestris hybridisation with A. t. sherman, Bernard.

†Arvicola scherman-terrestris Pleistocene, Germany, mandibles, teeth descr., fig'd., Heller (2).

†Baranomys Kormos, 1933, a synonym of Microtodon, Kowalski (2).

Blarinomys breviceps further descr., Avila-Pires.

Calomyscus taxonomic position: C. bailwardi hotsoni chromosomes, Matthey (1).

Clethrionomys marking results, movements in Komi A.S.R., Rikitins (2); ecology, morphology in N.E. Europe, Vorontsov (3); Japanese forms reviewed: C. imaizumii sp. nov. Nachi Falls, Wakayama-ken, Honshu, Japan, 300 feet, p. 599, Jameson; C. gapperi winter range in Minnesota, Beer (3); ecology in Massachusetts, Waters; C. glareolus homing ability of captive specimens, Bovet; origin of British insular races, Corbet; ovarian cycle, Larina & Golikova; daily activity rhythm, Saint Girons (2); population dynamics, forest damage during 1959 in Germany, Schindler; effect of laboratory conditions on thermoregulation, Smirln; seasonal pelage variation, Stein (1); forest damage in Czechoslovakia, Turček (1); oak galls as food, Turček (2); value of bark as food in Germany, Uloth (1); C. g. carcio subsp. nov. Camigliatello Silano, Calabria, Italy, p. 219, Lehmann (3); C. g. skomerensis census, Fullager & others; field study, movements, Saunders; C. rufocanus bedfordiae biology, Kinoshita & Maeda; C. rutilus resistance to water deficiency in steppe zone, Hermann.

Cricetulus sex chromosome, Matthey (1).

Cricetus sex chromosome, Matthey (1); C. cricetus distribution, biology in Netherlands, protection suggested, Glas; taxonomic note, Herre (2); blood sugar during hibernation, Raths; C. c. cricetus colour variant, Petzsch (1); C. c. canescens value of white thoracic markings as subspecific character, Petzsch (2).

Delomys plebejus further descr., Avila-Pires.

Desmodillus auricularis races in S.W. Africa discussed, Lehmann (2).

Dicrostonyx groenlandicus neural and hypophyseal colloid deposition, Quay (1).

Dolomys mountain forms in Yugoslavia reviewed, D. bogdanovi trebevićensis subsp. nov. Mount Trebević, Bosnia, Yugoslavia, p. 295, Gligić.

†Dolomys hungaricus Pliocene, Poland, material descr. fig'd., Kowalski (2); D. cf. milleri Pleistocene, Italy, teeth descr., fig'd., Bartolomei.

Ellobius talpinus ecology in Kazakhstan, Shubin; eye structure, Sokolova; reproduction in Ukraine, Zubko & Ostryakov

Eothenomys Japanese forms reviewed, Jameson.

†Eumys elegans Oligocene, South Dakota, dental variation descr., fig'd., Burt & Wood.

Gerbillus gerbillus asyutensis subsp. nov. Wadi el Asyuti, 13 miles southeast of Asyut, Eastern Desert Governorate, Egypt, p. 3, Setser (1); G. hirtipes maintenance as laboratory animal, Juminer; G. pyramidum pigment in Harderian gland, Arvy & Lerma; temperature study, Haberey; G. simoni further notes on Egyptian specimens: G. kaiseri discussed, Wassit (1).

†Germanomys Heller, 1936, a synonym of Ungaromys Kormos, 1932, Kowalski (2); G. helleri p. 64, G. parvidens p. 66, both spp. nov. Plio-Pleistocene, Ivanovce, near Trenčín, W. Slovakia, Czechoslovakia, Fejfar (2).

Hypogeomys antimena chromosome number, Matthey (2); chromosomes, taxonomy, Matthew (3); macroscopic anatomy of brain: systematic position discussed, Pilleri (5).

Lagurus lagurus thermoregulation, Bashenina; breeding season in California, Dunmire.

†Laugaritiomus gen. nov. p. 68 for type species L. inanovcensis sp. nov. p. 69, Plio-Pleistocene, Ivanovce, near Trenčín, west Slovakia, Czechoslovakia, Fejfar (2).

Lemmus detailed analysis of Palaearctic forms:
L. lemmus sole species, races and synonyms listed,
Sidorowicz (1); notes on Swedish population, CurryLindahl (2); age variation in skull, population composition
on Kola peninsula, Koshkina & Khalansky.

†Leukaristomys gen. nov. for type species L. vagui sp. nov. Plio-Pleistocene, Ivanovce, near Trenčín, W. Slovakia, Czechoslovakia, p. 60, Fejfar (2).

Macrotarsomys bastardi, M. ingens macroscopic anatomy of brain, Pilleri (6).

Meriones ecology in Iranian Kurdistan, Golvan & Rioux; Egyptian forms reviewed: M. crassus, M. libycus considered sole Egyptian species: M. crassus asyutensis beginning of Wadi et Asyut, 13 miles southeast of Asyut, Eastern Desert Governorate, p. 82, M. c. perpallidus Cairo-Alexandria Road, 4 kilometres from Cairo. Western Desert Governorate, p. 86, both subspp. Dov. Egypt, United Arab Republic, Setzer (2); M. crassus, M. shawi, M. vinogradovi pigment in Harderian gland, Arvy & Lerma; M. meridianus dahli ecology in Armenia, Gambarjan & others.

Mesocricetus auratus notes, Berner; tissue metabolism during hibernation, Denyes & Hassett; kidney glomerulus, Franke; faecal flora, Pacheco & Dias; genetics of light undercolour, Robinson, R. (1); vaginal cycle, Roig; maternal behaviour in non-maternal examples, Rowell (1); family group relations, Rowell (2); thoracic vascularisation, Schwarze & others.

†Microtodon longidens sp. nov. Pliocene, Węze, Poland, p. 453, Kowalski (2).

Microtus possible population correlation in owl (Bubo) population in Oregon, Griffee; marking results, movements in Komi A.S.R., Nikitina (2); M. agrestis seasonal activity changes, Erkinaro; M. arvalis thermoregulation, Bashenina; local distribution, ecology in U.S.S.R., Karaseva; seasonal changes in epididymis in Poland, Lecyk (1); possibility of superfetation, Lecyk (2); growth, Sýkora (1); hair growth, moult, Sýkora (2); dynamics of confined populations, Wijngaarden (1); M. a., M. agrestis origin of British insular races, Corbet; M. arvalis, M. agrestis, M. oeconomus seasonal pelage variation, Stein (1); M. arvalis, M. nivalis range extension in Adzharia, S. Russia, Avaliani M. brandti habits, population cycles in Mongolia, Dawaa; M. californicus behaviour reaction to high tide in Californian salt-marsh; swimming, Fisler; study of variation of California salt marsh populations; M. c. paludicola a synonym of M. c. californicus; M. c. sanpabloensis subsp. nov. San Pablo Creek (salt marsh), Contra Costa County, California, p. 81, Thaeler; M. c., M. longicaudus occurrence of os clitoridis, Ziegler; M. longicaudus incanus subsp. nov. 1 mile S.E. Burned Ridge, Mt. Ellen, Henry Mountains, Garfield County, Utah, 10,300 feet, p. 168, Lee & Durrant (1); M. mexicanus range extension (from owl pellet remains) in Mexico, Anderson & Long; M. middendorffichromosomes, taxonomy, Matthey & Zimmermann; M. montanus damage to bitterbrush (Purshia) in California, Hubbard & McKeever M. m. micropus, M. m. nexus range extensions in Utah, Egoscue, M. montebelli variation in bone size and weight; Shimizu; M. nivalis ecology, population structure in S. Carpathians, Firchuk; M. ochrogaster possible bat predator, Martin (3); M. oeconomous taxonomic study of Alaskan forms, Paradise & Manville; ecology on Volga islands, Snigirevskaya; M. oeconomus, M. arvalis resistance to water deficiency in stoppe zone, Hermans; M. o. kadicensis notes, biometry, Feuer; M. pennsylvassicus relict population from New Mexico, Anderson, S. (2); population structure, reproduction in Minnesota, S. (2); population study, habits in Michigan, Getz (1); response to live traps and weather conditions, Getz (4); factors influencing distribution in Michigan, Getz (5); home range, territoriality and movements in Michigan, Getz (6); population dynamics in Michigan, Golley (3). M. richardsoni population fluctuation in British Columbia, Racey.

†Microtus paroperarius Pleistocene, Kansas, jaw fragments descr., fig'd., Paulson; M. pennsylvanicus Pleistocene, Florida molar remains descr., fig'd., Arata.

†Mimomys gracilis, M. cf. stehlini Pliocene, Poland, material descr., fig'd., Kowalski (2); M. hajnáčkensis, p. 50, M. hintoni p. 51, M. kretzoii p. 52, all spp. nov.; M. pliocaenicus minor subsp. nov. p. 54, all Hajnáčka, near Filákova, S. Slovakia: M. prošeki sp. nov. p. 55, M. hassiacus atavus subsp. nov. p. 57, both Ivanovce, near Trenčín, W. Slovakia, all Plio-Pleistocene, Czechoslovakia, Pejfar (2); M. cf. stehlini, M. reidi material descr., fig'd., M. polonicus sp. nov. Rebielice Królewskie, p. 172, all Pliocene, Poland, Kowalski (1).

†Minomys (Villanyia) exilis Pliocene, Poland, material descr., fig'd., Kowalski (1).

Myospalax psilurus range extension to E. Mongolia, Pavlov (2).

Neofiber alleni chromosome number, Matthey (2); chromosomes, taxonomy, Matthey (3).

Neotoma floridana illinoensis range extension from cave remains in Illinois, Parmalee & others; N. magister range extension in Indiana, Wayne (2).

Ochrotomys generically distinct from Peromyscus, Manville (1).

Occomys simplex further descr., Avila-Pires.

Ondatra zibethicus skull shrinkage during and after cleaning, effect on aging technique, Alexander; history of introduction, acclimatization, biology in Finland, Artimo; ecology in Brittany, Brosselin; tularaemia in Ontario, Ditchfield & others; habits, distribution in Alsace, Gouin & others; notes on population of Lake Breitunger, Germany, Hoffmann; migration in Oregon, Kebbe (1); white individual from Oregon, Kebbe (8); acclimatization in U.S.S.R., Lavrov; intestine, Luppa; ecology in Hungary, Székessy; breeding possibilities in Danube delta, Vereshehchagin (5); O. z. macrodon range extension in North Carolina, Funderburg (1); O. z. osogoosenies (Lord), 1863, lectotype selected, cranial measurements with those of syntype, Banfield (1).

†Ondatra notes on Pleistocene forms: O. nebrascensis (Hollister), 1911, O. triradicatus Starrett, 1956, synonyms of O. zibethicus: O. kansasensis Hibbard, 1944, a synonym of O. annectens (Brown), 1908: O. zibethicus Pleistocene, Oklahoma, descr., fig'd., Stephens; O. annectens Pleistocene, Kansas, jaw fragment descr., fig'd., Paulson.

Oryzomys palustris ecology on Breton Island, Gulf of Mexico, Negus & others.

Oryzomys (Microryzomys) minutus aurillus notes, Bendesu (1).

Onychomys leucogaster voice, Hildebrand (2).

Pachyuromys duprasi temperature study, Haberey.

†Pedomys lanensis Pleistocene, Kansas, jaw fragment descr., fig'd., Paulson.

Peromyscus differential growth in skulls of two subspecies, King & Eleftherion; subspecific differences in response of young on elevated maze, King & Shea; occurrence of entepicondylar foramen; P. augustirostris sp. nov. 3 kilometres west of Zacualpan, Veracrus, Mexico, 6,000 feet, p. 203, Hall & Alvarez (1); P. aztecus, P. boylii not conspecific, P. b. beatae Thomas a valid subspecies, P. b. ambiguas subsp. nov. Monterrey, Nuevo León, eastern Mexico, p. 118, Alvarez, T.; P. b. natural history in Kansas: P. b. cansensis subsp. nov. 4 miles east Sedan, Chautauqua County, Kansas, p. 101, Long (5); P. comanche, P. nasutus, P. truei chromosomes, Tamsitt (2); morphological comparison of P¹ and F¹ generations, Tamsitt (3); P. crinitus breeding season in California, Dunmire; P. difficilis detailed taxonomic study, races listed and diagnosed; P. nasutus considered a race of P. difficilis, Hoffmeister & de la Torre; P. duodecimcostatus ecology, taxonomy in Provence: P. provincialis Miller a synonym of P. d. duodecimcostatus, Konig & Konig; P. gossypinus homing, Griffo; P. lepturus notes on Mexican specimens, Hooper (1); P. leucopus infestation with Cuterebra, Abbott & Parsons; winter range in Minnesota, Beer (3); effect of X-irradiation, Blair & Kennerly; pregnancy effect on spleen size, Davis, W. H. & others; ecology in Michigan, Getz (3); response to live traps and weather conditions, Getz (4); ecology in Massachusetts, Waters; P. l. aridulus range extension, ecology in Kansas, Frydendall; P. l. noveboracensis haematology of specimens infected with botfly, Cuterebra, Sealander; population effect of flooding, Ruffer; P. l. n., P. maniculatus gracilis ecological relationships in New York, Klein; P. maniculatus range extension in Mexico, Anderson & Long; population structure in Oregon, Beer (1); homing in Oregon, Broadbooks (3); unusual abundance in Colorado, Catlett (2); population density in Montana forest, Johnson, L. J.; P. m. bairdii type and volume of seeds stored, Howard & Evans; P. m. b., P. m. gracilis locomotory and learning patterns, King, J. A. (2); swimming, electric shock reaction, behaviour development in young, King, J. A. (3); P. m. nebrascensis syntype re-discovered, descr., Jones & Mursaloğlu (1); P. m. rubidus longevity, Gashwiler; P. m. rufinus behaviour in captivity, Balph & Stokes; P. mexicanus, P. boylii variation of greatest skull length in El Salvador, Ondrias (2); P. oreas systematic and ecological relation to P. maniculatus: considered a valid species, Sheppe (2); P. truei, P. comanche, P. nasutus mating behaviour, Tamsitt (1).

†Peromyscus oklahomensis sp. nov. Pleistocene, Mrs. L. Dees Ranch, Harper County, Oklahoma, p. 1692, Stephens.

Phenacomys intermedius, P. ungava habitat preferences, Edwards, R. Y. (1); P. u. life history, biology in Manitoba, Foster, J. B.; cranial and dental variation with age, Foster & Peterson.

Phodopus sex chromosome, Matthey (1).

Pitymys savii brachycercus subsp. nov. Camigliatello Silano, Calabria, Italy, p. 223, Lehmann (3); P. sublerraneus biology under laboratory conditions, Buchalczyk, A.; weight and molar variation, Grummt; biology, morphology in Poland, Wasilewaki (1); P. s. subterraneous variation in N. Carpathians studied: P. tatricus details of further specimens, systematics discussed, Kowalski (3).

†Pitymys meadensis Pleistocene, Kansas, jaw fragments descr., fig'd., Paulson.

†Prosomys mimus Shotwell, 1956, a Microtodon, Kowalski (2).

Reithrodontomys humulis humulis movement study of tagged animals in N. Carolina, Kaye; R. h. virginianus

further Virginia records, Peacock & Peacock; R. megalotis breeding soason in California, Dunmire; chromosome number, Matthey (2); brain acetylcholinesterase, Shellhammer; geographic variation on central Great Plains and adjacent regions: R. m. caryi Howell 1935, possibly a synonym of R. m. aztecus, Allen, 1893, Jones & Mursaloğlu (2); R. m. dychei chromosomes, taxonomy, Matthey (3); R. montanus griseus range extension in Missouri, Long (3).

†Reithrodontomys moorei Pleistocene, Kansas, jaw fragment descr., Paulson.

Rhipidomys nitela tobagi subsp. nov. Little Tobago, West Indies, p. 16, Goodwin (2).

Rhombomys opimus interspecific relations in N. Aral, Krilova & others; reproduction in U.S.S.R., Leontyeva; nocturnal activity and its ecological and epizootological importance, Marin & Rotschild; local distribution and plague incidence in Pri-Aral, Rotschild.

†Scottimus kellamorum sp. nov. Miocene, Goshen County, Wyoming, p. 2, Black (2).

Sekeetamys calurus notes, taxonomy: S. makrami sp. nov. Wadi Gumbiet, Southeastern Desert Governorate, Egypt, United Arab Republic, p. 90, Setzer (2).

Sigmodon notes on Texas populations, Raun (3); S. hispidus haemoglobin types, Foreman; trap and bait preference, Golley (1); trapping effect on adrenal activity, Golley (2); seasonal changes in reproductive organs, Haines; S. h., S. minimus distribution, ecology in New Mence Mohlhenrich; S. h. komareki mortality in severe winter in Tennessee, Dunaway & Kaye (1).

†Stachomys gen. nov. for type species S. trilobodon sp. nov. Pliocene, Weze, Poland, p. 461, Kowalski (2).

Synaptomys cooperi factors influencing distribution in Michigan, Getz (5).

†Synaptomys (Mictomys) meltoni sp. nov. Pleistocene, Cudahy ash mine, Meade County, Kansas, p. 142, Paulson.

†Trilophomys depéreti p. 71, T. schaubi p. 73, both spp. nov. Plio-Pleistocene, Ivanovce, near Trenčín, W. Slovakia Czechoslovakia, Fejfar (2); T. pyrenaicus Pliocene, Poland, mandibular material descr., fig'd., Kowalski (2).

†Ungaromys weileri Pliocene, Poland, material descr., fig'd.: systematic position discussed, Kowalski (2).

SPALACIDAE

Spalax biology in Turkey, Mursaloğlu; S. ehrenbergi ehrenbergi general biology, distribution, reproduction, tunnel system in Israel, Nevo; S. leucodon burrowing, ecology in Greece and Turkey, behaviour in captivity, Watson, G. E.; S. microphihalmus trap, Golov.

MURIDAE

Ultra-violet lamps and rodent control, Wilson, E. J.

Acomys cahirinus dimidiatus biology, gestation, postnatal development, Dieterlen (2).

Apodemus frontal compared with Sylvaemus, Mus, Richter; A. agrarius first record for Thrakia, Turkey, Kahmann & Cağlar (2); record from Thrace, Osborn; A. a. A. s. sylvaticus seasonal pelage variation, Stein (1); A. a., A., A. tauricus ovarian cycle, Larina & Golikova A. flavicollis reproductive cycle in Poland, Adamczewska; oak galls as food, Turček (2); A. geisha, A. speciosus ainu biology, Kinoshita & Maeda; A. sylvaticus origin of British insular races, Corbet; notes, measurements of specimens from Herm Island, Channel Is., Cranbrook

8

& Crowcroft; first record Raasay Is., Inner Hebrides, Delany; census on Skomer I., Fullager & others; notes on Bardsey Is. population, Humphries; anatomy, osteology, biology in Roumania, Popescu; field study, movements on Skomer I., Saunders; A. s., A. flavicollis homing ability of captive specimens, Bovet; A. s. fridariensis ecology, life history, Delany & Davis; A. tauricus geminae subsp. nov. Monte Gargano, North Apulia, Italy, p. 228, Lehmann (4).

Bandicota bengalensis probable resistance to plague. Deoras; B. b. hichensis subsp. nov. Hich village, Thai-, Nguyên region, 75 kilometres from Hanoi, N. Vietnam, 105° 38'-106° 2' E., 21° 35'-21° 47' N., p. 305, Tien (2).

Beamys major notes, photograph, Anon (30).

Cricetomys gambianus suprerenal hypertrophy, Camain & Quenum; stomach, Camain & others; serum proteins, Masseyeff & others; pituitary, Quenum.

Deomys ferrugineus vandenberghei subsp. nov. Mulundu, (approx. 1° 56′ S., 2° 28′ E.), near Irangi, Kivu, Congo, p. 343, Rahm & Verheyen.

Gyomys fumeus range extensions from cave material and superficial deposits in Victoria and New South Wales, G. novae-hollandiae range extensions from cave material and superficial deposits in Victoria and New South Wales, Wakefield (1).

Hybomys univittatus distributional limits in eastern Congo, Pirlot (3).

Malacomys longipes further Uganda record, Anon (10).

†? Malacothrix makapani sp. nov. Pleistocene, Makapansgat Dumps, Makapansgat, Transvaal, p. 86, Graaff (1).

Mesembriomys hirsutus (Gould), 1842, nomenclatorial availability disc., characters re-examined, detailed notes, races, disc.; M. h. melvillensis Hayman, 1936, a valid subspecies, living specimen descr., illustr., Finlayson (1).

Micromys minutus thymus variation, Bazan-Kubik (1); ectoparasites, Rowe; M. m. soricinus breeding behaviour in captivity, Dieterlen (1).

Mus effects of inbreeding, Falconer & Roberts; apical pits on lower cheek teeth, Gaunt; detailed study as laboratory animal, Hagemann & Schmidt; frontal compared with Apodemus, Sylvaemus, Richter; M. musculus morphohistological changes in sample from a coal mine, Bazan-Kubik (2); evaluation of fighting behaviour, Catlett (1); variability in behaviour towards live traps, Crowcroft & Jeffers; weight in confined colonies, effect of overcrowding, Crowcroft & Rows; control, Davis, R. A. (2); from Columbretes Islands, Mediterranean, Español; linkage map, Green, M. C. & Dickie; superfectation, delayed implantation discussed, Hollander (1) visceral inversion and its inheritance, Hummel & Chapman; activity variation in inbred and crossbred strains and its genetic analysis, Mordkoff & Fuller; sex dynamics in confined populations, Petrusewicz; pigment formation in pelage, Polites; brain acetylcholinesterase, Shellhammer; radioactive strontium as method for study of movements and ectoparasites, Shura-Bura & Kharlamov; body weight fluctuation, sexual cycle, Wójcik; M. m. faeroensis evolution, subspeciation, taxonomy discussed, Dover; M. m. spicilegus range extension in Austria: food storage habits, Festetics.

Notomys reviewed: N. filmeri sp. nov. Near Birdsville, S.W. Queensland, Australia, p. 222, Mack.

†Palustrimus sp. Miocene, Wyoming, second specimen recorded, descr., fig'd., Black (1).

Pelomys hopkinsi second Uganda record, Anon (10).

Pseudomys australis oralis range extensions from cave material and superficial deposits in Victoria and New South Wales, Wakefield (1).

Rattus chemicals and preparations for control, Dukelskaya; using nest boxes, Gaffrey (2); detailed study as laboratory animal, Hagemann & Schmidt; bait selection, Hechter-Schulz; R. assimilis assimilis reproductive biology, Taylor, J. M.; R. blanfordi biology in western India, Brosset (2); R. losea, R. niviventer lotipes, R. rattus (?) hainanicus, recorded from Vietnam; R. sabanus heptneri subsp. nov. Forest of Cam-Ha, 2 kilometres from Ha-Tu, Hon-Gay region, 148 kilometres from Hanoi, 107° 4'-107° 17' E., 20° 58'-21° 2'N., . 295, Tien (1); R. losea exiguus range extension in Vietnam, Tien (2) R. pesticulus taxonomic position, considered a synonym of R. musschenbroeki, Schwarz; R. norvegicus effect of social stress on liver glycogen and blood glucose, Barnett, Eaton & McCallum; comparative toxicity of warfarin concentrations, Bentley & others; food on Essex coastal island, Drummond; response of albino to red light, Mead; ecology, distribution in U.S.S.R. Poyarkov; independent and linked segregation, Robinson, R. (2); melanism in California, Rohe; radioactive strontium as method for study of movements and ectoparasites, Shura-Bura & Kharlomov; R. n., R. n. albinos, activity compared, Kurcz; R. n., R. rattus haemoglobin differences, Vokáč; R. n., R. rattus control: R. r. rattus distribution in Great Britain, Davis, R. A. (2); R. n. longicaudus notes, affinities, validity reviewed, Won & Woo; R. rattus evidence for genetic drift in India, Grāneberg (5); "rat king" group (in Transvaal Museum) descr., fig'd., Meester (3); ecology, distribution in Malaya: R. r. jalorensis first record Singapore Island, successful hybridisation with R. r. diardi reported, Dhaliwal; R. r., R. norvegicus history, present status in Wales, Hill, G. R.; R. r. rattus distribution, movements on Mona Island, W. Indies, Pippin.

Rattus (Praomys) denniae measurements of N. Rhodesian specimens, Ansell (1); R. (P.) morio biology in captivity, Eisentraut (6).

Sylvaemus frontal compared with Apodemus, Mus, Richter.

Zelotomys hildegardei first Nyasaland record, Hanney; Z. h. shortridgei N. Rhodesian specimen descr., Ansell (1).

GLIBIDAE

Dryomys baculum, pterygoid, palate, taxonomic note; Niethammer; D. nitedula dentition as age guide, Lozan; biology in Israel, Nevo & Amir.

Glis glis taxonomy, structure, biology, habits, detailed study, Vietinghoff-Riesch.

†Glis glis Pleistocene, Germany, skeletal remains, teeth descr., fig'd., Heller (1) (2).

Graphiurus platyops first Nyasaland record, Hanney.

Muscardinus avellanarius in Sweden, Hallander; dentition as age guide, Lozan.

†Peridyromys murinus Miocene, Germany, teeth descr., fig'd., Tobien (1).

ZAPODIDAE

†Plesiosminthus (Plesiosminthus) clivosus Miocene. Colorado, jaw fragments descr., fig'd., Wilson, R. W,

 $\dagger Plesioeminthus (Schaubeumys)$ relationships discussed, P. (S.) galbreathi sp. nov. Miocene, Logan County, Colorado, p. 83, Wilson, R. W.

Sicista tianschanica ecology, Ziminia & Merkova.

Zapus hudsonius ecology in Michigan, Getz (3): Z. princeps chrysogenys subsp. nov. 2½ miles N.E. of La Sal Peak, La Sal Mountains, Grand County, Utah, 8,500 feet, p. 171, Lee & Durrant (2); Z. p. utahensis range extension in Utah, Egosoue.

DIPODIDAE

Allactaga jaculus enumeration, trapping, labelling, Tcheltsov-Bebutov & Osadtchaja; A. tetradactyla osteology, Wassif (2).

Jaculus jaculus temperature study, Haberey; J. j., J. orientalis osteology, Wassif (2).

SUBORDER HYSTRICOMORPHA

HYSTRICIDAE

†Hystrix primigenia Pliocene, Poland, detailed study of teeth, phylogeny discussed, Sulimski.

EBETHIZONTIDAE

Erethizon dorsatum glans penis, Hooper (2); remains from Alabama archaeological sites, Barkalow (2); cave remains recorded from Illinois, Parmales & others recorded from Iowan cave material, Trosky & Polder.

CAVIIDAE

Cavia spinal cord, Krbek; distribution, C. aperea porcellus nomenclature, domestication, Huckinghaus (1); C. porcellus brain, Borri & Macchi; Lymph organ function, Mislin; renal circulation, Rosati & Cecio; C. tschudis glans penis, Hooper (2).

Dolichotis patagona visceral anatomy, Pilleri (3).

†Procardiomys gen. nov. for type species P. martinoi sp. nov. Plicoene, Partido de Villarino, southwestern part of the Province of Buenos Aires, Argentina, p. 65, Pascual [see also English summary of paper on p. 61.]

†HEPTAXODONTIDAE

Dental features of Eumegamyines, Alvarez, E. F. de (2).

†Eumegamysops praependens teeth, occipital region descr., fig'd., Alvarez, E. F. de (2).

†Hexaprotodon crusafonti nom. nud. (?), Miocene, Granada, Spain, p. 17 [lacks description], Aguirre (1).

DASYPROCTIDAE

Cuniculus paca glans penis, Hooper (2).

Dasyprocta aguti, D. mexicana glans penis, Hooper (2).

n

B

06

CHINCHILLIDAE

Chinchilla release discovered in Oregon, Yoakum.

CAPROMYIDAE

†Capromys intermedius sp. nov. Pleistocene, Cuba [no detailed type locality], p. 48, fig'd. p. 11, Arredondo (2) [N.V.]; remarks on original publication, reasons for validity, Brodkorb.

†Eumysops preliminary revision: E. plicatus, E. robustus both Ameghino, 1888, transferred to Isomyopolamus, Kraglievich (2).

:

le

m

1).

or

†Geocapromys columbianus pleistocenica nom. nud. Pleistocene, Cuba, p. 37, fig'd., p. 38, Arredondo (1) [N.V.]; G. c. p. subsp. nov. Pleistocene, Cuba [no detailed type locality], p. 48, fig'd., p. 10, Arredondo (2) [N.V.]; remarks on original and later publication, reasons for invalidity of first proposal, Brodkorb; G. ingrahami glans penis, Hooper (2).

†Macrocapromys gen. nov. pp. 10, 48, for type species M. acevedo sp. nov. p. 48, fig'd., p. 10, Pleistocene, Cueva San José de las Lamas, Santa Fé, Habana, Cuba, Arredondo (2) [N.V.]; remarks on original publication of name, reasons for validity, Brodkorb.

Myocastor coypus distribution in Great Britain, Davis & Jenson; effect on fish ponds, Ehrlich; rate of passage of food through digestive tract, Gill & Bieguszewski; habits, distribution in Alsace, Gouin & others; feeding behaviour, Hallman; detailed study of pelage, Otaishi; renal circulation, Rosati & Cecio; breeding possibilities in Danube delta, Vereshchagin (5).

†Proaguti Ameghino, 1908 a synonym of Eumysops, Kraglievich (2).

† Proatherura Ameghino, 1906, a synonym of Eumysops, Kraglievich (2).

CTENOMYIDAE

†Xenodontomys simpsons sp. nov. Pleistocene, southeast border of Salinas Chicas, near Chasicó Lake, Province of Buenos Aires, Argentina, p. 21, Kraglievich (4).

ECHIMYIDAE

†Geoboromys riveroi nom. nud. Pleistocene, Cuba, p. 7 of appendix, fig'd. p. 22, also p. 10 of appendix. Arredondo (1) [N.V.]; G. nom nud. Pleistocene, Cuba, p. 11 [no species named], Arredondo (2) [N.V.]; remarks on original publication of name, reasons for invalidity, Brodkorb.

Proechimys glans penis, Hooper (2).

THRYONOMYIDAE

Thryonomys swinderianus bile salts, Haslewood & Ogan.

CTENODACTYLIDAE

Ctenodactylus gundi biology, Kock & Schomber (2).

ORDER CETACEA

General account of Cetacea, Slipper (1).

History of whaling, Johnsen.

Contemporary problems in whale biology, Tomilin.

Problems of whale conservation, Laws (1),

History of Russian marine mammal studies, Kirpich-nikov.

Study of Russian marine mammals, Kleinenberg (2). Russian marine mammal studies, Surkov.

Regulation of Russian marine mammal fisheries, Kotov.

Serology of N. Pacific whales, Fujino.

Bohr effect in haemoglobins of cetaceans, Riggs. Cetacean urinogenital system, Yablokov.

Observations, morphology, behaviour of Pacific cetaceans, Norris & Prescott.

Studies on crystalline whole whale pepsin, Ishihara.

Locomotion, locomotory organs in whales and dolphins, Slipper (3).

Cetacean echolocation, Kellogg.

Navigation in cetaceans, Slijper (2).

Whale food chain, Pequegnat.

Food of whales in Kurile region, Betesheva.

Pathology of whales, Cockrill.

Sickness as explanation of stranding in whales, Ray, C. (1).

Distribution of whale bones on Spitzbergen coasts and relation to land movements, Birkenmajer.

Notes on whale migration, Budker.

Summary of United States Navy cetacean studies, Gilmore (2).

Mutilated flukes in whales, Gilmore (3).

Whale notes, Goodyear.

Nomenclature of whales, Hershkovitz (2).

Sense of smell in cetaceans, Jablokov (2).

Whaling in N. Norway, Jakobsen, A.

Fossil cetaceans from Miocene of Azerbaidjan, Spasski.

Whale from Miocene of Virginia, Anon (8).

Whaling off Azores, Anon (22).

Whale distribution in Chukchi Sea, Arctic Ocean,

Whale distribution in Bering Sea, whaling possibilities, Arsenjev (1).

Cetaceans recorded from Hong Kong waters, Romer.

Whaling results for 1960, Anon (20).

International Whaling Statistics, Anon (23).

Australian whaling season, 1960, Anon (18).

Australian whaling, 1960, Chittleborough (1).

Antarctic whaling 1960/61, Anon (21).

Antarctic 1960/61 whaling season, Anon (19).

Whale marks recovered in Antarctic 1960/61, Brown, S. G. (2).

Whale marking, Marlow (2).

Measuring and recording data for smaller cetaceans, Norris, K. S.

SUBORDER ODONTOCETI

Respiratory system of odontocetes, Jablokov (1). Wave-riding in dolphin, Gordon, M. S.

†SQUALODONTIDAE

†Microcetus ambiguus Oligocene, Germany, synonymy, disc., teeth descr., fig'd., Rothausen.

†Squalodon bariensis Miocene, Sicily, skull fragments descr., fig'd., Colacicchi,

PLATANISTIDAE

Inia geoffrensis feeding behaviour, Layne.

Platanistina Neave, 1940, a synonym of Susu, Hershkovitz (2).

Pontoporia Gray, 1846, valid name for La Plata dolphin, P. blainvillei, Gervais, Hershkovitz (2).

Sossoo Hamilton, 1937, an emendation of Susu, Hershkovitz (2).

8, 8

Sousou Cuvier, 1836, an emendation of Susu, Hershkovitz (2.)

Susu Lesson, 1828, type species S. platanista Lesson, valid name for Gangetic dolphin: Sousou Cuvier, 1836, Sousou Hamilton, 1937 emendations, Platanistina Neave, 1940, synonymous, Hershkovits (2).

Stenodelphis d'Orbigny & Gervais, 1847, a synonym of Pontoporia, Hershkovitz (2).

ZIPHIIDAE

Anarnacus Duméril, 1806, an emendation of Anarnak, Hershkovitz (2).

Anarnak Lacépède, 1804, incertae sedis, Hershkovitz (2).

Ancylodon Illiger, 1811, incertae sedis, Hershkovitz (2).

Anodon Wagler, 1830, type species designated, a synonym of Hyperoodon, Hershkovitz (2).

Aodon Lesson, 1828, type species Heterodon dalei Lesson, 1827, preoccupied, disc., referred to Nodus, Hershkovitz (2).

Delphinorhynchus Blainville, 1817, incertae sedis, Delphinus coronatus Fréminville, 1812, designated as type species, Hershkovits (2).

Dioplodon gervaisi Deslongchamps, 1866, a synonym of Nodus europaeus, Hershkovitz (2).

Epiodon urganantus Rafinesque unidentifiable, perhaps mythical, Hershkovitz (2).

Heterodon Blainville, 1,817, type species designated, a Hyperoodon, invalid, Hershkovitz (2).

Microptoron Eschricht, 1849, valid, a synonym of Nodus, Hershkovits (2).

Micropterus Wagner, 1846, invalid, Hershkovitz (2).

Nodus Wagler, 1830, detailed discussion of type species, considered to apply to Physeter bidens Sowerby; a valid generic name to replace Mesoplodon, detailed synonymy: N. europaeus (Gervais), 1855, valid name for European beaked whale, Hershkovitz (2).

Rhamphocetus Gloger, 1842, type species Delphinus coronatus Fréminville, 1812, a synonym of Delphinorhynchus, Hershkovitz (2).

Ziphius cavirostris account of stranding on Rhode Island, Backus & Schevill; strandings on Amchitka Is., Aleutian Is., Alaska recorded: notes, stomach contents, Kenvon.

PHYSETERIDAE

Kogia breviceps first record from Maryland waters, Manville & Shanahan.

Physeter age characteristics in mandible, Nishiwaki & others; P. catodon tooth development, teeth as age guide, Berzin; structure of bone of lower jaw, Laws (2); relation to water temperature in N.E. Pacific, Radovich.

MONODONTIDAE

Delphinapterus leucas thermoregulation, Belkovich; whaling possibilities, Khuzin; fishery, catch results, sex distribution at Spitzbergen, Lens & Synes; account of capture of live specimens, Ray, C. (2).

DELPHINIDAE

Delphinus delphis Danish record, deformed upper jaw deecr., fig'd., Jakobsen, K. E.; lungs, Rensoni.

Globicephala carbonarius (Wagner), 1846, G. fuscus (Reichenbach), 1846, status disc., both synonyms of G. macrorhyncha Gray, Hershkovitz (2); G. melaena distribution, behaviour, Brown, S. G. (1); Welsh record, Lockley.

Grampidelphis Iredale and Troughton, 1933, a synonym of Grampus, Hershkovitz (2).

Grampus Gray, 1828, type species Delphinus griseus Cuvier, valid name for Risso's dolphin, synonyms disc., Hershkovitz (2); G. griseus Brittany sighting, Lami.

Grayius Scott, 1873, not preoccupied, a synonym of Grampus, Hershkovitz (2).

Lagenorhynchus echo sounder records of ultrasonie sounds, Valdes; L. acutus reproductive cycle, Sokolov, V. E. (2); L. obliquidens notes on Californian specimen, Houck.

Orcinus Fitzinger, 1860, correct name for killer whale, Hershkovitz (2); O. orca Bahamas stranding reported, strandings on east cost of N. America reviewed, Backus; echo sounder record of ultrasonic sounds, Valdez.

Pseudorca anomalous tail descr., fig'd., Nishiwaki & Yang.

Sotalia Gray, 1866, status disc., considered valid, S. chinensis (Osbeck), 1765, correct name for Chinese white dolphin, S. sinensis (Desmarest) 1822, an amendation, Hershkovitz (2).

Sousa Gray, 1866, a synonym of Sotalia, Hershkovitz (2).

Tursiops nesarnack (Lacépède) 1804, valid name for N. Atlantic bottlenosed dolphin: T. truncatus (Montagu), 1821, synonymous, Hershkovitz (2); T. truncatus detailed account of echolocation, Kellogg; echolocation, Norris & others; Antrim, Ireland, stranding reported, Scott; electrocardiography, Tokita & others.

PHOCAENIDAE

Meomeris Gray, 1847, type species Delphinus phocaenoides Cuvier, valid name for black finless porpoise: Nomeris Coues, 1890, Phaoecana Robinson & Kloss, 1918, synonymous, Hershkovitz (2).

Nomeris Coues, 1890, a synonym of Meomeris, Hershkovitz (2).

Phacecana Robinson & Kloss, 1918, a synonym of Meomeris, Hershkovitz (2).

Phocaena phocaena mechanism of wave riding, Backhouse & Smart; length and weight relation, Utrecht.

Phocoena Cuvier, 1817, source reference disc., Hershkovitz (2).

Stenella caeruleo-albus possible third record for Washington, Scheffer.

SUBORDER MYSTICETI †CETOTHERIDAE

†Cetotheriophanes subgen. nov. see Cetotherium.

de

O

re

fig

†Cetotherium (Eucetotherium) p. 191, C. (Plesiocetopsis), C. (Cetotheriophanes) both p. 192, all subgen. nov., Spasski.

†Eucetotherium subgen. nov. see Cetotherium.

† Plesiocetopsis subgen. nov. see Cetotherium.

RHACHIANECTIDAE

Agaphelus Cope, 1868, status disc., probably a synonym of Balaenoptera, Hershkovitz (2).

Eschrichtius gibbosus taxononomy, distribution, biology, history and census of California population, filmore (1); census 1959/60, Rice (2); observations on Pacific coast: notes, Wilke & Fiscus.

BALAENOPTERIDAE

Balaenoptera Lacépede, type species disc., Hershkovitz (2); B. acutorostrata notes, Arsenjev (2); B. bonaerensis additional specimens descr., known material reviewed, status discussed, Williamson (1); B. borealis adults with rudimentary baleen, Rice (1); B. brydeis appecimen stranded on Curação descr., fig'd., compared with B. borealis, B. edeni; B. brydei, B. edeni considered distinct species, Soot-Ryen; B. musculus studies in Kerguelen waters, Ichihara; B. physalus foetal carotid body, de Kock (2); serology, N. Pacific population analysed, Fujino; body proportions and growth, Ivanova; reproduction, growth and ageing of southern population, Laws (3); detailed study of relative growth, Ohsumi; tooth structure, Plotkin; longevity, reproduction, Zemsky.

Megaptera nodosa analysis of Australian catch, 1960, Chittleborough (2); whaling results, biology in Ryukyuan waters, Nishiwaki; tooth structure, Plotkin; development of embryo and embryonic membranes, Stump & others; winter sighting of calf suckling on Newfoundland Grand Bank, Williamson (2).

Sibbaldus musculus specimens with mutilated flukes reported, Gilmore (3).

BALAENIDAE

Eubalaena glacialis (Müller), 1776, earliest name for N. Atlantic right whale: E. japonica (Lacépède), 1818, earliest valid name for N. Pacific right whale, E. lunulata (Lacépede), 1818, synonymous, Hershkovitz (2); E. g. sieboldii dermal excrescences, Sokolov, V. E. (1).

ORDER CARNIVORA

Deltatheriodea Simpson transferred from Insectivora to Carnivora, McKenna (1).

Undershot and overshot lower jaws in carnivores, **Mohr** (3) Plantigrade and digitigrade locomotion, limb osteology in carnivores, **Ginsburg** (3).

Carnivore population changes in coyote control areas, Robinson, W. B.

Carnivores from Somalia, Funaioli & Simonetta (2). Carnivores from Miocene of France, Ginsburg (4).

Carnivores from Netherlands prehistoric site, Bree (3).

†SUBORDER CREODONTA

†ARCTOCYONIDAE

†Arctocyon cranial anatomy, Russell, D. E.

†Arctocyonides cranial anatomy, Russell, D. E.

†Ardynictis referred to Tshelkariidae, Gromova (2).

†Chriacus gallinae Eocene, Colorado, skeletal fragments descr., fig'd., McKenna (1).

†Didymoconus referred to Tshelkariidae: D. berkeyi Oligocene, Mongolia, material descr., fig'd., Gromova (2).

†Thryptacodon antiquus Eocene, Colorado, further record, McKenna (1).

†MESONYCHIDAE

† Pachyaena ossifraga (?), Eocene, Colorado, teeth fig'd., McKenna (1).

†HYAENODONTIDAE

†Prolimnocyon Matthew, 1915, a synonym of Prototomus, McKenna (1).

†Prototomus riverrinus Eccene, Colorado, material, descr., fig'd., McKenna (1).

†TSHELKARIIDAE.

New family Tshelkariidae proposed, p. 42, Gromova (2).

† Ardynictis referred to Tshelkariidae, Gromova (2).

† Didymoconus referred to Tshelkariidae, Gromova (2).

†Tshelkaria gen. nov. p. 44 for type species T. rostrata sp. nov. p. 45, Oligocene, Kur-Sai, Belkar-Teniz, central Kazakhstan, T. robusta sp. nov. Oligocene, Tatar-Gol, western Gobi, Mongolia, p. 58, Gromova (2).

SUBORDER FISSIPEDA †MIACIDAE

† Didymictis protenus Eccene, Colorado, material descr., McKenna (1).

†Miacis exiguus Eocene, Colorado, teeth descr., fig'd., McKenna (1).

 $\dagger Viverravus$ acutus Eocene, Colorado, material descr. McKenna (1).

CANIDAE

Dental variation in canids, Beaumont, G. de.

Electronic study of voice in canids, Tembrock (2).

Canine locomotion, Ottaway.

Egyptian canids reviewed, keyed, Setzer (3).

† Acturodon francisi, A. taxoides Miocene, Texas, material descr., fig'd., Wilson, J. A.; A. t., A. cf. inflatus Pliocene, South Dakota, material descr., fig'd., Macdonald

†Afrocyon gen. nov. for type species A. burolleti sp. nov. Miocene, Zeiten, Libya, p. 108, Arambourg (4).

Alopex lagopus influence on distribution of Arctic birds, Larson.

†Amphicyon North American occurrences discussed, compared with European species: A. longiramus, A. pontoni recognised in North America; material from Miocene of Texas descr., fig'd., Wilson, J. A.; A. of. lemanensis Miocene, Germany, skeletal fragments, teeth descr., fig'd., Kuss; A. major Miocene, France, material descr., fig'd., Ginsburg (4).

Alelocynus microtis account, figs., of specimen in Chicago zoo: taxonomy, systematic position, Hersh-kovitz (1).

Canis aureus further remarks on Hungarian forms and on Hungarian "reed wolf": C. a. ecsedensis Éhik remarks, Szunyoghy (1); C. dom. crosses with fox discussed, Creed; tuberculosis in Great Britain, Lauder; cranial differences between breeds, Salces; evolution, ancestry, skull study of South American types, Ueck; pancreatic ducts, Wieckowska & Kruszewski; development of os priapi, Zarzycki & Czechowicz; C. latrans multivariate analysis of Recent and Pleistocene forms from California, Giles; blood licking behaviour, Wauer; C. l. mearnsi, C. lupus baileyi control in Mexico, Villa R. (1); C. l. thamnos general illustr. account, Mech (1); C. lupus growth, behaviour development in captive young, Kramer; notes on extinction in Wales: possible relics of last specimen descr., fig'd., Wight; C.l., C. aureus algirensis taming, behaviour when reared together,

Heimburger; C. l. lupus morphological characteristics, distribution in Lithuania, Prusaite (2); food, reproduction in Lithuania, Prusaite (3); C. l. lycaon Ohio record, Steward & Megus.

†Canis sp. Pleistocene, France, material descr., fig'd., Beaumont, G. de.; C. latrans multivariate analysis of Pleistocene and Recent forms from Californis. C. l. orcuti Merriam a valid species with C. petrolei Stock a possible synonym; C. lepophagus Johnston, C. andersoni Merriam perhaps only racially distinct from C. latrans, Giles; C. l. harricerooki subsp. nov. Pleistocene, Trinity River (Elm Fork), Denton County, Texas, p. 505, Slaughter (2); C. lupus Pleistocene, Lebanon, notes, measurements, Hooijer (2); C. tengisii sp. nov. Pleistocene, Akhalkalaki, southern Georgia, U.S.S.R., p. 409, Vekua (2).

Cuon alpinus infuscus subfossil specimen from Thailand, Takai.

†Daphaenodon recorded from Miocene of Texas; specimen of. D. superbus descr., fig'd., Wilson, J. A.; Dasycyon hagenbecki (Krumbiegel), 1949, probably based on domestic sheep dog, Hershkovitz (1).

Fennecus zerda general illustr. account, Hill, C. A.

†Hemicyon sansaniensis Miocene, France, material descr., fig'd., Ginsburg (4).

Lycaon pictus biology in captivity, Kowalska & Woliński.

Nyctereutes procyonoides food, biological role, Kritskaya.

† Pliocyon walkerae Pliocene, South Dakota, teeth
measured, Macdonald (1).

†Plithocyon armagnacensis Miocene, France, material descr., fig'd., Ginsburg (4).

† Pseudarctos bavaricus Miccone, France, material descr., fig'd., Ginsburg (4).

†Pseudocyon sansaniensis Miocene, France, material descr., fig'd., Ginsburg (4).

†Tephrocyon scitulus Hay, 1924, a synonym of Cynodesmus iamonensis (Sellards), 1916, Wilson, J. A.

†Tomarctus canavus Miocene, Texas, material descr., fig'd., Wilson, J. A.; T. euthos Pliocene, South Dakota mandibular fragment descr., fig'd., Macdonald (1).

Urocyon cinereoargenteus Kansas record, Getz (7); accidental trapping in tree, Gunderson (1); population index evaluation in Wisconsin, Lemke & Thompson; calling as hunting technique, Morse & Balser; U. c. floridamus rabies study in Florida, Jennings & others; eye lens as age indicator, Lord, R. D. (3); population study in Florida, Lord, R. D. (7).

Vulpes fulva weight variability in organs of captive animals, Fateyev & others; population index evaluation in Wisconsin, Lemke & Thompson; skeletal growth, Mamayeva; calling as hunting technique, Morse & Balser; trails as guide to waste of hunted deer, Schofield (1); vinter ecology, food in Wisconsin, Schofield (2); v. f. fulva Kansas record, Getz (7); v. macrotis blood-licking behaviour, Wauer; v. vulpes reproduction, fox-dog crosses discussed, Creed; food in Caspian region, Pavlov (1); detailed study of biology, hunting in Germany, Schmook; electronic study of voice, Tembrock (1); encounters with golden eagle (Aquila chrysastes) descr., Margren & Margren; v. v., v. velox food, Uloth (2); v. v. crucigera biology in Lithuania, Prusaite (1).

† Vulpes vulpes Pleistocene, Lebanon, notes, tooth measurements, Hooijer (2).

URSIDAE

Classification of Ursidae, Taibel.

Immobilising bear for ear tagging, Hiehle & Slosson. Helarctos malayanus breeding in captivity, Renther. Selenarctos tibetanus breeding in Opole Zoo, Kotarba. Thalarctos maritimus reproductive cycle, Dittrich.

Ursus americanus seasonal variations in haemotology and physiology, Erickson & Youatt; hibernating cycle, seasonal physiological variation in Alaska, Hock; weight: total weight estimation from carcass weight Patrick; dentition, growth, reproduction, pathology in Alaska, Rausch; tooth recorded from Iowan cave material, Trosky & Polder; U. a. floridanus characteristics, taxonomy, ecology, status in Florida, Harlow, R. F. (2); U. arctos reproduction in captivity, Dathe (3); data on reproduction and development of young in Leipzig zoo, Dittrich & Einsiedel; track measurements as census guide, Edwards & Green; behaviour of family in McKinley Park, Alaska, Haftorn (2); blood pressure regulation, Jaczewski & others (1); capacity of different parts of digestive tract, Jaczewski & others (2); behaviour, Krott; notes on Italian population, Mörser Bruijns; U. horribilis trapping, immobilising and colour-marking, Graighead & others; feeding habits, behaviour, Meehan; U. middendorffi management, harvest on Kodiak Is., Troyer (3); U. thebetanus japonicus breeding in captivity, Renther.

†Ursus arctos grizzly bear skull recorded from Pleistocene of California, Kurtén (2); Pleistocene, Lebanon, notes, tooth measurements, Hooijer (2).

†Ursus spelacus Pleistocene, Yugoslavia, material descr., fig'd., discussed, Malez (1); distribution in Pleistocene of Greece, Mitzopoulos (2); milk dentition, Rădulescu & Samson; Pleistocene, Caucasus, material descr., fig'd., U.s.s., U.s. rossicus disc., Burchak-Abramovich (9).

PROCYONIDAE

Bassariscus astutus melanism reported, Hoffmeister; B. a. arizonensis range extension to Wyoming, Long & House.

†Edaphocyon gen. nov. for type species E. pointblankeneis sp. nov. Miocene, near Pointblank, San Jacinto County, Texas, p. 988, Wilson, J. A.

†Kolponomos gen. nov. p. 346 for type species K. clallameness sp. nov. p. 347, Miccone, 250 yards east of Slip Point lighthouse, Clallam Bay, Clallam County, Washington, Stirton.

Process loter predation on waterfowl, Llewellyn & Websier; extensive movement recorded, Priewert; lens as age guide, Sanderson (1); age determination techniques, Sanderson (2); incidence of lead in livers in Illinois, Sanderson & Thomas; spread to Netherlands recorded, Wijngaarden (3); P. l. loter erythrism in N. Carolina, Funderburg (2).

†Schlossericyon nom. nov. for Ailuravus Schlosser, 1916, (nee Rutimeyer, 1891), p. 11: S. viverroides antiquus subsp. nov. Miocene, Vallés-Penedés, Catalogne, Spain, pp. 4, 11, Crusafont-Pairo; S. viverroides Miocene, France, calcaneum descr., fig'd., Ginsburg (4).

MUSTELIDAE

Sexual variation in body skeleton and skeletal proportions in European mustelids, Ondrias (1).

Osteology of front limbs of European mustelids, Ondrias (4).

1]

her.

ba.

ich.

ogy cle.

ck; ght

ave

ris-

F.

ata

zig

sus

ley

on,

of

ilis

end

U.

ls.,

on,

inl

in

on

lair

ık-

an

K.

of

y,

rt:

on

in

N.

les

ls,

Distribution, ecology of weasel in Sakhalin, Benkovski.

Aonyx capensis account of captive specimen, Maxwell.

†Canimartes (?) cooki Gazin possibly a Galictis: C. (?) idahoensis Gazin a Trigonictis, Reig (1).

Conepatus further Texas records, Raun & Wilks; C. mesoleucus range extension in Arizona, Huey.

Enhydra lutris acclimatization problems, Barabash-Mikiforov; limb myology, aquatic adaptation, Gambarjan & Karapetjan; food habits, Limbaugh; distribution, population density, biology, Nikolaev; E. l. nereis status, distribution, Boolootian.

†Enhydriodon Yunnan occurrence recorded, Chow, M. (3).

†Galictis [mispelt Galicits] (Galictis) sorgentinii sp. nov. Pleistocene, Chapadmadal region, soutbeastern part of the Province of Buenos Aires, Argentina, p. 41, Reig (1) [Recorded N.V. 1957].

Gulo luscus luscus notes and possible explanation of Iowa specimen, Haugen (2).

† Ischyrictis zibethoides Miocene, France, material descr., fig'd., Ginsburg (4).

Lutra canadensis kodiacensis notes, Feuer; L. lutra distribution, food in Lithuania, Maldxiunaite (2); Algerian specimen fig'd., notes, ecology, habits: L. l. angustifrons Lataste, L. l. splendida Cabrera possibly synonymous with L. l. lutra, Piguet; distribution in Kiev region, Rudnev; L. l. lutra bacular fracture reported, Reinwaldt; L. l. seistanica distribution, ecology in Uzbekistan, Ishunin.

Lutrogale perspicillata maxwelli account of captive specimen, Maxwell.

Martes live trapping in British Columbia, Miller, R. J. & others; M. americana curiosity behaviour, Armitage (2); subspeciation discussed, Dillon; curiosity behaviour, Halvorson; pelage abnormality, Libby, behaviour notes, Manville (2); general illustr. account Mech (2); M. a. caurina food habits in Wyoming, Murie; M. martes food in Scotland, Lockie; M. m. martes biology in Lithuania, Maldziunaite (1); M. m. borealis food habits, Parovshchikov (3); M. pennanti remains from Alabama archaeological sites, Barkalow (2); scabies infection in Maine, O'Meara & others; M. zibellina development, Baevski.

†Martes Pleistocene, Lebanon, notes, tooth measurements, Hooijer (2).

† Martes (Sansanictis) sansaniensis Miocene, France, material descr., fig'd., Ginsburg (4).

Meles meles general notes, Ramsay-Fairfax; distribution in Sheffield region, Waite & Hawley.

†Melidellavus gen. nov. for type species Mustela leptorhyncha Filhol, 1891, p. 120, Ginsburg (4).

Mellivora capensis general illustr. account, Hoesch (2).

Mephitis mephitis bifid incisor, incisor number variation, Van Gelder & McLaughlin; device for anaesthetizing, Verts (1); swimming capacity, Wilber & Weidenbacher.

†Mionictis dubia Miocene, France, material descr., fig'd., Ginsburg (4).

Mustela erminea moult date in Netherlands, Bree (2); M. e., M. nivalis, M. putorius behaviour in captivity, Wastehube; M. e. arctica high altitude record from Mt. McKinley, Alaska, Pruitt (1); M. e. kodiacensis notes, Feuer; M. frenata curiosity behaviour, Armitage (2); M. f. texensis female descr., Davis, W. B.; M. macrodon former range reviewed: extension of prehistoric range in Massachusetts, Waters & Ray; M. nigripes notes on Kansas specimen, Taylor, D.; M. putorius adrenal glands, Holmes, R. L.; as pet, McCrane; M. rizosa general illustr. account, Bridges (3); food habits in captivity, Short (2).

†Mustela nivalis pusilla subsp. nov. Pleistocene, Tiefenellern, Landkreis Bamberg, Bavaria, Germany, p. 6, Heller (1).

Mustela (Lutreola) lutreola subfossil skull from Netherlands descr., fig'd., Bree (1); M. (L.) vison allometric study of skulls, Bährens; introduction, occurrence, status, ecology in Iceland, Gudmundsson; albinism reported, Hoffmeister; chromosome number, Humphrey & Spencer; home range, population structure in Montana, Mitchell, J. I..; illustr. general account, Sahlin; farming in Britain, Stevenson.

†Pliotaxidea nevadensis Pliocene, Oklahoma, mandibular fragment descr., fig'd., Kitts & Myers.

Pteronura brasiliensis illustr. account of captive specimen, Zeller.

Spilogale cf. putorius further record of cave remains in Illinois, Parmalee & others; S. putorius ambarvalis, behaviour, Manaro; S. p. leucoparia gestation period, Constantine (2).

Taxidea taxus curiosity behaviour, Armitage (2); use of Citellus armatus burrows for concealment during predation, Balph; history in pioneer Missouri, McKinley (1); partial albino from California, Roest.

†Taxidea taxus Pleistocene, Texas, skull measured fig'd., Jelinek.

†Taxodon sansaniensis Miocene, France, material descr., fig'd., Ginsburg (4).

VIVERRIDAE

Galerella sanguinea ibeae recorded from Somalia, Funnioli & Simonetta (2).

Genetta genetta Moroccan sighting, Brosset (1); G. g. neumanni, G. tigrina erlangeri bacula; G. deorum sp. nov. Villagio Duca degli Abruzzi, Somalia, p. 62, Funaioli & Simonetta (2).

Genetta (Paragenetta subgen, nov.) for type species. G. lehmanni sp. nov. Kpeaple, Liberia, 6° 36′ N., 8° 30′ W., p. 155, Kuhn.

Helogale undulata atkinsoni first record for Somalia, Funaioli & Simonetta (2).

Herpestes ichneumon notes on Italian introduction, Morser Bruijns; H. i. funestus recorded from Somalia, Funaioli & Simonetta (2).

Myonax melanurus lundensis subsp. nov. Chuimbe River, Lunda, N.E. Angola, p. 213, Monard [omitted from earlier Records.]

Paragenetta subgen. nov. (type species Genetta lehmanni sp. nov.) see Genetta.

Rhynchogale melleri range extension in N. Rhodesia, Ansell (1).

†Semigenetta mutata Miocene, France, material descr., fig'd., Ginsburg (4).

HYAENIDAE

Evolution and taxonomy of hyaenids, Arambourg (1). Crocuta study of voice, Dathe (1). †Crocute crocuta Pleistocene, Lebanon, notes, tooth measurements, Hooijer (2); C. c. spelace recorded from Pleistocene of Greece, descr., fig'd., Mitzopoulos (1); Pleistocene, Greece, teeth descr., fig'd., Mitzopoulos (3).

Hyaena brunnea records, distribution in S. Rhodesia; records from N. Rhodesian Pleistocene discussed, Ansell (4); H. hyaena prehistoric Indian skull, Prasad (2).

†Hyaena algeriensis sp. nov. Miocene, Oued el Hamman, near Bou Hanifia Dam, Oran, Algeria, p. 24, Arambourg (1).

FELIDAE

Detailed review of characters and taxonomy of Felidae, Weigel.

Acinonyx jubatus locomotion, Hildebrand (1).

Felis origins disc., Beaumont, M. G. de; F. bengalensis, F. planiceps habits in captivity, photos, Lim & Rahman bin Omar; F. caracal distribution in Turkmenia. Bapozhenkov (1); F. chaus discovery in Paleolithic of France reported, Koby (3); F. concolor life history and reproductive cycle in Utah and Nevada, Robinette & others; F. c., F. onca characters compared, Savage; F. c. couguar skeleton recorded from west Virginia cave, Handley & others; extant mounted specimen (trapped in Maine, 1938) descr., fig'd., Wright, B. S. (2); F. dom. hypophysis, Corte; tuberculosis in Great Britain, Lauder; sexual behaviour, Michael; eyelid abnormalities, Schuller (1); gonadotrophic cell types in hypophysis, Sousa; behaviour studies, Sprague & others; microscopic anatomy of ear, Strickland & Calhoun; F. lybica ecology in Kara-Kum, Sapozhenkov (3); F. margarita distribution, ecology in Turkmenia, Sapozhenkov (2); F. silvestris notes on specimens from Besançon region, France, Jullien & others; F. temmincki notes, observations, illustr., Gee (4).

†Felis attica type re-descr., skull from Miocene of Greece descr., fig'd., relationships disc., Beaumont, M. G. de; F. silvestris, F. chaus Pleistocene, Lebanon, notes, tooth measurements, Hooijer (2); F. spelaea, F. atrox teeth, relation to Panthera, Kabitzsch.

†Felis (Panthera) schreuderi sp. nov. Pleistocene, Tegelen, Netherlands, p. 20, Koenigswald.

†Felis (Puma) inexpectata Cope a nomen dubium, F. (P.) studeri sp. nov. Pleistocene, Cita Canyon, Panhandle, Texas, p. 318, Savage.

Lynx status in Czechoslovakia, Hell; weight, Stein-bacher; L. fasciatus attacked by hawk (Accipiter), La Fave; L. rufus food in Utah and Nevada, Gashwiler & others (1); breeding habits in Utah, Gashwiler & others (2).

Panthera leo study of voice, Dathe (1); P. l., P. tigris histology of cardiac nerves, Chiodi; P. l., P. t., P. onca relationships, comparative study of teeth, Kabitzsch; P. l. melanochaitus known examples, van Bruggen; P. l. persica status, Gee (1); P. pardus general illustraceount, Blower (3); P. p. pardus, P. p. chui notes, photographs of Sudanese specimens, Dobroruka (2); P. tigris protection required in Malaya, Kitchener (5); P. t. virgala notes, status, distribution, Trense.

†Panthera augusta Pleistocene, Tennessee, further material descr., fig'd., Parmalee; P. pardus Pleistocene, Lebanon, notes, tooth measurements, Hooijer (2).

†Proailurus lemanensis Oligocene, France, remains descr., fig'd., relationships disc., Beaumont, M. G. de.

†Pseudailurus quadritentatus Miocene, France, material descr., fig'd., Ginsburg (4).

†Pseudailurus (Schizailurus) lorteti Miocene, France, material deser., fig'd., Ginsburg (4); P. (S.) l., P. (S.) turnauensis dentition and limb bones, relationships disc., Beaumont, M. G. de.

†Sansanosmilus palmidens Miocene, France, material descr., fig'd., Ginsburg (4).

†Smilodon californicus Pleistocene, Oklahoma, skull fragments descr., fig'd., Kitts; S. trinistensis sp. nov. Pleistocene, alluvial terrace above Trinity River, Dallas, Texas, p. 487, Slaughter (1).

Uncia account of specimens in New York zoo, Bridges (2).

SUBORDER PINNIPEDIA

History of Russian marine mammal studies, Kirpich-nikov.

Study of Russian marine mammals, Kleinenberg (2). Russian marine mammal studies, Surkov.

Systematic problems of pinniped classification, Chapsky (1).

Skin structure in pinnipeds, Sokolov, W.

Locomotion of seals, forelimb structure, Backhouse. Seal reproduction in W. Australia, Gillham.

Pinniped research in Antarctic, Gräber.

Sealing in N. Norway, Jakobsen, A.

Seal migration in Pacific, Tikhomirev.

OTARIIDAE

Notes on otariid humeri, Mitchell, E. D.

Arctocephalus tropicalis gazella breeding in Falkland Islands Dependencies, O' Gorman.

Callorhinus Russian investigations in N. Pacific, Dorofeev (2); C. ursinus haematology, Blumberg & others; population dynamics in Alaska, Chapman; pelagic immature specimen descr., Gilmore (4); eruption and shedding of teeth, Kubota & others (1); calcification of teeth, Kubota & others (2); distribution, population dynamics in N. Pacific, Nagasaki (1); pup abundance on Pribilof Is. estimated by tagging technique, Nagasaki (2); early mortality according to sex, Niggol; survey of liver oil, Shimma & Taguchi; fat content of milk, Wilke.

Eumetopias jubata growth study, Fiscus; abundance, distribution, Kenyon & Rice.

Zalophus californianus limb myology, aquatic adaptation, Gambarjan & Karapetjan.; Z. c. japonicus (Peters), 1866, original series in Leiden Museum reexamined, lectotype selected, King, J. E. (1).

†Zalophus recorded from Pleistocene of Tiburon Island, Sonora, Mexico, Chiasson.

ODOBENIDAE

Notes on odobenid humeri, Mitchell, E. D.

Odobenus rosmarus raising captive specimen in New York Zoo, Atz; general illustr. account, Pournelle (2).

†Valenictus gen. nov. for type species V. imperialensis sp. nov. Plicoene, Painted Gorge, eastern flank of Coyote Mountains, Imperial County, California, 400 feet, p. 4, Mitchell, E. D.

PHOCIDAE

Cystophora cristata estimate of N. Atlantic population from aerial census, gritsland; morphology, skull, dentition, Popov; population study, biology in N. Atlantic, Rasmussen. ì

Halicherus grypus locomotion, forelimb structure, Backhouse; capture in Lake Hossegor, France recorded, Barriety; report on Farne Islands colony, 1959, Coulson & Hickling (1); secondary sex-ratio variations during breeding season on Farne Islands, Coulson & Hickling (2); notes on status in British waters, Fitter; habits, marking in Dutch coastal waters, Haaften; explanation of headless bodies of pupe seen off British coasts, Hewer & Backhouse; status in Iceland, Hook (2).

Hydrurga leptonyx range extension to Rarotonga I., Pacific, Berry, J. A.; bile salts, Haslewood.

Leptonychotes weddelli note, Haga.

Lobodon carcinophagus tracks observed in Taylor Dry Valley, Ross Dependency, Antarctica, Claridge; note, Haga; jaw morphology, dentition, origin disc., King, J. E. (2).

Mirounga leonina birth on Tasmanian coast recorded, Davies, J. L.

Monachus schauinslandi specimen descr., fig'd., osteology, vascular system, King & Harrison; M. tropicalis further prehistoric record from Florida, Ray, C. E.

Phoca caspica economics, Badamshin; P. groenlandica population dynamics in White Sea, Chapsky (2); life cycle, ecology in White Sea, Dorofeev (1); P. q. oceanica age determination, Jakovenko; P. nummularis Temminok, 1834, a synonym of P. hispida ochotensis (Pallas), 1811, King, J. E. (1); P. sibirica limb myology, aquatic adaptation, Gambarjan & Karapetjan; systematics, Kondakov; P. vitulina habits, marking in Dutch coastal waters, Haatten; physiology of diving, Harrison; status in Iceland, Hook (2); urea excretion and diving, Schmidt-Nielsen & others; P. v. concolor range extension in S. Carolina, Caldwell.

†ORDER CONDYLARTHRA

†HYOPSODONTIDAE

†Haplomylus spairianus Eocene, Colorado, material descr., fig'd., McKenna (1).

†Hyopsodus loomisi sp. nov. Eccene, West Alheit Pocket, Craig Quadrangle, Moffat County, Colorado, p. 106, McKenna (1).

†PHENACODONTIDAE

†Ectocion taxonomy revised; E. osbornianus (?) Eccene, Colorado, teeth descr., McKenna (1).

†Phenacodus matthewi, P. primaevus, P. intermedius P. (†) brachypternus Eccene, Colorado, material descr., fig'd., McKenna (1).

†ORDER LITOPTHERNA

†MACRAUCHENIIDAE

†(†) Promacrauchenia (Pseudomacrauchenia) yepesi Pleistocene, Argentina, material descr., fig'd., Alvares, E. F. de (3).

+ORDER NOTOUNGULATA

†SUBORDER TOXODONTA

†Homalodotheriidae

†Chasicotherium rothi detailed study of type skull, Binguelet.

†TOXODONTIDAE

†Mizotoxodon larensis crusafonti subsp. nov. Pleistocene, Chivolo, Department of Magdalena, Colombia, p. 56, Porta (1).

†Toxodon platensis Pleistocene, Brazil, further material descr., fig'd., disc., Vidal.

†SUBORDER TYPOTHERIA

†MESOTHERHDAE

Taxonomy of mesotherines: generic classification and characters disc., Francis.

ORDER TUBULIDENTATA

ORYCTEROPODIDAE

Orycteropus afer general account, fig., Foran; behaviour, Rahm (4).

†Orycteropus mauritanicus sp. nov. Miocene, Oued el Hammam, near Bou Hanifia Dam, Oran, Algeria, p. 42, Arambourg (1).

†ORDER PANTODONTA

†CORYPHODONTIDAE

†Coryphodon lobatus (?) Eccene, Colorado, material descr., fig'd., McKenna (1).

+ORDER PYROTHERIA

†PYROTHERIDAE

†Carologittelia of tapiroides recorded from Eccene of Patagonia, Kraglievich (1).

ORDER PROBOSCIDEA

SUBORDER ELEPHANTOIDEA

Finds of mastodont material from Miocene of France reviewed, listed, Bergonnioux & Crouzel (3). Fossil elephants of U.S.S.R. reviewed, Dubrovo.

†GOMPHOTHERIIDAE

Indian gomphotherids reviewed, Chakravarti.

†Anancus Indian species reviewed: A. hasnotensis nom. emend. for Mastodon hasnoti Pilgrim, 1913, p. 84, Chakravarti.

†Gomphotherium Burmeister, 1837 (type species Mastodon anguetidens Cuvier, 1805), valid name for long-jawed and short-toothed mastodons, Trilophodon Falconer, 1846, Tetrabelodon Cope, 1889 synonyms: Indian and Burmese species reviewed, Chakravarti.

†Hemimastodon crepusculi type specimen disc., Chakravarti.

†Pentalophodon sivalensis (Falconer & Cautley) an Anancus, Chakravarti.

†Platybelodon partial review: P. danovi further material from Miocene of Caucasus descr., fig'd., disc., P. jamandshalgensis sp. nov. Miocene, Jamal-Dzhalga, Belomeyetakaya, Central Caucasus, p. 88, Belgaeva & Gabuniya.

†Rhynchotherium simpsoni sp. nov. Upper Miocenelower Pliocene, Phosphate Mining Co. pit, Nichols, Florida, p. 131, Olsen (1) [Recorded N.V. in 1959 Record without exact locality or page.]

†Serridentinus Indian species reviewed, Chakravarti; S. gobieneis Miocene, Mongolia, molars descr., fig'd., Alekseeva (1); S. subtapiroides Pliocene, Turkey, tooth descr., fig'd., Ozansoy (2). †Stepomastodon rezroadensis sp. nov. Pliocene, Wendell Fox Pasture, Rezroad Ranch, Maude County, Kansas, p. 84, Woodburns.

†Synconolophus Indian species reviewed, Chakravarti. †Tetrabelodon Cope, 1889 a synonym of Gomphotherium

Burmeister, 1837, Chakravarti.

† Tetralophodon grandincisivus Pliocene (†) Turkey, cranial fragments descr., fig'd., Viret & Batteta.

†Trilophodon Falconer, 1946, a synonym of Gomphotherium Burmeister, 1837, Chakravarti; T. pygmaeus Miocene, Libya, material descr., Arambourg (4).

†MAMMUTIDAE

†Mammut Blumenbach, 1797 (type species Elephas americanus Pennant, 1793) correct name for American mastodon; Mastodon Cuvier, 1805, a synonym, Chakravarti; M. americanum Indiana finds reported, Wayne (1).

†Mastodon Cuvier, 1805, a synonym of Mammut Blumenbach, 1797: M. hasnoti Pilgrim, 1913, an Anancus, Chakravarti; M. longirostris arvernensis Plicoene, Macedonia, teeth descr., fig'd., Garevski.

†Mastolophon gen. nov. for type species Mastodon turicensis (Schinz) [to include also Mastodon borsoni (Hays)], p. 84, Chakravarti.

† Turicius notes, disc., Bergounioux & Crouzel (2).

†Zygolophodon notes. disc., Bergounioux & Crousel (2); Z. borsons specimens in Dijon Museum descr., fig'd., disc., Bergounioux & Crousel (1).

ELEPHANTIDAE

Revision of S. African fossil elephants, Cooke.

Mammoth tusk from bed of Bering Sea, Ozaki.

Diseases of elephants, McGaughey.

†Archidiskodon African forms reviewed, revised, Cooks.

Elephas maximus mechanical interpretation of growth and cyrtocephaly, Badoux; pharyngoal and retrolingual glands, Cave (1); atavistic characters of palaeontological interest, Deraniyagala; conservation in Malaya, Foenander; distribution in Malayan National Park, Hislop (1); E. m. indicus histology of cerebral cortex, Barasa & Shoehatovitz.

†Elephas antiquus italicus Pleistocene, Italy, skull deser., fig'd., Erasmo & Zei; E. atlanticus Pleistocene, Tunis, molar fig'd., Gottis; a Loxodonta, E. zulu Scott, 1907, synonymous, Cooke; E. maximus Pleistocene or Holocene, Java, molar deser., fig'd., Erdbrink; E. meridionalis Pleistocene, Spain, finds reported, Aguirre (2); E. m. archaicus Pleistocene, Greece, characters, distribution, Melentis; E. planifrons groznensis subsp. nov. Pleistocene, 35 kilometres from Groznogo, Groznensk Province, Caucasus, D. 228, Scherstiukov.

Loxodonta africana weight of body organs, measurements of Rhodesian specimens, Ansell (1); food habits, behaviour in Uganda, Buss; handling and marking by immobilisation technique, Harthoorn & others; as pest control problem, Hillaby (3); behaviour in captivity, Kahme; unusual threat display, Spinage; morphogenesis and replacement of molars: tooth nomenclature discussed, Verheyen, R.

†Loxodonta griqua Haughton, 1922, indeterminable, a nomen vanum, Cooke.

†Mammuthus primigenius Pleistocene, Switzerland, teeth descr., fig'd., Adam; Pleistocene, France, teeth descr., Astra (3); Pleistocene, Lithuania, new material, Baitekunas & Pashevichus; Pleistocene, Spain, tooth descr., fig'd., Batallar; cause of extinction disc., G.; Pleistocene, Lithuania, akeletal remains descr., farutt; Pleistocene, Lithuania, notes on skeleton Gharutt; possible causes of extinction, Farrand; further discovery in Pleistocene of U.S.S.R., Leibman; Pleistocene, Worcester, molar descr., Sandford; Pleistocene, Lithuania, discovery reported, Vaitekunas & Pashkevichus; dental decay in Yakutian specimen, Versschehagin (3); Pleistocene, Yakutia, discovery of skeleton descr., Zolinkov; M. trogontheris Pleistocene, Germany, skull descr., fig'd., Siegried (1).

†Mammuthus (Parelaphus) sungari sp. nov. Pleistocene, Sungari River, Northeastern Provinces, China, p. 28, Chow & Chang.

†Metarchidiskodon Osborn, 1934 (type species Loxodonta griqua Haughton, 1922) not valid: type species a nomen vanum, Cooke.

†Paleeloxodon reviewed, detailed study, Dubrovo. †Stegodon zdanstyi Pleistocene (?) Shansi, material descr., fig'd., Wang.

†Stegolophodon dental fragments recorded from Pleistocene of South Africa, Singer.

†SUBORDER DEINOTHERIOIDEA

†DEINOTHERIDAE

Classification of European deinotherids, Bergounioux & Crouzel (4).

†Deinotherium classification of European forms, Bergounioux & Crouzel (4); systematics, phylogeny discussed: D. giganteum (?) new discovery reported from Miocene of U.S.S.R., Belokrys; D. Indian forms re-classified, re-descr.; D. sindiense Lydekker, 1880, a synonym, D. asquistidens Koch, 1945, a probable synonym of D. indicum Falconer, 1845: D. indicum gajense Pilgrim, 1912, a synonym of D. pentapolamiae Falconer and Lydekker, 1876; D. orlovi sp. nov. Miocene, half mile east of Malal, Attock district, W. Pakistan, p. 30, Sahni & Tripathi; D. sp. Pliocene, Turkey, teeth descr., fig'd., Ozansoy (2).

ORDER HYRACOIDEA

PROCAVIDAE

Dendrohyrax behaviour in captivity, Fey.

ORDER SIRENIA

SUBORDER TRICHECHIFORMES

Dugong dugon general account, Cruss; protection required in Ceylon, De Silva; notes, suggested protection in Ceylon, Jonklass; general illustr. account, Moore (4); distribution in Ceylon waters, Norris, C. E.; notes on Indian record, Silas; suggested sanctuary in Ceylon, Spittel.

TRICHECHIDAE

Trichechus use for vegetation clearance in British Guiana, Allsop.

ORDER PERISSODACTYLA

Detailed account of perissodactyls of U.S.S.R., Heptner & others.

SUBORDER HIPPOMORPHA

†PALABOTHERIIDAE

† Pachynolophus duvali Eccene, France, tooth descr., Astre (1).

†Paloplotherium fraasi Eocene, Spain, teeth descr. fig'd., Rullan.

†Propalaeotherium isselanum Eocene, France, tooth descr., Astre (1).

EQUIDAE

Classification of Equidae, Taibel.

Bony prominences on equid mandible and maxilla and their relation to dentition, Simic & Jankovic.

Equine locomotion, Ottaway.

Note on European Tertiary equids, Tobien (2).

Biogeography of Tertiary horses in Great Basin, N. America, Shotwell.

Classification of recent and fossil horses, Trumler (2).

†Allozebra gen. nov. for type species A. excelsus excelsus (Leidy), 1858, p. 115, Trumler (2).

Asinohippus subgen. nov. for type species Hemionus khur khur (Lesson), 1827, see Hemionus.

Equus length and breadth relation in check teech, Liu; account of New Forest breed, Pigott; E. caballus history Koch; E. c. gmelins ancestry discussed, &Korkowski (2); E. dom. longevity, mortality of English thoroughbreds, Comfort; longevity in different climates, Hartwig; stud farm at Bornu, Nigeria, Kirk-Greene; age influence on blood serum proteins, Munkácsi; E. grevyi "combat play" with Watussi bull, Schuller (2); E. hemionus ecology, habits, distribution, Bannikov (2); skull variation with ago, Orlov; E. h. hemippus, E. h. onager notes, Trense; E. onager general account, Gijzen (3); E. przewalskis lumbar skeleton, Frechkop (1); ancestry discussed, Skorkowski (1); numerical variation in vertebrae, Stecher; pedigree book, list of known specimens, Volf; E. quagga grants addendum to Krumbiegel's paper: note of other specimens exhibiting such peculiarities, Trumber (1); peculiarities in stripe colour and pattern; E. foai Prazak & Trouessart, 1899, type specimen fig'd., Krumbiegel.

†Equus study of phalanges from Pleistocene of Germany, Förster; E. caballus Austrian Pleistocene forms disc., Sauerzopf (1); E. c. (?) germanicus Pleistocene, Germany, skeletal fragments, teeth descr., fig'd., Heller (2); E. complicatus Pleistocene, Missouri, remains reported, Schmaltz; E. hipparionoides sp. nov. Pleistocene, Akhalkalaki region, Amiranismata district, south Georgia, U.S.S.R., p. 1417, Vekua (3); E. cf. hydruntinus Pleistocene, Azerbaidjan, material descr., fig'd., Gathiev; E. hydruntinus Pleistocene, Roumania, further material, descr., fig'd., Necrasov & Haimovici; E. cf. leidyi Pleistocene, Texas, teeth descr., fig'd., measured, Jelinek; E. sussenbornenis Pleistocene, Crimes, material descr., fig'd., Lysenko (1); E. yunnanenis Pleistocene, Yunnan, further material descr., fig'd., Pei (6).

†Equus (Amerhippus) lasallei type skull re-described, fig'd., detailed study, Porta (2).

Hemionus (Asinohippus subgen. nov.) for type species H. khur khur (Lesson), 1827, p. 118, Trumler (2).

†Hemionus (Prachemionus subgen. nov.) for type species H. sivalensis sivalencie (Falconer & Cautley), 1849, p. 119, Trumler (2).

†Hipparion Pliocene, Crimea, new find reported, Lysenko (2); adaptive significance of foot, Shetwell; detailed study of Russian species, relationships, new material descr., H. gromovae Grebenikov, Chobrui, p. 42, H. tudorovense Tudorovo, p. 70, both Bendersk region, Moldavian S.S.R., H. eldaricum Eldarskaia, Tsitedtskarosk region, p. 121, H. geredzicum Udabno, Sagared-Zhosk region, p. 137, both Gruzian S.S.R., H. apscheronicum Shikhov, Bakinsk region, p. 154, H. urnsiense Okrestnosti village, Kiurteviul, about 50 kilometres east of Lake Urmiia, p. 166, both Azerbaidjan S.S.R., all spp. nov., Gabuniya (1); H. africanum sp. nov. Miocene, Qued el Hammam, mear Bou Hanifia Dam, Oran, Algeris, p. 75, Arambourg (1); H. gromovae granatensis nom. nud. Miocene, Granada, Spain, p. 17 [lacks description], Aguirre (1).

†Hippidium uquiense Pleistocene, Argentine, detailed descr., figs., Alvarez, E. F. de (3).

†Hippidium (Plagiohippus) subgeneric character, H. (P.) chapalmalensis further material descr., fig'd., measurements of type, Alvarez, E. F. de (5).

†Hyohippus sp. Pliocene, South Dakota, mandibular fragments descr., fig'd., Macdonald (1).

†Hypohippidium gen. nov. for type species H. humahuaquense sp. nov. Pleistocene, Quebrada de Humahuaca, Province of Jujuy, Argentina, pp. 86, 87, Alvarez, E. F. de (1).

†Hyracotherium angustidens Eccene, Colorado, material descr., fig'd., McKenna (1).

†Merychippus californicus, M. seversus, Miocene, N. America, detailed study of variation and evolution of upper dentition, Downs.

†Nanippus cf. gratus Pliocene, South Dakota, teeth measured, study of metapodial length variation, Macdonald (1).

 $\dagger Neohipparion$ of. occidentale and/or whitneys Pliocene, South Dakota, teeth descr., measured, N. sp. study of metapodial length variation, Macdonald (1).

†Onohippidium compressidens measurements, Alvarez, E. F. de (5).

†Parahipparion reviewed, P. devillei (Gervais), 1855 a Onohippidium, P. extensus sp. nov. Pleistocene, north of Arroyo Malacara, Buenos Aires, Argentina, p. 243, Alvares, E. F. de (4).

†Prachemionus subgen. nov. for type species Hemionus sivalensis sivalensis (Falconer & Cautley), 1849, see Hemionus.

†BRONTOTHERIIDAE

†Parabrontops Oligocene, Sinkiang, teeth descr., fig'd., Hu.

†CHALICOTHERHDAE

†Chalicotherium Pleistocene, Austria, molars descr., fig'd., Sauerakopi (3).

SUBORDER CERATOMORPHA

†ISECTOLOPHIDAE

Unallocated isectolophid material (cf. †Homogalax primaevus) descr., fig'd., McKenna (1).

†HELALETIDAE

†Colodon orientalis Oligocene, Kazakhstan, material descr., fig'd., Gromova (3).

†Ergilia pachypterna Oligocene, Mongolia, further material, notes: E. kazachstanica sp. nov. Oligocene, Shintuzsa, 40 kilometres from Turga, Kustanaisk distr., Kazakhstan, p. 82, Gromova (3).

†LOPHIODONTIDAE

†Lophiodon glandicus Issel, Aude, p. 215, L. compactus Siran, Hérault, p. 221, both spp. nov., Miocene, France, Astre (2).

TAPIRIDAE

Fossil tapirs of C. Asia disc., Gromova (3). † Protapirus (?) sp. Miocene, Kazakhstan, tooth descr., fig'd., Gromova (3).

†Tapiravus polkensis sp. nov. Upper Miocene-Lower Pliceene, American Agricultural Chemical Company phosphate pit, Pierce, Polk County, Florida, p. 164, Olsen (3).

Tapirus indicus myology, Bresson; distribution in Malayan National Park, Hislop (1); subfossil material from Sarawak descr., fig'd., Medway (1).

†Tapirus arvernensis Pleistocene, Netherlands, teeth deser., fig'd., Kortenbout van der Sluijs; T. rioplatensis sp. nov. Pleistocene, Salguere y Arenales, Buenos Aires, Argentina, p. 16, Cattoi.

†AMYNODONTIDAE

†Procadurcodon gen. nov. p. 129 for type species P. orientalis p. 135, Oligocene, Artem, Primorsk border, U.S.S.R., Gromova (4).

RHINOCEROTIDAE

Detailed review of fossil rhinoceroses of U.S.S.R., notes on further material, Gromova (1).

Transplantation of rhinoceros in Uganda, Blower (1).

Possibility of rhinoceros extinction at Ngorongoro Crater, Tanganyika, Lithgow.

Rhinoceros in Hluhuwe Park, S. Africa, St. Croix.

†Aceratherium notes on forms from Miocene of Mongolia, A. sp. tooth descr., fig'd., A. gobiense sp. nov. Miocene, Begger-Nur, Mongolia, p. 111, Belyaeva; A. incisivum Pleistocene, Austria, partial mandible descr., fig'd., Sauerzopf (2); A. tridactylum proposal to place on Official List, Wood.

†Brachypotherium cf. goldfussi Pliocene, Yugoslavia, material descr., fig'd., Malez (2).

Ceratotherium simum notes, Williams; C. s. simum biology, Foster, W. E.; C. s. cottoni introduction to Murchison Falls National Park, Uganda, Savidge.

†Ceratotherium simum subsp. Pleistocene, S. Africa, teeth descr., fig'd., discussion, Hooijer & Singer (1).

†Coelodonta antiquitatis Pleistocene, China, pathologic mandible descr., fig'd., Chow, B. S.; Pleistocene, Germany, skeletal fragments, teeth descr., fig'd., Heller (2); Pleistocene, China, further material descr., fig'd., Pei (2); Pleistocene, Poland, tooth descr., fig'd., Wasilewski (2).

†Dicerorhinus eiruscus Tertiary, Macedonia, new material descr., fig'd., Psarianos; D. hemitocchus Pleistocene, Netherlands, skull descr., fig'd., Loose; D. merckii Pleistocene, Lebanon, notes, tooth measurements, Hooijer (2); D. primaevus sp. nov. Miocene, Oued el Hammam, near Bou Hanifia, Dam, Oran Algeria, p. 56, Arambourg (1).

Diceros bicornis threat in Tanganyika, Anon. (11); status, Anon. (25); milk composition, Aschaffenburg & others; 1959–1960 survey results, Daubercies; filarid infection, Schulz, K. C. A.

†Diceros bicornis subsp., Pleistocene, S. Africa, material deser., fig'd., discussion, Hooijer & Singer; D. pachygnathus Tortiary, Macedonia, new material deser., fig'd., Parianos.

Didermoceros sumatrensis distribution in Malayan National Park, Hislop (1); notes, status in Malaya, Metcalfe; status in Burma, Milton; preservation,

†Hispanotherium matritensis Tertiary, Spain, molar fig'd., Hernández-Pacheco & Crusafont Pairo.

†Hyracodon planiceps proposed suppression and rejection as nomen dubium, Wood.

†Indricotherium sp. reported from Oligocene of Roumania, descr., figs., Gabuniya & Iliescu.

Rhinoceros further imitation horns recorded, fig'd., Alfred; R. sondaicus note on faked horns, Hooijer (1); notes, possible survival in Malaya, Metcalfe; possible survival in Burma, Milton; conservation, status in Udjung-Kulon Park, Java, Satmoko; status, Gee (1).

†Rhinoceros binagadensis sp. nov. Pleistocene, Binagadinsk, Azerbaidjan, p. 65, Dzafarov; R. etruscus third find in Pleistocene of U.S.S.R., Vekua (2); R. mercki Pleistocene, Spain, skull fragment descr., fig'd., Bataller; Pleistocene, France, skeletal material descr., fig'd., compared with R. tichorhinus, Lumley; Pleistocene (?), Shansi, material descr., fig'd., Wang; R. tichorhinus Pleistocene, Roumania, notes, Sficlea; R. sp. reported from Pleistocene of Japan, Nagasawa;

†Teleoceras cf. fossiger Pliocene, South Dakota material descr., Macdonald (1).

FAMILY incertae sedis

†Caucasotherium gen. nov. for type species C. efremovi sp. nov. Miocene, northern Caucasus, p. 107, Verestchagin (2).

ORDER ARTIODACTYLA

Status and population studies of Swiss ungulates, Burckhardt & others.

Status of N. Rhodesian ungulates, Grimwood & others.

Status of ungulates of Somalia, Funaioli & Simonetta (1).

Detailed account of artiodactyls of U.S.S.R., Heptner & others.

Ecology, history, management of ungulates introduced to New Zealand, Wodzicki.

Game management in U.S.A., Petrides (3).

Field technique for assessing ungulate physical condition, Riney.

Care and management of captive wild ungulates, Wood & others.

Pleistocene ungulates of Azerbaidjan, Burchak-Abramovich & Dzhafarov (1).

SUBORDER SUIFORMES

†DICHOBUNIDAE

† Diacodexis metsiacus Eccene, Colorado, material descr., fig'd., McKenna (1).

†Wasatchia sp. Eocene, Colorado, material descr., fig'd., McKenna (1).

STIDAE

†Libycochoerus gen. nov. for type species L. massai sp. nov. Miocene, Zelten, Libya, p. 108, Arambourg (4).

Sus dom. structure, secretion of suprarenal, Arvy (4); jaw muscles, Heinze; lipids in intestinal epithelium of embryo, Konopacka; genetics of haptoglobins, Kristjansson; innervation of rectum, Musteikaite; S. scrofa ecology, economic aspects in Poland, Haber; S. s. nigripes ecology in C. Asia, Pfeffer.

TAYASSUIDAE

†Doliochoerus reviewed, further characters descr.,

Pecari tajacu food in Arizona, Eddy; activity of dorsal gland, Mohr (4); gestation period, Sowls (1); data collection, Sowls (2); composition and properties of milk, Sowls & others.

†ANOPLOTHERIDAE

†Anoplotherium commune Eocene, Spain, teeth descr., fig'd., Rullán.

† Diplobune secundaria Eocene, Spain, teeth descr., fig'd., Rullán.

†ANTHRACOTHERIIDAE

†Anthracotherium alsaticum filholi Eccene, Spain, teeth descr., fig'd., Rullán.

†Elomeryz woodi Oligocene, Greece, skull fragment descr., fig'd., Luttig & Thenius.

HIPPOPOTAMIDAE

Hippopolamus amphibius study of voice, Dathe (1); breeding in captivity, Reuther.

†Hippopotamus first record Pliocene of China, Chow, M.-C. (2); H. amphibius subsp. Pleistocene, South Africa, material descr., illustr., Hooijer & Singer (2); H. georgicus sp. nov. Pleistocene, Georgia, U.S.S.R., p. (?), Vekua (1) [N.V.]; Pleistocene, Akhalkalaki, southern Georgia, U.S.S.R., further description (as H. georgicus sp. nov.), p. 408, Vekua (2).

†CAINOTHEBIIDAE

†Caenotherium laticurvatum Miocene, Germany, skeletal fragments, teeth descr., fig'd., Kuss.

SUBORDER TYLOPODA

CAMELIDAE

Camel remains from Miocene of Crimea recorded, descr., Alekseeva (2),

†Camelops hesternus Pleistocene, Texas, jaw fig'd., teeth measured, Jelinek.

Camelus bactrianus, C. dromedarius full-term foetal membranes, Morton; C. dromedarius water metabolism, endocrinology, Charnot; ecology in N.W. Sahara, Gaulthier-Pilters; cartilage islands in foetal lower oesophagus, Maskar.

Lama muscle extract chromatography, blood electrophoresis, phylogeny, Capurro S. & Silva G.; L. glama full-term foetal membranes, Morton.

†Lama angustimaxilla Pleistocene, Argentina, material descr., fig'd., Alvarez, E. F. de (3).

†Palaeolama weddellii Pleistocene, Argentina, material desor., fig'd., Alvarez, E. F. de (3).

†Procamelus foxi sp. nov. Pliocene, Mission Quarry, Melette County, South Dakota, p. 979, Macdonald (1).

Vicugna vicugna muscle extract chromatography, blood electrophoresis, phylogeny, Capurro S. & Silva G.; ecology, habits, conservation measures, Kotord (1); ecology, management in Peru, Kotord (3).

SUBORDER RUMINANTIA

Dyes for marking ruminant faeces, Kindel.

TRAGULIDAE

Tragulus meminna general illustr. account, Kirchshofer.

CERVIDAE

Future of British deer, Christian, G.

Re-examination of alleged stanniferous antier from Cornwall, Hosking.

Deer milk compared with substitute milk for rearing fawns, Silver.

Behaviour of deer, Schloeth (1).

Food plants of deer in Swiss park, Hegg.

Deer migrations in California, Ashcraft.

Brushland improvement for deer range, Biswell.

Arrow technique for anaesthetizing deer, Anderson, C. F.

Alces winter food in U.S.S.R., Alexandrova & Krasovsky; behaviour of young, Altmann; damming effect on range in British Columbia, Edwards, R. Y. (2); narcosis with nicotine in Alaska and British Columbia, Rausch & Ritcey; A. alces conservation in Poland, Anon. (28); history, status, ecology, management in Sweden Curry-Lindahl (1); movements in C. Europe, Boback; rate of passage of food through alimentary tract, Gill (1); intestine dimensions, Gill (3); food, movements, populations in Gravelly Mts., Montana, Knowlton; heart development, Petrov; ecology, management in N. America, Pimlott; temperature effect on activity during migration, Yazan; A. a. americanus food competitionrange relationships in Newfoundland, Dodds.

†Amphitragulus lemanensis Miccone, Germany, skeletal fragments, teeth descr., fig'd., Kuss.

Capreolus damage in Scotland, Anderson, M. L.; C., Cervus, Dama inter-relations, relative abundance in Perthahire forest, Batcheler; C. capreolus biology, management in Denmark, Anderson; histochemistry of interdigital gland, Arvy & Bommelaer; vascularisation, innervation of shoulder and forelimb, Franzke & Heinze; spinal cord, Goller; management principles, Rieck; scraping and pawing habit, Tegner (1); horn growth in infancy, Tegner (2); C. c., C. pygargus evolution, speciation, Lehmann (1); C. c., C. pygargus food of introduced specimens in Moscow Territory, Gabuzov.

†Capreolus capreolus Pleistocene, Lebanon, notes, tooth measurements, Hooijer (2).

†Cervocerus wenzensis sp. nov. Plicocne, Weze, near Działoszyn, p. 285, Czyzewska (1).

Cervus harvest in Montana, Picton (2); C., Capreolus, Dama inter-relations, relative abundance in Perthahire forest, Batcheler; C. canadensis history, biology of Jackson Hole, Wyoming herd, Anderson, C. C.; ecology, management in Wyoming, Casebeer; Colorado validations evaluated, Denney; food competition with cattle in Wyoming, Jones, D. A.; history in pioneer Missouri, McKinley (2); migration patterns of Sun River herd,

Montana, Picton (1); periodical aerial counts for move-ment studies in Idaho, Robel (1); hunter interviews as migration guide: migrations in Idaho, Robel (2); C. c. nelsoni ovarian characteristics, Morrison, J. A.; C. c. roosevelti history of introduction to Afognak Island, Alaska, Troyer (2); C. elaphus resorption of foetus, Kostron; history, status, conservation in Scotland, Lowe; B-globulin types in sera, Lowe & McDougall; monographed, Necas [N.V.]; movements in Swiss park, Schloeth & Burckhardt; marking and migration studies in Swiss National Park, Schloeth (2); account of Hungarian record specimens with full data: natural history in Hungary, Szederjei & Sartorius; comparison of reproduction of lowland and highland populations in Yugoslavia, Valentincie; size compared with prehistoric specimens, Walvins; C. e. elaphus subfossil antlers and cranial bones from Sweden descr., fig'd., Martinsson C. e. bactrianus ecology in Amu-Daria, Mambetzhumaev; C. c. barbarus distribution, status, note on antler development, Kock & Schomber (1); status, distribution, Sales; C. e. brauners subsp. nov. Krim Mts., S. Ukraine, ?, Charlemagne [N.V.]; C. e. brauneri Charlemagne, 1920, C. e. carpathicus Tatarinov, 1956, both synonyms of C. e. montanus Botezat, 1903, Dobroruka (1); C. e. hanglu status, Gee (1); C. e. hippelaphus caudal appendages, Hotmann; C. e. maral on free range in Bohemia, taxonomic notes, Dobroruka & Turek; C. eldi status, suggested conservation measures in Manipur, Gee (2); C. nannodes history, status, biology, Bakker; C. nippon morphogenesis in growing antier, Goss; C. unicolor equinus general account, habits, photos., Kitchener (3); C. xanthopygus hyperostosed antler descr., fig'd., Lin & Yin.

†Cervus cazioti Pleistocene, Corsica, skull and antlers descr., fig'd., disc., Sigogneau.

†Cervus (Rusa) sp., skull descr., fig'd., Czyzewska (2).

Dama, Cervus, Capreolus inter-relations, relative abundance in Perthahire forest, Batcheler; D. mesopotamica past and present distribution, detailed ecological study, Haltenorth (1); notes, conservation, Trense; antlers in Hagenbeck Trophy Collection, Zukowsky.

†Dama mesopotamica Pleistocene, Lebanon, notes, measurements, Hooijer (2).

Elaphodus general notes, Kirchshofer.

Elaphurus davidianus outbreak of malignant catarrh in Whipsnade herd, Tong & others.

Hydropotes inermis general illustr. account, Kirchshofer.

Mazama chunyi notes, Bendezu (1).

†Metacervulus astylodon reported from Pleistocene of Ishigaki I., Ryukyu Is., Whitmore.

Moschus moschiferus general illustr. account, Kirch-shofer.

Muntiacus general notes, Kirchshofer.

†Muntiacus cf. reevesi Pleistocene, China, material descr., fig'd., Pei (3).

Odocoileus winter mortality in Michigan, Blouch; Atlantic white-cedar as winter browse, Gould & Brown; validity of age determination technique, Ryel & others; O. hemionus weathering effect on pellet census, Ferguson; O. h. hemionus summer range condition and productivity, Julander & others; melanistic individual from Oregon, Rebbe (4); ecology, reproduction in Idaho, McConnell & Dalke; annual condition cycle in Montana, Taber & others; range extension in Nebraska, Velich; one shot marking gun and technique, White, K. L.; O. h. columbianus arrow technique for anaesthetizing, Ander-

son, C. F.; dental impression technique, handling device, embedding marker, Barnes & Longhurst; extent of coyote predation in Washington; summer mortality, Brigham; O. h. c., O. h. sittensis ecology management, Taber; O. h. sittensis mortality patterns in Alaska, Klein & Olson; introduction to Afognak Island, Alaska in 1924, Troyer (2); O. h. s., O. h. columbianus, O. virginianus ochrourus aggressive behaviour, Cowan & Geist; O. virginianus ecology in Alabama, Adams; hardwood trimmings as winter browse, Alkon; influence on vegetation in Wisconsin, Beals & others; ecology in Wisconsin, Cook & Hale; abnormal lower third molar, Guilday (3); death as result of entanglement in birch, Gunderson (2); relation to forest habitat in Arkansas, Halls & Crawford; autumn and winter food in Florida, Harlow, R. F. (1); diet for raising fawns, Long & others; nicotine dart capture method, Montgomery; diet for rearing and breeding in captivity, Murphy; shelter requirements when penned, Robinson, W. L.; distribution, biology, management, Taylor, W. P.; late breeding in Michigan, Verme; O. v. cousei food in Arizona, White, R. W.

Rangifer ecology and husbandry in Finland, Ahti; husbandry in Soviet Arctic, Alaruikka; antier pedicela sa age guide, Banfield (3); introduction, habits in S. Georgia, Synes; antier from bed of Bering Sea, Ozaki; industry in N. Norway, Vorren; R. arcticus general account, Banfield (4); behaviour on calving grounds, de Vos (2); analysis of post-natal mortality, Pruitt (3); R. a. arcticus behaviour on calving grounds, de Vos (1); detailed ecological study, Kelsall; behaviour, Pruitt (2); R. tarandus heematology, Gahne & Rendel; amount of bone marrow, Korzhuev & Nikol'skaya; digestive tract, food habits in U.S.S.R., Sablina; R. t. epitebergensis history, status, habits, Lens; R. i. terraenovae sex determination of calves, Bergerud.

†Rohnia gen. nov. for type species R. minuta sp. nov. Pleistocene, north of the Arsenal, Fray Luis Beltrán (Puerto Borghi), River Paraná, Santa Fe, Argentina, p. 9, Castellanos (1).

†Sinomegaceros discussed: possible new form; S. cf. ordosianus Pleistocene, China, further material descr., fig'd., Pei (2).

GIRAFFIDAR

†Achtiaria berissiakii Pleistocene, Georgia, further material descr., fig'd., Burchak-Abramovich (6).

Giraffa camelopardalis breeding in captivity, Reuther.

† Libytherium maurusium note, Arambourg (2).

Okapia johnstoni birth in Antwerp Zoo, Gijzen (2); history of discovery, notes, general account, figs., Smit.

†Palaeotragus germaini sp. nov. Miocene, Oued el Hammam, near Bou Hanifia Dam, Oran, Algeria, p. 97, Arambourg (1).

†Prolibytherium gen. nov. for type species P. magnieri sp. nov. Miocene, Zelten, Libya, p. 61, Arambourg (3).

ANTILOCAPRIDAE

Antilocapra americana ecology, population dynamics, regulation of numbers in relation to land use, Buechner (2).

†Cosoryx Pliocene, South Dakota, material descr., Macdonald (1).

BOVIDAR

Unallocated bovid remains, possibly tragelaphine, descr. from Pliocene of Urals, Jakhimovich.

Monograph of fossil oxen of Old World, Burchak-Abramovich (7).

Wild sheep of St. Kilda, Jewell.

Wild sheep of Soay I., St. Kilda, Sheppard.

Identification notes for small antelopes of East Africa, with key, Anon (13).

Antelope ecology in Kruger National Park, Dagg.

Antelope migrations, habits in Kalahari Gemsbok Park, Eloff (1).

Weight of African game animals, Talbot & Talbot. Game ecology and conservation in N. Rhodesia, Fraser Darling.

Commercial use of Rhodesian game animals, Dasmann & Mossman.

Colour marker for big game, Craighead & Stockstad.

Adenota kob identification notes, Anon (14); A. k. kob detailed notes on specimens from Niokolo-Koba Park, French West Africa, Dekeyser (1); A. k. thomass unilateral implantation, Buechner (1).

Aepyceros melampus general illustr. account, Hill, C. A. (2).

Alcelaphus buselaphus luzarchei detailed study, figs., Dekeyser (1); A. cokei general illustr. account, Hill, C. A. (3).

Ammotragus lervia digestive tract compared with with that of Ovis, Gill (2).

Antidorcas marsupialis food in Kalahari National Park, Eloff (1); A. m. marsupialis notes on melanistic individual, Courtenay-Latimer.

Antilope cervicapra digestive tract, Gill & Korda.

Bibos Hodgson, 1837, considered a subgenus of Bos, Bohlken (2); B. gaurus distribution in Malayan National Park, Hislop (1); status in Malaya, Kitchener (4); B. javanicus, B. gaurus allometric comparison of skulls, Bohlken (1).

Bison bison ecology, management reviewed, Fuller; skull fragment with horn core recorded from Nevada, Hall, E. R.; blood groups and taxonomic status, Stormont & others; (1); B. athabascae notes on skull of type specimen, Banfield (5); B. bonasus hybrid with Bos staurus, Dehnel (2); Demiasskiewicz; B. b. conservation in Poland, Anon (28); skull size, height of thoracic vertebral processes, Roskosz & Empel; breeding at Bialowieza, Ścibor; bistorical records from Moldavia, Sokolov & Rafalovich; hybrid with Bos grunniens, Treus & Steklenev (1); B. b. sacrotuberal ligament, Wegrzyn & Serwatka; conservation problems, Zabinski,

†Bison Pleistocene, Old World, detailed monograph, Burchak-Abramovich (7); B. bonasus Pleistocene, Germany, skeletal remains descr., fig'd., Siegfried (2); B. b. caucasicus Pleistocene, Ossetia, skull descr., fig'd., Burchak-Abramovich & Maniev; B. latifrons recorded from Pleistocene of Texas, Dalquest (2); Pleistocene, South Dakota, skull descr., measured, fig'd., Green, M. & Martin; B. priscus Pleistocene, Germany, teeth descr., Karschny.

†Bison (Platycerobison) chaneyi Pleistocene, Texas, horn core measured, Jelinek.

Boocercus eurycerus identification notes, Anon (15); general illustr. account, Bergh.

Bos dom. histochemistry of sweat glands, Ato (1); histochemistry of circumanal apocrine sweat glands,

Ato (2); evaporation rate from skin of zebu, Chowdhury & Sadhu; longevity in different climates, Hartwig; blood potassium and sodium, Howes & others: fertilised egg cell, Jarosz; development of placenta, Kantorova; meiosis in bull, Knudsen; muscle development, Kurnosov; foetal development of skin and hair, Lyne & Heideman; vitiligo in Axian and European breeds, Meijer; blood groups—milk fat percentage relation, Rendel; "combablay" between Watussi bull and Grevy zebra, Schuller (2); early embryogenesis, Shmidt (2); blood groups, Stormont & others; (2); deoxyribonucleic deviation in spermatozaa, Welch & others; cocurrence, inheritance of harelip, Wheat; B. grunniens hybrid with Bison bonasus, Treus & Steklenev (1); B. taurus development, Danilova; hybrid with Bison bonasus, Dehnel (2); Demiaszkiewicz; B. t. development of intercostal muscles, Gurova; management on Oklahoma wildliferefuge, Halloran & Schrader; blood groups and taxonomic status, Stormont & others (1); development of lachrymal ducts, Veggetti; sacrotuberal ligament, Wegrzyn & Serwatks.

Bos (Bibos) sauveli detailed study, origin and systematic position discussed, Bohlken (2).

†Bos Pleistocene, Old World, detailed monograph, Burchak-Abramovich (7); Pleistocene, Lebanon, notes, measurements, Hoojier (2); B. masianzadei sp. nov. Pleistocene, Apscheronsk, Azerbaidjan, p. ?, Burchak-Abramovitch (2) [N.V.].

Bubalus bubalis heat tolerance coefficient of Murrah breed, Chaudhary & Bhatnager; blood potassium and sodium of zebu, Howes & others.

†Bubalus sp. Pleistocene, Caucasus, find reported, Burchak-Abramovich (1).

Capra aegagrus status in Mediterranean region, Couturier (1); C. a., C. falconeri taxonomic notes, Herre (2); C. hircus biology of feral herds in British Columbia, Geist; C. ibex habits, Burckhardt (2); C. i. fertile hybrid reported with Ammotragus lervia-Capra hircus cross, Haltenorth (2); C. i. notes, observations, habits in Switzerland, Schwarzenbach; C. i. ibex climatological limits, Amon; account of re-introduction to Switzerland, habits, status, illustr., Burckhardt (1); ecology, protection in Alps, Conturier (2); reproductive cycle, Conturier (3); new evidence of recent occurrence in Salzburg, Trats; account of protective measures, Whitehead; C. pyrenaica hispanica young described, Valverde (2).

†Capra aegagrus Pleistocene, Lebanon, notes, tooth measurements, Hooijer (2).

Capricornis sumatrensis thar skin basis of "Abominable Snowman" scalp, Santapau & Abdulali (1).

Cephalophus identification notes for E. African forms, Anon (12); C. monticolus N. Rhodesian forms discussed C. m., C. sylvicultor pedal gland, Ansell (1).

†Colombibos gen. nov. for type species C. atactodontus sp. nov. Pleistocene, Soatá, Department of Boyacá Colombia, p. 46, Camache & Porta.

Connochaetes general illustr. account, Hill, C. A. (3).

† Damalavus gen. nov. for type species D. boroccoi sp. nov. Miocene, Oued el Hamman, near Bou Hanifia Dam, Oran, Algeria, p. 120, Arambourg (1).

Damaliscus pygargus translocation in Cape Province, Barnard & van der Walt.

Gazella cuvieri, G. dorcas status in Morocco, Brosset (1);
G. thomsonii ecology, life history, growth, aging, development in Tanganyika; G. t. thomsonii Günther, G. t. nasalis Lönnberg the only valid Tanganyika races, Brooks, A. C.

†Gazella Pleistocene, Lebanon, notes, measurements, Hooijer (2); G. praegaudryi sp. nov. Miccene, Oued el Hamman, near Bou Hanifia Dam, Oran, Algeria, p. 123, Arambourg (1).

Hippotragus equinus general notes, Blower (2); H. leucophaeus circumstances of extinction considered: possibly a subspecies of H. equinus: disc., Eloff (2); teeth recorded from S. African Stone Age site, Wells (2); H. niger variani biology, ecology, protection in Angola, Prade & Sieiro.

Hydrotragus a valid subgenus of Kobus, Ansell (1).

Kobus N. Rhodesian forms discussed, keyed, distribution, Ansell (1); K. defassa, K. ellipsiprymnus general illustr. account, Blower (4); K. defassa, K. K. vardoni identification notes, Anon (14); K. leche distribution, ecology, biology, status, economical importance on Kafue Flats, N. Rhodesia, Mitchell & Uys.

Limnotragus spekii identification notes, Anon (15).

Litocranius walleri behaviour, Walther.

Nemorhaedus cranbrooki sp. nov. Adung Valley, Upper Burma, 97° 40′ E., 28° 10′ N., 8,000 feet, p. 319, Hayman.

Neotragus pygmaeus notes, fig., Rahm (5).

Novibos Coolidge, 1940, not considered a valid genus, Bohlken.

Oreannos americanus further Washington record, Johnson, D. R.; O. kennedyi introduction to Afognak Island, Alaska in 1952, Troyer (2).

Oryx gazella food in Kalahari National Park, Eloff (1).

Ovibos moschatus illustr. notes on specimen in Antwerp Zoo, Argus; general illustr. account, Gijzen (4).

Ovis account of population on Soay I., St. Kilda, Jewell; population on Soay, St. Kilda, Sheppard; O. aries histochemistry of sudoriparian glands, Arvy (1); histochemistry of suprarenal, Arvy (2); interbreeding with O. musimon in Hawaii, Uloth (3); O. canadensis distribution within historical time, Stokes & Condie; O. dom. bones from ancient sites in U.S.S.R., Alekperova (1); structure, secretions of rhinarial gland, Arvy (3);

histology of wool follicle, Badreldin & others; breed morphological distinctions in development, Bogolyubski et al.; magnesium absorption, Evered; rumination, feeding frequency relation, Gordon, J. G. blood potassium and sodium, Howes & others; membranes of spinal cord, Ruliev (2); photoperiodicity of seasonal wool growth rhythm, Morris, L. R.; blood groups and their inheritance in sheep, Rasmusen & others; development, Shumkina; O. musimon diagestive tract compared with that of Ammotragus, Gill (2); monographed, Mottl [N.V.] O. m. sinesella Turček, 1949, critical notes, Szunyoghy (2).

†Ovis cf. ammon Pleistocene, Azerbaidjan, material descr., fig'd., Vereshchagin (1); O. catclawensis referred specimens from Pleistocene of Utah descr., fig'd., evolution disc., Stokes & Condie.

Philantomba a synonym of Cephalophus, Ansell (1); P. maxwelli secretion of anteorbital glands used for territorial marking, Rahm (2).

Raphicerus campestris food in Kalahari Gemsbok Park, Eloff (1).

Redunca redunca wardi, R. fulvorufula chanleri, identification notes, Anon (14).

Rupicapra rupicapra rupicapra ecology, protection in Alps, Couturier (2).

Saiga tatarica ecology, distribution, status, Bannikov (1).

†Saiga binagadensis sp. nov. Pleistocene, Binagadinsk, Azerbaidjan, p. 13, Alekperova (2).


†Spirocerus reviewed; S. kiakhtensis further material, Sokolov, I. I.


Sylvicapra grimmia identification notes, Anon (12).

tSymbos cavifrons Pleistocene, Nebraska, further material recorded: S. convexifrons Barbour, 1934, not considered a valid species, Jakway.

Taurotragus cytauxzoonosis reported, Brocklesby; "ranching" in S. Rhodesia, Hirst; T. oryx monozygotic twins, Treus.

Tragelaphus scriptus identification notes, Anon (15); general illustr. account, Hill, C. A. (2).





THE ZOOLOGICAL RECORD

THE Zoological Record, founded in 1864, is issued annually and is divided into sections. Each section, apart from Comprehensive Zoology and List of New Genera, records the literature relating to a Class or Phylum of the Animal Kingdom published in the year preceding the issue of the volume.

The complete volume can be obtained from the Society at the price of £12 per copy.

The following back volumes are available:-

Vols. 65-71 (1928-1934) and Vols. 85-95 (1948-1958) at £8 each; Vol. 96 (1950) at £10.

Reprint Edition

Vols. 1-30 (1864-1893). Obtainable only from Messrs. Butterworths, 4-5, Bell Yard, Temple Bar, London, W.C.2.

Complete set, paper covers £256 10s.

Single volumes, paper covers, Vols. 1–20, £8 each; Vols. 21–25, £8 18s. 6d. each; Vols. 26–30, £10 10s. each.

Volumes 1-25 bound, £221.

The "Insecta" section, obtainable separately, paper covers. Price complete set Vols. 1–30 £157 5s.; single volumes £5 5s. each.

For particulars of the availability and prices of separate Sections of back volumes, application should be made to the Scientific Director, The Zoological Society of London, Regent's Park, London, N.W.1.

It should be noted that the Section Insecta can only be obtained from the Commonwealth Institute of Entomology, 56, Queen's Gate, London, S.W.7.

NOMENCLATOR ZOOLOGICUS.—Lists the names of all the genera and subgenera in zoology from 10th Edition of Linnaeus 1758 to the end of 1945, with a bibliographical reference to the original description of each. Price 17½ guineas, postage extra. Price of separate volumes: Vols. 1–4 (1758 1935), Vol. 5 (1936–1945), 3½ guineas each, postage extra.

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete volume, the separate Sections bound in printed paper covers may be obtained.

The prices of the Sections from Volume 98 are:-

								8.	d.
1.	Comprehensive	Zoolog	gy	••	• •			 5	0
2.	Protozoa							 15	0
3.	Porifera	• •	• •		• •			 3	0
4.	Coelenterata							 5	0
5.	Echinodermata						• •	 4	0
6.	Vermes	• •			• •			 14	0
7.	Brachiopoda	• •				• •		 4	0
8.	Bryozoa							 3	0
9.	Mollusca	••						 21	0
10.	Crustacea							 12	0
11.	Trilobita							 8	0
12.	Arachnida							 14	0
13.	*Insecta							 80	0
14.	Protochordata							 3	0
15.	Pisces							 15	0
16.	Amphibia							 12	0
17.	Reptilia							 12	0
18.	Aves							 13	0
19.	Mammalia							 18	0
20.	List of New Ge	enera a	nd Sul	bgenera				 5	0

^{*} Obtainable only from the Commonwealth Institute of Entomology, 56 Queen's Gate, London, S.W.7.

